INDEX TO VOLUME 88

*Author index**

A

Aase JM. (*See* Coen and Aase) (Letter), 152
Abildgaard CF, Britton M, and Harrison J. Prothrombin complex concentrate (Konyne) in the treatment of hemophilic patients with factor VIII inhibitors, 200
Adams JM, Kenny JD, and Rudolph AJ. Central diabetes insipidus following intraventricular hemorrhage, 292
Adcock EW III. (*See* Paxson et al) (Letter), 357
Adeniyi-Jones S. (*See* Suskind and Adeniyi-Jones) (Letter), 696
Adler R. (*See* Robinson and Adler) (Letter), 1069
Alagille D. (*See* Odièvre et al), 774
Albrecht RM, and Hong R. Basic and clinical considerations of the monocyte-macrophage system in man, 751
Albritton WL, Wiggins GL, and Feeley JC. Neonatal listeriosis: Distribution of serotypes in relation to age at onset of disease, 481
Allen J. (*See* Kumar et al), 859
Ament ME. (*See* Christie and Ament) (Reply), 705; (Letter) 903
—. (*See* Halpin and Ament) (Editor's column), 911
—. (*See* Vanderhoof and Ament) (Letter), 693; 867
Anakura M. (*See* Matsuda et al) (BCLO), 824
Anand SK, and Northway JD. Catheter for peritoneal dialysis in small infants (Reply), 161
Anderson R. (*See* Macdougall et al) (Reply), 697
Andrew G, Chan G, and Schiff D. Lipid metabolism in the neonate. I. The effects of Intralipid infusion on plasma triglyceride and free fatty acid concentrations in the neonate, 273
—, —, and —. Lipid metabolism in the neonate. II. The effect of Intralipid on bilirubin binding in vitro and in vivo, 279
Angel A. (*See* Shennan et al), 285
Apostolou M. (*See* Mandalenaki-Asfi et al) (BCLO), 74
Arashima S. (*See* Matsuda et al), 581; (BCLO) 824
Armenta E. (*See* Glode et al), 36
Arstikaitis M. (*See* Fitzhardinge et al), 531
Ashby S. (*See* Fitzhardinge et al), 531
Ashenhurst JB, Langehennig PL, Seeler RA, and Telfer MC. Hemolytic anemia due to anti-B in antihemophiliac factor concentrates (BCLO), 257
Atkins L. (*See* Milunsky and Atkins) (Letter), 365
Auld PAM. (*See* Dauber et al), 851
Aylsworth AS, Taylor HA, Stuart CM, and Thomas GH. Mannosidosis: Phenotype of a severely affected child and characterization of α-mannosidase activity in cultured fibroblasts from the patient and his parents, 814

B

Bachy A. Cerebral abscesses in amebiasis (Letter), 364
Baehner RL. (*See* Weetman et al), 46
Baker CJ. (*See* Hammerschlag and Baker) (Letter), 519
Bale PM. (*See* Mellis and Bale), 236
Balfanz JR, Nesbit ME Jr, Jarvis C, and Krivit W. Overwhelming sepsis following splenectomy for trauma (BCLO), 458
Balfe JW. (*See* Saunders et al) (BCLO), 258
Baluarte JH. (*See* Bergman et al) (Letter), 355
Bamman J. (*See* Grady and Bamman) (Letter), 691
Barber N. (*See* Say et al) (BCLO), 447
Barker LF. (*See* Gerety et al), 561
Barrett DA II, Witte DL, and Brown L. Is Dextrostix adequate to assess neonatal hypoglycemia? (Letter), 1072
Bartsocas CS. "Anomalad" vs "polyanomaly" (Letter), 899
—. Thalassemia in Greek Americans (Letter), 165
Bass JW. (*See* Podgore and Bass) (Letter), 154
Battle CU. (*See* Glode et al), 36
Baum JD, and Roberton NRC. Alkali therapy and RDS, cont'd. (Reply), 525
—, and —. More on alkali therapy of the respiratory distress syndrome (Reply), 525
Baun WJ. (*See* Hall et al), 467
Beals RK. (*See* Weleber and Beals), 243
Bell W. (*See* Mueller et al), 650
Bellanti JA. (*See* Church et al) (BCLO), 982
—. (*See* Steele et al), 56
Bennett B. (*See* Nash et al), 806
Bennett DL, Ward MS, and Daniel WA Jr. The relationship of serum alkaline phosphatase concentrations to sex maturity ratings in adolescents, 633
Benoit P. (*See* Spigelblatt et al) (Letter), 1067
Benveniste D, Berg O, and Pedersen JEP. A technique for delivery of continuous positive airway pressure to the neonate, 1015
Berant M, Wagner Y, and Cohen N. Cholestyramine in the management of infantile diarrhea (Letter), 153
Berg O. (*See* Benveniste et al), 1015
Bergman GE, Baluarte HJ, and Naiman JL. Diabetes insipidus as a presenting manifestation of acute myelogenous leukemia (Letter), 355
—, Philippidis P, and Naiman JL. Severe gastrointestinal hemorrhage and anemia after therapeutic doses of aspirin in normal children, 501
Bergstein JM. (*See* Goldberg et al) (Letter), 518
Berman NS, Siegel SE, Nachum R, Lipsey A, and Leedom J. Cerebrospinal fluid endotoxin concentrations in gram-negative bacterial meningitis, 553
Berman P. (*See* Roth et al) (Letter), 689
Bernstein J. (*See* Nash et al), 806

*January, pp 1-176; February, pp 177-370; March, pp 371-530; April, part 1, pp 531-710; April, part 2, pp 711-750; May, pp 751-912; June, pp 913-1076.

BERTHOUD F. Malarial prophylaxis for pregnant women (Letter), 362
BIGGAR WD, BURON S, AND HOLMES B. Chronic granulomatous disease in an adult male: A proposed X-linked defect, 63
BILLMEIER GJ JR. (*See* BROWN ET AL) (BCLO), 81
BLACKMON L. (*See* GUTMAN ET AL), 836
BLAESE RM. (*See* GERETY ET AL), 561
BLEYER WA. (*See* PIZZO ET AL), 131
BLOCH K. (*See* FELDMAN ET AL) (Reply), 700
BOBO RC. Post-transfusion viral infections in Reye syndrome (Reply), 907
—. (*See* SCHUBERT ET AL) (Reply), 1071
BOBROW M. (*See* SAY ET AL) (BCLO), 447
BONIN A. (*See* MORIN ET AL), 213
BOOK LS, AND HERBST JJ. Elemental diets and hypertonic feedings for low-birth-weight infants (Reply), 904
BOOTH CW, CHEN KK, AND NADLER HL. Mannosidosis: Clinical and biochemical studies in a family of affected adolescents and adults (BCLO), 821
BORKOWSKY W. (*See* SHTURMAN-ELLSTEIN ET AL) (Letter), 523
BOSSI E. (*See* SCHILD ET AL), 631
BOVE KE. (*See* DJERNES ET AL) (BCLO), 596
BOXER LA. (*See* BUCHANAN ET AL), 780
BOYLE IR, DI SANT'AGNESE PA, SACK S, MILLICAN F, AND KULCYZCKI LL. Emotional adjustment of adolescents and young adults with cystic fibrosis, 318
BOYLE M. (*See* FITZHARDINGE ET AL), 531
BRADFORD BJ, AND PLOTKIN SA. Cervical adenitis caused by anaerobic bacteria (Letter), 1060
BRADFORD DS. (*See* BROWN ET AL), 573
BRADY RE, AND WEINBERG PM. Atrioventricular conduction disturbance during total parenteral nutrition, 113
BRAY PF. (*See* FRENS ET AL) (BCLO), 591
—. (*See* SHIELDS AND BRAY), 301
BRINK S. Therapy of diabetic ketoacidosis with continuous "low-dose infusion" of insulin (Letter), 905
BRITTON M. (*See* ABILDGAARD ET AL), 200
BROCKLEBANK JT. (*See* COLE ET AL), 307
BROWN DM, BRADFORD DS, GORLIN RJ, DESNICK RJ, LANGER LO JR, JOWSEY J, AND SAUK JJ JR. The acro-osteolysis syndrome: Morphologic and biochemical studies, 573
BROWN DR. (*See* TSANG ET AL), 250
BROWN JS, BILLMEIER GJ JR, COX F, IBRAHIM M, STEPP WP JR, AND GIBSON R. Mucocutaneous lymph node syndrome in the continental United States (BCLO), 81
BROWN L. (*See* BARRETT ET AL), 1072
BRYAN AC. (*See* BRYAN AND BRYAN) (Commentary), 112
—. (*See* KIRKPATRICK ET AL), 1010
BRYAN MH, AND BRYAN AC. Respiratory regulation after elastic loading and CO_2 rebreathing in normal term infants (Commentary), 112
—. (*See* KIRKPATRICK ET AL), 1010
—. (*See* SHENNAN ET AL), 285
BUCHANAN GR, BOXER LA, AND NATHAN DG. The acute transient nature of idiopathic immune hemolytic anemia in childhood, 780
BUNCE H III. (*See* DODGE ET AL), 327
BUNTAIN WL. (*See* SINATRA ET AL), 304
BURECH DL, KORANYI KI, AND HAYNES RE. Serious Group A streptococcal diseases in children, 972
BURKE B. (*See* LIBIT ET AL), 394
BURKS JM, SIIMES MA, MENTZER WC, AND DALLMAN PR. Iron deficiency in an Eskimo village, 224
BURON S. (*See* BIGGAR ET AL), 63
BURR IM, SLONIM AE, DANISH RK, GADOTH N, AND BUTLER IJ. Diencephalic syndrome revisited, 439
BURRY VF. (*See* RHODES ET AL) (Letter), 1063
BUTLER IJ. (*See* BURR ET AL), 439

C

CARELLA JA, AND SILBER I. Hyperreninemic hypertension in an infant secondary to pelviureteric obstruction treated successfully by surgery (BCLO), 987
—. (*See* FRANZ ET AL) (BCLO), 975
CAREY WB. Night waking: A normal response? (Reply), 170
—. Sudden infant death syndrome temperament before death (Commentary), 516
CARPENTIERI U, GUSTAVSON LP, LOCKHART LH, AND HAGGARD ME. Adverse reaction to nitrogen mustard therapy (Letter), 1064
CARSON S. (*See* TAEUSCH ET AL), 102
CASHORE WJ. (*See* HAKANSON ET AL) (Letter), 166
CASTANEDA AR. (*See* COLLINS-NAKAI ET AL), 959
CHAN G, AND SCHIFF D. Variance in albumin loading in exchange transfusions, 609
—. (*See* ANDREW ET AL), 273, 279
CHAN JCM. Origin of acidosis in total parenteral nutrition: Controversy (Letter), 157
CHANDRA RK. Immune response in iron-deficient children (Reply), 698
CHANG MJ. (*See* FEIGIN ET AL), 542
CHANG SH, MORRISON L, SHAFFNER L, AND CROWE JE. Intrathoracic gastrogenic cysts and hemotypsis (BCLO), 594
CHARTRAND SA, AND CHO CT. Persistent pleocytosis in bacterial meningitis, 424
CHAUSSAIN J-L. (*See* JOB ET AL), 494
CHAVEZ CJ. (*See* OSTREA ET AL), 642
CHEN I-W. (*See* TSANG ET AL), 250
CHEN KK. (*See* BOOTH ET AL) (BCLO), 821
CHERIAN AG. (*See* SHENNAN ET AL), 285
CHERUBIN CE, SZMUNESS W, HARLEY EJ, MUCH MI, AND ROLDMAN E. Evidence of hepatitis B infection in hospitalized children in New York City (Letter), 893
CHO CT. (*See* CHARTRAND AND CHO), 424
CHOTTIPITAYASUNONDH T. (*See* LAMPE ET AL), 557
CHRISTIE DL, AND AMENT ME. Drug-associated colitis (Reply), 705
—, AND —. Elemental diets and hypertonic feedings for low-birth-weight infants (Letter), 903
CHURCH JA, FRENKEL LD, WRIGHT DG, AND BELLANTI JA. T lymphocyte dysfunction, hyperimmunoglobulinemia E, recurrent bacterial infections, and defective neutrophil chemotaxis in a Negro child (BCLO), 982
CLARK CF, TORII S, HAMAMOTO Y, AND KAITO H. The "bronze baby" syndrome: Postmortem data, 461
CLEMONS RD, COSTIN G, AND KOGUT MD. Laron dwarfism: Growth and immunoreactive insulin following treatment with human growth hormone, 427
CLYDE DF. Malarial prophylaxis for pregnant women (Reply), 362
COEN RW, AND AASE JM. Fusion of the adrenal glands in association with asplenia (Letter), 152

COHEN MI. (*See* DAUM ET AL), 1041
–. (*See* LITT AND COHEN) (Reply), 704
COHEN N. (*See* BERANT ET AL) (Letter), 153
COHEN W, FENCL M DEM, AND TULCHINSKY D. Amniotic fluid cortisol after premature rupture of membranes, 1007
COHN R. (*See* ROTH ET AL), 229
COHN RM. (*See* ROTH ET AL) (Letter), 689
COLDWELL JG. (*See* SAY ET AL) (BCLO), 447
COLE BR, BROCKLEBANK JT, KIENSTRA RA, KISSANE JM, AND ROBSON AM. "Pulse" methylprednisolone therapy in the treatment of severe glomerulonephritis, 307
COLEMAN R. A reminder: Deficiency of folic acid in goat milk (Letter), 900
COLLINS-NAKAI RL, DICK M, PARISI-BUCKLEY L, FYLER DC, AND CASTANEDA AR. Interrupted aortic arch in infancy, 959
COMMITTEE FOR A STUDY FOR EVALUATION OF TESTING FOR CYSTIC FIBROSIS. Evaluation of testing for cystic fibrosis, 711
COMMON HH. (*See* GOODNIGHT ET AL) (Letter), 356
CONDORELLI S, AND SCARPELLI EM. Fetal breathing: Induction in utero and effects of vagotomy and barbiturates, 94
COSTIN G. (*See* CLEMONS ET AL), 427
COWETT RM, PETER G, HAKANSON DO, AND OH W. Reliability of bacterial culture of blood obtained from umbilical artery catheter, 1035
COX DW. (*See* MOROZ ET AL), 19
COX F. (*See* BROWN ET AL) (BCLO), 81
COXE WS. (*See* VOLPE ET AL), 1023
CRAWFORD JS. Paediatric ophthalmology (B rev), 1058
CREMERS C. Hearing loss in Noonan syndrome (Letter), 363
CRIGLER JF JR. Commentary: On the use of pitressin in infants with neurogenic diabetes insipidus, 295
CRIST WM. (*See* RAGAB ET AL), 790
CROWE JE. (*See* CHANG ET AL) (BCLO), 594
CULLEN KJ. A six-year controlled trial of prevention of children's behavior disorders, 662
CULPEPPER W. (*See* PAULI ET AL), 506
CUMMING GR, KERR D, AND FERGUSON CC. Constrictive pericarditis with dwarfism in two siblings (mulibrey nanism), 569
CUTZ E. (*See* MOROZ ET AL), 19

D

DADASH-ZADEH M, HSU CCS, AND SCHWARTZ AD. T- and null cell proliferation in a patient with acute infectious lymphocytosis (Letter), 520
DAESCHNER CW. Screening for renal diseases (Editor's column), 369
DALLMAN PR. (*See* BURKS ET AL), 224
DANIEL SS, AND JAMES LS. Abnormal renal function in the newborn infant, 856
DANIEL WA JR. (*See* BENNETT ET AL), 633
DANISH RK. (*See* BURR ET AL), 439
DANKS DM. Diuretic therapy in infants and children (Letter), 695
–. (*See* SHEFFIELD ET AL) (BCLO), 450
DANUFSKY PG. Thyroid studies in anorexia nervosa (Letter), 1069
DARLING D. (*See* SAADE ET AL) (BCLO), 71
DAUBER IM, KRAUSS AN, SYMCHYCH PS, AND AULD PAM. Renal failure following perinatal anoxia, 851
DAUM F, ROSEN JF, ROGINSKY M, COHEN MI, AND FINBERG L. 25-Hydroxycholecalciferol in the management of rickets associated with extrahepatic biliary atresia, 1041
DAVIS A. (*See* GROSHONG ET AL), 217
DAVIS H. (*See* FEIGIN ET AL), 542
DEINARD AS, MURRAY MJ, AND EGELAND B. Childhood iron deficiency and impaired attentional development or scholastic performance: Is the evidence sufficient to establish causality? (Letter), 162
DENNY FW, GLEZEN WP, KARZON D, KATZ SL, KRUGMAN S, MCINTOSH K, AND PARROTT RH. Swine-like influenza virus and vaccine: A commentary, 1057
DENSON SE, TAUSSIG LM, AND POND GD. Intraluminal tracheal cyst producing airway obstruction in the newborn infant (Letter), 521
DESNICK RJ. (*See* BROWN ET AL), 573
DEVIVO DC. Neurology of infancy and childhood (B rev), 348
DICK M. (*See* COLLINS-NAKAI ET AL), 959
DINE MS. (*See* WEICHERT AND DINE) (Letter), 1066
DI SANT'AGNESE PA. (*See* BOYLE ET AL), 318
DIXSON B. (*See* KELLER ET AL) (BCLO), 589
DJERNES BW, SOUKUP SW, BOVE KE, AND WONG KY. Congenital leukemia associated with mosaic trisomy 9 (BCLO), 596
DODD P. (*See* ROTH ET AL), 229
DODGE PR. (*See* FEIGIN ET AL), 542
DODGE WF, WEST EF, SMITH EH, AND BUNCE H III. Proteinuria and hematuria in schoolchildren: Epidemiology and early natural history, 327
DOLHAY B. (*See* PAPP ET AL) (Letter), 524
DORCHY H, AND LOEB H. Correlation of Dextrostix values with true glucose in the range less than 50 mg/dl (Letter), 692
DRASH A. The control of diabetes mellitus: Is it achievable? Is it desirable? (Editor's column), 1074
DUCK SC, SEKHON GS, WILBOIS R, PAGLIARA AS, AND WELDON VV. Estradiol as inhibitor of gonadotropin? (Reply), 530
–, –, –, –, AND –. Ethical problem of hysterectomy in a mentally retarded girl (Reply), 530
DUNKLE LM. (*See* FEIGIN ET AL), 542
DURHAM G. (*See* FADEN ET AL) (Letter), 895

E

EGELAND B. (*See* DEINARD ET AL) (Letter), 162
EISEN A. (*See* LOUGHNAN ET AL), 874
EPP E. (*See* FELDMAN AND EPP) (BCLO), 265
ESHELMAN FN. Estimations of peak tissue concentrations of gentamicin (Letter), 1066
ESTERLY NB. (*See* RAMAMURTHY ET AL), 831
ETTELDORF JN, WEST CD, PITCOCK JA, AND WILLIAMS DL. Gonadal function, testicular histology, and meiosis following cyclophosphamide therapy in patients with nephrotic syndrome, 206
EVERSON RB, MUSELES M, HENSON DE, AND GRUNDY GW. Focal nodular hyperplasia of the liver in a child with hemihypertrophy (BCLO), 985

F

FADEN H, DURHAM G, TINKER J, ROWLEY A, AND GLASGOW LA. Septic thrombosis following subclavian vein catheterization (Letter), 895
FADEN HS. Early diagnosis of neonatal bacteremia by buffy-coat examination, 1032
FAEHNLE ST. (*See* HUGHES ET AL) (Reply), 364
FANAROFF AA. (*See* KATTWINKEL ET AL), 1003
—. (*See* KLAUS AND FANAROFF), 300
—. (*See* PITTARD ET AL), 621
FEELEY JC. (*See* ALBRITTON ET AL), 481
FEIGIN RD, STECHENBERG BW, CHANG MJ, DUNKLE LM, WONG ML, PALKES H, DODGE PR, AND DAVIS H. Prospective evaluation of treatment of *Hemophilus influenzae* meningitis, 542
FEIGL P. (*See* SCHALLER ET AL), 926
FELDMAN G, KOZINER B, TALAMO R, AND BLOCH K. Pattern of inheritance in familial variable immunodeficiency (Reply), 700
—. (*See* ZELAZKO AND FELDMAN) (Letter), 359
FELDMAN KW, OCHS HD, PRICE TH, AND WEDGWOOD RJ. Congenital stem cell dysfunction associated with Turner-like phenotype (BCLO), 979
FELDMAN S, AND EPP E. Isolation of varicella-zoster virus from blood (BCLO), 265
FELDMAN WE. Concentrations of bacteria in cerebrospinal fluid of patients with bacterial meningitis, 549
FENCL M DEM. (*See* COHEN ET AL), 1007
FENTON LJ. Short-term starvation in infancy re subsequent learning disabilities—a proven relationship? (Letter), 701
FERANDO R. (*See* OSORIO ET AL) (Letter), 360
FERGUSON CC. (*See* CUMMING ET AL), 569
FERRANDEZ A. (*See* ZACHMANN ET AL), 116
FERRY GD. (*See* KLISH ET AL), 948
—. (*See* RODRIGUEZ ET AL), 659
—. (*See* UDALL ET AL) (BCLO), 819
FINBERG L. (*See* DAUM ET AL), 1041
—. (*See* RADEL ET AL), 800
FINE RN. (*See* WASSNER ET AL), 134
FINNEGAN LP. (*See* KRON ET AL), 637
FIROR HV. (*See* JANIK AND FIROR) (Letter), 358
FISCHHOFF J, AND O'BRIEN N. After the child dies, 140
FISH I. (*See* SHTURMAN-ELLSTEIN ET AL) (Letter), 523
FISHER DA. On the treatment of congenital goiter (Comment), 527
FITZHARDINGE PM, PAPE K, ARSTIKAITIS M, BOYLE M, ASHBY S, ROWLEY A, NETLEY C, AND SWYER PR. Mechanical ventilation of infants of less than 1,501 gm birtl weight: Health, growth, and neurologic sequelae 531
FLEET W. (*See* WRIGHT ET AL), 931
FORBES GB. (*See* KLEIN ET AL) (Reply), 702
FORMAN TF. (*See* JACKSON ET AL), 963
FOST N. (*See* ROBERTSON AND FOST), 883
FOX Z. (*See* LOUGHNAN ET AL), 874
FRANCKE U. (*See* KELLER ET AL) (BCLO), 589
FRANTZ ID. (*See* TAEUSCH ET AL), 102
FRANTZ ID III. Correlation of Dextrostix values with true glucose in the range less than 50 mg/dl (Reply), 693
—, TAEUSCH HW JR, AND MEDINA G. Is Dextrostix adequate to assess neonatal hypoglycemia? (Reply), 1072
FRANZ ML, CARELLA JA, AND GALANT SP. Cutaneous delayed hypersensitivity in a healthy pediatric population: Diagnostic value of diptheria-tetanus toxoids (BCLO), 975
FRASER FC. "Anomalad" vs "polyanomaly" (Reply), 900
FRAUMENI JF JR. (*See* LI ET AL), 419
FRAZIER CA. Insect sting emergency first-aid kits (Letter), 170
FRENKEL LD. (*See* CHURCH ET AL) (BCLO), 982
FRENS DB, BRAY PF, WU JT, AND LAHEY ME. The carcinoembryonic antigen assay: Prognostic value of neural crest tumors (BCLO), 591
FRETZIN DF. (*See* RAMAMURTHY ET AL), 831
FRIEDLAND GW, SUNSHINE P, AND ZBORALSKE FF. Hiatal hernia and gastroesophageal reflux (Reply), 693
FRIEDMAN S. (*See* RUSSELL ET AL), 382
FRUMAN LS, RAGSDALE CG, SULLIVAN DB, AND PETTY RE. Retinopathy in juvenile dermatomyositis (BCLO), 267
FUCCILLO DA. (*See* STEELE ET AL), 56
FURUYAMA M. (*See* MATSUDA ET AL), 581
FYLER DC. (*See* COLLINS-NAKAI ET AL), 959

G

GADOTH N. (*See* BURR ET AL), 439
GAGNON P. (*See* SIGAL AND GAGNON) (Letter), 700
GALANT SP. (*See* FRANZ ET AL) (BCLO), 975
GARDO S. (*See* PAPP ET AL) (Letter), 524
GARFUNKEL JM. An attempt to identify frequency of use of technical skills and procedures by the primary care physician: Commentary, 676
GARNIER PE. (*See* JOB ET AL), 494
GARTNER LM, AND LEE KS. Commentary: The bronze baby syndrome, 465
GARVER KL. Pattern of inheritance in familial variable immunodeficiency (Letter), 699
GAUTIER E. (*See* GUIGNARD ET AL), 845
GAUVIN NE. (*See* HAKANSON ET AL) (Letter), 166
GEHLBACH S. (*See* GUTMAN ET AL), 836
GELLER GR. (*See* MCCORMACK ET AL) (Letter), 1061
GERETY RJ, POPLACK DG, HOOFNAGLE JH, BLAESE RM, HOLLAND PV, AND BARKER LF. Hepatitis B virus infection in the Wiskott-Aldrich syndrome, 561
GERSHON AA. (*See* SHTURMAN-ELLSTEIN ET AL) (Letter), 523
GERSHWIN ME, HYMAN L, AND STEINBERG AD. Erratum: Error in labeling illustration of choroid plexus (Reply), 699
GIBSON R. (*See* BROWN ET AL) (BCLO), 81
GILBOA N. Heterochromia and Horner syndrome with neuroblastoma (Letter), 366
GILKERSON E. (*See* RAGAB ET AL), 790
GINSBURG CM. (*See* NELSON AND GINSBURG) (Editor's column), 709
GIORDANO B. (*See* GRGIC ET AL), 584
GLASGOW LA. (*See* FADEN ET AL) (Letter), 895
GLEZEN WP. (*See* DENNY ET AL), 1057
GLODE MP, SCHIFFER MS, ROBBINS JB, KHAN W, BATTLE CU, AND ARMENTA E. An outbreak of *Hemophilus influenzae* type b meningitis in an enclosed hospital population, 36
GNEHM HE. (*See* ZACHMANN ET AL), 116
GOLDBERG BH, PENSO JS, STERN LM, AND BERGSTEIN JM. Alkaptonuria with nephrocalcinosis (Letter), 518
GOLDBERG HI. (*See* RUSSELL ET AL), 382

GOLDSTONE SJ. Fever in the neonate (Letter), 167
GOODNIGHT SH JR, COMMON HH, AND LOVRIEN EW. Factor VIII inhibitor following surgery for epidural hemorrhage in hemophilia: Successful therapy with a concentrate containing factors II, VII, IX, and X (Letter), 356
GORLIN RJ. (*See* BROWN ET AL), 573
GRADY JJ, AND BAMMAN J. "Hypothermia" in a cool mist tent (Letter), 691
GRAHAM RC. (*See* O'REGAN ET AL) (Letter), 522
GRANOFF DM. *Hemophilus influenzae* type b and epiglottitis (Letter), 1068
GREIFER I. (*See* NASH ET AL), 806
GREITZER L, STAPLETON FB, WRIGHT L, AND WEDGWOOD RJ. Telephone assessment of illness by practicing pediatricians, 880
GRGIC A, ROSENBLOOM AL, WEBER FT, GIORDANO B, MALONE JI, AND SHUSTER JJ. Joint contracture—common manifestation of childhood diabetes mellitus, 584
—. (*See* MALONE ET AL), 943
GRISWOLD WR. (*See* SELLERS ET AL) (Letter), 160
GROSHONG T, HOROWITZ S, LOVCHIK J, DAVIS A, AND HONG R. Chronic cytomegalovirus infection, immunodeficiency, and monoclonal gammapathy—antigen-drive malignancy? 217
GROSS SJ, STUART MJ, SWENDER PT, AND OSKI FA. Malabsorption of iron in children with iron deficiency, 795
GROVER WD. Pediatric neurology, ed. 2 (B rev), 349
GRUNDY GW. (*See* EVERSON ET AL) (BCLO), 985
GRUNNET ML, AND SHIELDS WD. Cerebellar hemorrhage in the premature infant, 605
GRUSKIN A. Pediatric nephrology, Vol XI, Major problems in clinical pediatrics (B rev), 348
GUIGNARD J-P, TORRADO A, MAZOUNI SM, AND GAUTIER E. Renal function in respiratory distress syndrome, 845
GUILIOTIS DK. (*See* PEARSON AND GUILIOTIS) (Reply), 165
GUSTAVSON LP. (*See* CARPENTIERI ET AL) (Letter), 1064
GUTAI JP. (*See* WENTZ ET AL), 488
GUTHRIE RA. Therapy of diabetic ketoacidosis with continuous "low-dose infusion" of insulin (Letter), 905
GUTMAN LT, IDRISS ZH, GEHLBACH S, AND BLACKMON L. Neonatal staphylococcal enterocolitis: Association with indwelling feeding catheters and *S. aureus* colonization, 836
GUYDA HJ. (*See* TZE ET AL), 565
GYURKOVITS K. (*See* PAPP ET AL) (Letter), 151

H

HABIB E-C. (*See* ODIEVRE ET AL), 774
HAGGARD ME. (*See* CARPENTIERI ET AL) (Letter), 1064
HAKANSON DO, CASHORE WJ, GAUVIN NE, AND STERN L. Neck ulceration from CPAP box (Letter), 166
—. (*See* COWETT ET AL), 1035
HALL RT, RHODES PG, TURNER EA, AND BAUN WJ. Protamine sulfate titration for heparin activity in neonates with indwelling umbilical catheters, 467
—. (*See* LEONIDAS ET AL) (Reply), 902
—. (*See* RHODES ET AL) (Letter), 1063
HALLORAN KH, HSIA YE, AND ROSENBERG LE. Genetic counseling for congenital heart disease, 1054
HALPIN TC, AND AMENT ME. Intestinal malabsorption of iron (Editor's column), 911
HAMAMOTO Y. (*See* CLARK ET AL), 461
HAMILTON LR. (*See* VIDYASAGAR ET AL) (Letter), 115
HAMMERSCHLAG MR, AND BAKER CJ. Meningococcal osteomyelitis: A report of two cases associated with septic arthritis (Letter), 519
HAMMOND JW. (*See* SHEFFIELD ET AL) (BCLO), 450
HANSON V. (*See* SINGSEN ET AL) (BCLO), 602
HARBERG FJ. (*See* RODRIGUEZ ET AL), 659
HARLEY EJ. (*See* CHERUBIN ET AL) (Letter), 893
HARRIS VJ. (*See* LILIEN ET AL), 478
HARRISON HE. (*See* ROOT AND HARRISON), 1, 177
HARRISON J. (*See* ABILDGAARD ET AL), 200
HART ZH. (*See* KESAREE ET AL) (BCLO), 598
HATHAWAY WE. Hematology of infancy and childhood (B rev), 349
—. (*See* HUTTER ET AL), 1026
HAWORTH SG, AND REID L. Persistent fetal circulation: Newly recognized structural features, 614
HAYCOCK GB. (*See* SCHWARTZ ET AL) (BCLO), 828
HAYEK A. Neonatal hyperthyroidism following intrauterine hypothyroidism (Reply), 901
HAYNES RE. (*See* BURECH ET AL), 972
HAYWOOD LJ. (*See* KUMAR ET AL), 859
HEDLEY-WHYTE ET, AND WELCH K. Erratum: Error in labeling illustration of choroid plexus (Letter), 699
HEINER DC. (*See* SINGER ET AL), 87
HEIRD WC, AND WINTERS RW. Origin of acidosis in total parenteral nutrition: Controversy (Reply), 158
HELLRUNG JM. (*See* MALONE ET AL), 943
HEMPEL JS. (*See* WEETMAN ET AL), 46
HENDERSON ES. (*See* PIZZO ET AL), 125
HENSEN SA. (*See* STEELE ET AL), 56
HENSON DE. (*See* EVERSON ET AL) (BCLO), 985
HERBST JJ. (*See* BOOK AND HERBST) (Reply), 904
HERZOG DB, LOGAN R, AND KOOISTRA JB. The Noonan syndrome with intestinal lymphangiectasia (BCLO), 270
HOBEL CJ. (*See* SINGER ET AL), 87
HOLINGER PH. (*See* KIRSCHNER AND HOLINGER) (BCLO), 263
HOLLAND PV. (*See* GERETY ET AL), 561
HOLMES B. (*See* BIGGAR ET AL), 63
HOMOKI J, AND TELLER WM. On the treatment of congenital goiter (Reply), 527
HONG R. (*See* ALBRECHT AND HONG), 751
—. (*See* GROSHONG ET AL), 217
HOOFNAGLE JH. (*See* GERETY ET AL), 561
HOOGENRAAD NJ. (*See* SHEFFIELD ET AL) (BCLO), 450
HOROWITZ S. (*See* GROSHONG ET AL), 217
HOWARD J, PARMELEE AH JR, KOPP CB, AND LITTMAN B. A neurologic comparison of pre-term and full-term infants at term conceptional age, 995
HOY P. (*See* TZE ET AL), 565
HSIA YE. (*See* HALLORAN ET AL), 1054
HSU CCS. (*See* DADASH-ZADEH ET AL) (Letter), 520
HUANG CTL. (*See* UDALL ET AL) (BCLO), 819
HUANG TL. (*See* RODRIGUEZ ET AL), 659
HUGHES FB, FAEHNLE ST, AND SIMON JL. Cerebral abscesses in amebiasis (Reply), 364
HUGHES IA, AND WINTER JSD. The application of serum 170H-progesterone radioimmunoassay to the diagnosis and management of congenital adrenal hyperplasia, 766
HUMAN DG. Metronidazole in treatment of amebiasis (Letter), 695

HURDISS LW, TAYBI H, AND JOHNSON LM. Delayed appearance of left-sided diaphragmatic hernia in infancy (BCLO), 990
HUTTER JJ JR, HATHAWAY WE, AND WAYNE ER. Hematologic abnormalities in severe neonatal necrotizing enterocolitis, 1026
HYMAN L. (*See* GERSHWIN ET AL) (Reply), 699

I

IBRAHIM M. (*See* BROWN ET AL) (BCLO), 81
IDRISS ZH. (*See* GUTMAN ET AL), 836
ISABEL-JONES JB. (*See* ROSENGART AND ISABEL-JONES) (Letter), 161
ISENBERG JN. (*See* ROGERS ET AL) (BCLO), 83

J

JACKSON CE, WEISS L, REYNOLDS WA, FORMAN TF, AND PETERSON JA. Craniosynostosis, midfacial hypoplasia, and foot abnormalities: An autosomal dominant phenotype in a large Amish kindred, 963
JACOB JL. (*See* SPIGELBLATT ET AL) (Letter), 1067
JAFFE N. Heterochromia and neuroblastoma (Reply), 168
—. Neuroblastoma with heterochromia and Horner syndrome (Reply), 1068
JAMES LS. (*See* DANIEL AND JAMES), 856
JANIK JS, AND FIROR HV. Intussusception and nutritional status (Letter), 358
JARVIS C. (*See* BALFANZ ET AL) (BCLO), 458
JAYABOSE S, SHENDE A, AND LANZKOWSKY P. Hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for right-sided Wilms tumor (Letter), 898
JELLIFE EFP. Malarial prophylaxis for pregnant women (Reply), 362
JENSEN RL. (*See* ROBILLARD ET AL) (BCLO), 79
JOB J-C, CHAUSSAIN J-L, GARNIER PE, AND TOUBLANC J-E. Effect of synthetic luteinizing hormone-releasing hormone on the release of gonadotropins in hypophysogonadal disorders of children and adolescents. VII. Constitutional delay of puberty in males, 494
JOHN TJ. (*See* REED ET AL) (BCLO), 977
JOHNSON JR. (*See* TSANG ET AL), 250
JOHNSON LM. (*See* HURDISS ET AL) (BCLO), 990
JOHNSTON RB JR. Unusual forms of an uncommon disease (chronic granulomatous disease) (Editor's column), 172
JONES GS. (*See* WENTZ ET AL), 488
JONES K. (*See* SAY ET AL) (BCLO), 447
JONES KL. (*See* KELLER ET AL) (BCLO), 589
JONES R. Fanconi anemia: Simultaneous onset of symptoms in two siblings (Letter), 152
JOSEPH ME. (*See* VIDYASAGAR ET AL) (Letter), 115
JOWSEY J. (*See* BROWN ET AL), 573
JUBELIRER D. (*See* LUBENS ET AL), 1020

K

KAHN CR. (*See* ROGOL AND KAHN), 953
KAITO H. (*See* CLARK ET AL), 461
KARSAI T. (*See* PAPP ET AL) (Letter), 151
KARZON D. (*See* DENNY ET AL), 1057
KARZON DT. (*See* WRIGHT ET AL), 31, 931
KATTWINKEL J, MARS H, FANAROFF AA, AND KLAUS MH. Urinary biogenic amines in idiopathic apnea of prematurity, 1003
KATZ J. (*See* MACDOUGALL ET AL) (Reply), 697
KATZ M. Metronidazole in treatment of amebiasis (Reply), 695
—. Treatment of parasitic infections (Reply), 529
KATZ SL. (*See* DENNY ET AL), 1057
KAUFMAN IA, KELLER MA, AND NYHAN WL. Therapy of diabetic ketoacidosis with continuous "low-dose infusion" of insulin (Reply), 906
KELLER MA, JONES KL, NYHAN WL, FRANCKE U, AND DIXSON B. A new syndrome of metal deficiency with craniofacial, limb, and anal abnormalities (BCLO), 589
—. (*See* KAUFMAN ET AL) (Reply), 906
KELLEY VC. (*See* RUVALCABA ET AL), 504
KENNY JD. (*See* ADAMS ET AL), 292
KERR D. (*See* CUMMING ET AL), 569
KESAREE N, POLAND RL, AND HART ZH. Encephaloclastic porencephaly—postnatal evolution (BCLO), 598
KHAN W. (*See* GLODE ET AL), 36
KIENSTRA RA. (*See* COLE ET AL), 307
KIM Y, AND MICHAEL AF. Thyroid studies in anorexia nervosa (Reply), 1069
KIRKPATRICK SML, OLINSKY A, BRYAN MH, AND BRYAN AC. Effect of premature delivery on the maturation of the Hering-Breuer inspiratory inhibitory reflex in human infants, 1010
KIRSCHNER BS, AND HOLINGER PH. Laryngeal obstruction in childhood sarcoidosis (BCLO), 263
—, AND PACHMAN LM. IgA deficiency and recurrent pneumonia in the Schwartz-Jampel syndrome (Letter), 1060
KISSANE JM. (*See* COLE ET AL), 307
KLAUS M. (*See* SOSA ET AL), 668
KLAUS MH, AND FANAROFF AA. Bach, Beethoven, or Rock—and how much? 300
—. (*See* KATTWINKEL ET AL), 1003
KLEIN JO. (*See* SHURIN ET AL), 646
KLEIN PS, FORBES GB, AND NADER PR. Short-term starvation in infancy re subsequent learning disabilities—a proven relationship? (Reply), 702
KLISH WJ, POTTS E, FERRY GD, AND NICHOLS BL. Modular Formula: An approach to management of infants with specific or complex food intolerances, 948
—. (*See* RODRIGUEZ ET AL), 659
KNUDSON AG JR. (*See* MEADOWS AND KNUDSON) (Letter), 168
KOCHEN JA. (*See* RADEL ET AL), 800
KODAMA S. (*See* MATSUDA ET AL), 581
KOENIG HM. (*See* LIGHTSEY ET AL), 414
KOGUT MD. (*See* CLEMONS ET AL), 427
KOLLBERG H. (*See* SCHILD ET AL), 631
KOMAR NN. (*See* STILLMAN ET AL) (BCLO), 445
KOOISTRA JB. (*See* HERZOG ET AL) (BCLO), 270
KOPP CB. (*See* HOWARD ET AL), 995
KORANYI KI. (*See* BURECH ET AL), 972
KOROBKIN M, PERLOFF DL, AND PALUBINSKAS AJ. Renal arteriography in the evaluation of unexplained hypertension in children and adolescents, 388
KOZINER B. (*See* FELDMAN ET AL) (Reply), 700
KRAMER LI, AND PIERPONT ME. Rocking waterbeds and auditory stimuli to enhance growth of preterm infants, 297
KRANZLER KJ. (*See* PAULI ET AL), 506
KRAUSS AN. (*See* DAUBER ET AL), 851

KRIVIT W. (*See* BALFANZ ET AL) (BCLO), 458
—. (*See* MCCORMACK ET AL) (Letter), 1061
KROHN K. (*See* LEISTI ET AL) (BCLO), 989
KRON RE, LITT M, PHOENIX MD, AND FINNEGAN LP. Neonatal narcotic abstinence: Effects of pharmacotherapeutic agents and maternal drug usage on nutritive sucking behavior, 637
KROVETZ LJ. Pulmonary vascular involvement in Down syndrome (Reply), 161
KRUGMAN S. (*See* DENNY ET AL), 1057
KUHNS LR. (*See* WYMAN AND KUHNS) (Letter), 902
KUKLA LF. The pediatric nurse associate/practitioner internship—postgraduate training (Letter), 169
KULCYZCKI LL. (*See* BOYLE ET AL), 318
KUMAR S, POWARS D, ALLEN J, AND HAYWOOD LJ. Anxiety, self-concept, and personal and social adjustments in children with sickle cell anemia, 859

L

LAHEY ME. (*See* FRENS ET AL) (BCLO), 591
LAHMAN JE. (*See* RICHMAN AND LAHMAN), 509
LAMPE RM, CHOTTIPITAYASUNONDH T, AND SUNAKORN P. Detection of bacterial antigen in pleural fluid by counterimmunoelectrophoresis, 557
LAMPKIN BC. (*See* TSUKIMOTO AND LAMPKIN) (BCLO), 826
LAND VJ. (*See* VOLPE ET AL), 1023
LANG JE. (*See* LIGHTSEY ET AL), 414
LANGEHENNIG PL. (*See* ASHENHURST ET AL) (BCLO), 257
LANGER LO JR. (*See* BROWN ET AL), 573
LANGEWISCH WH. Familial Caffey disease (Reply), 167
LANSKY LL. Clinical staging of Reye syndrome (Letter), 1070
LANZKOWSKY P, AND SHENDE A. A possible relationship of nevus sebaceous of Jadassohn (organoid nevus) to childhood malignancies (Letter), 359
—. (*See* JAYABOSE ET AL) (Letter), 898
LAPIN JH. The epidemiology of heroin abuse (Letter), 703
LARTER WE. (*See* REED ET AL) (BCLO), 977
LASALLE R. (*See* MORIN ET AL), 213
LASKI B. (*See* SAUNDERS ET AL) (BCLO), 258
LEAPE L. (*See* SAADE ET AL) (BCLO), 71
LEE KS. (*See* GARTNER AND LEE), 465
LEEDOM J. (*See* BERMAN ET AL), 553
LEIBEL RL. (*See* POLLITT AND LEIBEL), 372
LEIKIN S, PARROTT R, AND RANDOLPH J. Clotrimazole treatment of chronic mucocutaneous candidiasis, 864
LEISTI J, RAIVIO K, AND KROHN K. Neonatal hyperglycemia and chromosome deletion (46,XX,Dq-) (BCLO), 989
LEONARD AS. (*See* ROGERS ET AL) (BCLO), 83
LEONIDAS JC, HALL RT, AND RHODES PG. Unilateral pulmonary interstitial emphysema (Reply), 902
LESNIEWICZ J. (*See* TSANG ET AL), 250
LEVENTHAL BG. (*See* PIZZO ET AL), 125, 131
LEVINE LS. (*See* SAENGER ET AL) (Letter), 155
LI FP, TUCKER MA, AND FRAUMENI JF JR. Childhood cancer in sibs, 419
LIAKOPOULOU P. (*See* MANDALENAKI-ASFI ET AL) (BCLO), 74
LIBIT SA, BURKE B, MICHAEL AF, AND VERNIER RL. Extramembranous glomerulonephritis in childhood: Relationship to systemic lupus erythematosus, 394
LIETMAN PS. Commentary: Clotrimazole (Editor's column), 908
—. Insect sting emergency first-aid kits (Reply), 170
LIGHTSEY AL JR, MCMILLAN R, KOENIG HM, SCHANBERGER JE, AND LANG JE. In vitro production of platelet-binding IgG in childhood idiopathic thrombocytopenic purpura, 414
LILIEN LD, HARRIS VJ, RAMAMURTHY RS, AND PILDES RS. Neonatal osteomyelitis of the calcaneus: Complication of heel puncture, 478
LIMBECK GA. (*See* RUVALCABA ET AL), 504
LINARELLI LG. (*See* PAI ET AL), 289
LINNEMANN CC JR, AND SCHIFF GM. Post-transfusion viral infections in Rey syndrome (Letter), 907
LINSHAW MA. (*See* STAPLETON ET AL) (Letter), 365
LIPSEY A. (*See* BERMAN ET AL), 553
LITT IF, AND COHEN MI. The epidemiology of heroin abuse (Reply), 704
LITT M. (*See* KRON ET AL), 637
LITTMAN B. (*See* HOWARD ET AL), 995
LLOYD-STILL JD. Short-term starvation in infancy re subsequent learning disabilities—a proven relationship? (Letter), 702
LOCKHART LH. (*See* CARPENTIERI ET AL) (Letter), 1064
LOEB H. (*See* DORCHY AND LOEB) (Letter), 692
LOGAN R. (*See* HERZOG ET AL) (BCLO), 270
LONG P. (*See* STILLMAN ET AL) (BCLO), 445
LOUGHNAN PM, SITAR DS, OGILVIE RI, EISEN A, FOX Z, AND NEIMS AH. Pharmacokinetic analysis of disposition of intravenous theophylline in young children, 874
—, —, —, AND NEIMS AH. The two-compartment open-system kinetic model: A review of its clinical implications and applications, 869
LOVCHIK J. (*See* GROSHONG ET AL), 217
LOVRIEN EW. (*See* GOODNIGHT ET AL) (Letter), 356
LUBENS P, JUBELIRER D, AND STEICHEN JJ. Massive intravascular air accumulation in a neonate, 1020
LUCKY AW, AND SHERINS RJ. Estradiol as inhibitor of gonadotropin? (Letter), 530

M

MCADAMS AJ. (*See* STRIFE ET AL), 403
MCCONNELL RF JR. (*See* SWISCHUK AND MCCONNELL) (BCLO), 452
MCCORMACK MK, ZAK SJ, GELLER GR, TUKEY DP, AND KRIVIT W. A new kindred with hemoglobin Malmö (β97→Gln) (Letter), 1061
MCCRACKEN GH JR. Rapid identification of specific etiology in meningitis (Editor's column), 706
—, AND NELSON JD. Commentary: An appraisal of tobramycin usage in pediatrics, 315
—. (*See* SARFF ET AL), 473
MCDONALD BM. (*See* STRIFE ET AL), 403
MACDOUGALL LG, ANDERSON R, MCNAB GM, AND KATZ J. Immune response in iron-deficient children (Reply), 697
MCENERY P. (*See* TSANG ET AL), 250
MCENERY PT. Commentary: Anticonvulsant therapy and renal allograft survival, 138
MCINTOSH K. (*See* DENNY ET AL), 1057
MCMILLAN R. (*See* LIGHTSEY ET AL), 414
MACNAB AJ. A portable infusion system for the ambulant child, 654
MCNAB GM. (*See* MACDOUGALL ET AL) (Reply), 697
MADDEN JD. (*See* PAULI ET AL), 506

MAKKER SP. (*See* O'REGAN ET AL) (Letter), 522
MALEKZADEH MH. (*See* WASSNER ET AL), 134
MALONE JI, HELLRUNG JM, MALPHUS EW, ROSENBLOOM AL, GRGIC A, AND WEBER FT. Good diabetic control—a study in mass delusion, 943
—. (*See* GRGIC ET AL), 584
MALPHUS EW. (*See* MALONE ET AL), 943
MANDALENAKI-ASFI C, LIAKOPOULOU P, APOSTOLOU M, THOMAIDIS TH. AND MATSANIOTIS N. Rosette-forming lymphocytes and measles vaccination (BCLO), 74
MANICA JP. (*See* VOLPE ET AL), 1023
MARGOLIS CZ. *Hemophilus influenzae* type b and epiglottitis (Reply), 1069
MARINE WM, AND STUART-HARRIS C. Reactions and serologic responses in young children and infants after administration of inactivated monovalent influenza A vaccine, 26
MARS H. (*See* KATTWINKEL ET AL), 1003
MARTIN GI. More on alkali therapy of the respiratory distress syndrome (Letter), 524
MATSANIOTIS N. (*See* MANDALENAKI-ASFI ET AL) (BCLO), 74
MATSUDA I, ANAKURA M, ARASHIMA S, SAITO Y, AND OKA Y. A variant form of citrullinemia (BCLO), 824
—, OKA Y, TANIGUCHI N, FURUYAMA M, KODAMA S, ARASHIMA S, AND MITSUYAMA T. Leukocyte glutathione peroxidase deficiency in a male patient with chronic granulomatous disease, 581
MAZOUNI SM. (*See* GUIGNARD ET AL), 845
MEADOW SR. Twinning and cleft lip and/or palate (Letter), 364
MEADOWS AT, AND KNUDSON AG JR. Heterochromia and neuroblastoma (Letter), 168
MEDINA G. (*See* FRANTZ ET AL) (Reply), 1072
MELLIS C, AND BALE PM. Familial hepatic venoocclusive disease with probable immune deficiency, 236
MELLMAN WJ. Human variation—troublemaker for the laboratory diagnostician (Editor's column), 175
MENDOZA SA. (*See* SELLERS ET AL) (Letter), 160
MENTZER WC. (*See* BURKS ET AL), 224
—. (*See* WANG AND MENTZER), 784
MERRITT TA. (*See* NAEYE ET AL), 511
MESSMER J III. (*See* NAEYE ET AL), 511
METCALF MB. Short-term starvation in infancy re subsequent learning disabilities—a proven relationship? (Letter), 701
MICHAEL AF. (*See* KIM AND MICHAEL) (Reply), 1069
—. (*See* LIBIT ET AL), 394
MICHAELS RH, AND POZIVIAK CS. Countercurrent immunoelectrophoresis for the diagnosis of pneumococcal pneumonia in children (BCLO), 72
MIGEON CJ. (*See* WENTZ ET AL), 488
MILIC-EMILI J. (*See* TAEUSCH ET AL), 102
MILLICAN F. (*See* BOYLE ET AL), 318
MILUNSKY A, AND ATKINS L. Prenatal diagnosis of chromosomal mosaicism (Letter), 365
MITCHELL CH. (*See* SINATRA ET AL), 304
MITCHELL I, AND SHENFIELD G. Neonatal hyperthyroidism following intrauterine hypothyroidism (Letter), 901
MITSUYAMA T. (*See* MATSUDA ET AL), 581
MIZE CE. (*See* WEINBERG ET AL), 434
MOLITCH ME. Therapy of diabetic ketoacidosis with continuous "low-dose infusion" of insulin (Letter), 904
MOORE DC. (*See* RUVALCABA ET AL), 504
MORIN CL, ROY CC, LASALLE R, AND BONIN A. Small bowel mucosal dysfunction in cystic fibrosis patients, 213
MOROZ SP, CUTZ E, COX DW, AND SASS-KORTSAK A. Liver disease associated with alpha$_1$-antitrypsin deficiency in childhood, 19
MORRISON L. (*See* CHANG ET AL) (BCLO), 594
MORRISS FH JR. (*See* PAXSON ET AL) (Letter), 357
MUCH MI. (*See* CHERUBIN ET AL) (Letter), 893
MUELLER S, BELL W, AND SEIBERT J. Cerebral calcifications associated with intrathecal methotrexate therapy in acute lymphocytic leukemia, 650
MUIRHEAD DM. (*See* SCANLON AND MUIRHEAD), 484
MURPHY JV, AND YUNIS EJ. Encephalopathy following measles infection in children with chronic illness, 937
MURRAY MJ. (*See* DEINARD ET AL) (Letter), 162
MÜRSET G. (*See* ZACHMANN ET AL), 116
MUSELES M. (*See* EVERSON ET AL) (BCLO), 985

N

NACHUM R. (*See* BERMAN ET AL), 553
NADER PR. (*See* KLEIN ET AL) (Reply), 702
NADLER HL. (*See* BOOTH ET AL) (BCLO), 821
NAEYE RL, MESSMER J III, SPECHT T, AND MERRITT TA. Sudden infant death syndrome temperament before death, 511
NAIMAN JL. (*See* BERGMAN ET AL) (Letter), 355; 501
NASH MA, GREIFER I, OLBING H, BERNSTEIN J, BENNETT B, AND SPITZER A. The significance of focal sclerotic lesions of glomeruli in children, 806
NATHAN DG. (*See* BUCHANAN ET AL), 780
NECHELES TF. (*See* SAADE ET AL) (BCLO), 71
NEIBURG PI. (*See* TUNNESSEN ET AL) (BCLO), 456
NEIMS AH. (*See* LOUGHNAN ET AL), 869, 874
NELSON JD, AND GINSBURG CM. An hypothesis on the pathogenesis of *Hemophilus influenzae* buccal cellulitis (Editor's column), 709
—. (*See* MCCRACKEN AND NELSON), 315
NESBIT ME JR. (*See* BALFANZ ET AL) (BCLO), 458
NETLEY C. (*See* FITZHARDINGE ET AL), 531
NEW MI. (*See* SAENGER ET AL) (Letter), 155
NEWMAN AJ. (*See* O'REGAN ET AL) (Letter), 522
NICHOLS BL. (*See* KLISH ET AL), 948
—. (*See* RODRIGUEZ ET AL), 659
—. (*See* UDALL ET AL) (BCLO), 819
NIEBURG PI. (*See* OSKI AND NIEBURG) (Reply), 163
NISPEROS B. (*See* SCHALLER ET AL), 926
NORTHWAY JD. (*See* ANAND AND NORTHWAY) (Reply), 161
NYHAN WL. (*See* KAUFMAN ET AL) (Reply), 906
—. (*See* KELLER ET AL) (BCLO), 589
—. (*See* SILVERMAN AND NYHAN) (BCLO), 269

O

O'BRIEN N. (*See* FISCHHOFF AND O'BRIEN), 140
OCHS HD. (*See* FELDMAN ET AL) (BCLO), 979
—. (*See* SCHALLER ET AL), 926
ODELL GB. (*See* OSTREA AND ODELL) (Letter), 525
ODIÈVRE M, VALAYER J, RAZEMON-PINTA M, HABIB E-C, AND ALAGILLE D. Hepatic porto-enterostomy or cholecystostomy in the treatment of extrahepatic biliary atresia, 774

OEI TO. (*See* WEETMAN ET AL), 46
OETTINGER L JR. Short-term starvation in infancy re subsequent learning disabilities–a proven relationship? (Letter), 700
OGILVIE RI. (*See* LOUGHNAN ET AL), 869, 874
OH W. (*See* COWETT ET AL), 1035
OKA Y. (*See* MATSUDA ET AL), 581; (BCLO) 824
OLBING H. (*See* NASH ET AL), 806
OLINSKY A. (*See* KIRKPATRICK ET AL), 1010
OLMSTED RW. A six-year controlled trial of prevention of children's behavior disorders: Commentary, 667
OMENN GS. (*See* SCHALLER AND OMENN), 913
OPPENHEIMER EH, AND SCHWARTZ A. Easy bruisability and terminal coma in a "normal" 5-month-old infant, 1049
O'REGAN S, NEWMAN AJ, VALENZUELA R, MAKKER SP, AND GRAHAM RC. The Chediak-Higashi syndrome in a Negro infant (Letter), 522
OSKI FA, AND NIEBURG PI. Childhood iron deficiency and impaired attentional development or scholastic performance: Is the evidence sufficient to establish causality? (Reply), 163
–. (*See* GROSS ET AL), 795
OSORIO A, PÁEZ A, FERANDO R, AND TOUYA E. Diagnostic value of scintigraphy of liver in hydatid disease in children (Letter), 360
OSTREA EM JR, CHAVEZ CJ, AND STRAUSS ME. A study of factors that influence the severity of neonatal narcotic withdrawal, 642
–, AND ODELL GB. Alkali therapy and RDS, cont'd. (Letter), 525

P

PACHMAN LM. (*See* KIRSCHNER AND PACHMAN) (Letter), 1060
PÁEZ A. (*See* OSORIO ET AL) (Letter), 360
PAGLIARA AS. (*See* DUCK ET AL) (Reply), 530
PAI KG, RUBIN HM, WEDEMEYER PP, AND LINARELLI LG. Hypothalamic-pituitary dysfunction following group B beta hemolytic streptococcal meningitis in a neonate, 289
PALKES H. (*See* FEIGIN ET AL), 542
PALUBINSKAS AJ. (*See* KOROBKIN ET AL), 388
PAPE K. (*See* FITZHARDINGE ET AL), 531
PAPP Z, GARDO S, DOLHAY B, AND RUZICSKA GY. Indirect effect of sex hormones on the fetus (Letter), 524
–, KARSAI T, AND GYURKOVITS K. Protein level in the meconium of a homozygotic and a heterozygotic infant with cystic fibrosis (Letter), 151
PARISI-BUCKLEY L. (*See* COLLINS-NAKAI ET AL), 959
PARMELEE AH JR. (*See* HOWARD ET AL), 995
PARROTT R. (*See* LEIKIN ET AL), 864
PARROTT RH. (*See* DENNY ET AL), 1057
PARTIN JC. (*See* SCHUBERT ET AL) (Reply), 1071
PARTIN JS. (*See* SCHUBERT ET AL) (Reply), 1071
PAULI RM, MADDEN JD, KRANZLER KJ, CULPEPPER W, AND PORT R. Warfarin therapy initiated during pregnancy and phenotypic chondrodysplasia punctata, 506
PAUNIER L, AND SIZONENKO PC. Asymptomatic chronic hypomagnesemia and hypokalemia in a child: Cell membrane disease? 51
PAXSON CL, MORRISS FH JR, AND ADCOCK EW III. Neonatal exchange transfusion with blood containing hepatitis B antigen (Letter), 357
PEAKMAN DC, AND ROBINSON A. Indications for chromosome analysis: Effect of new banding techniques (Letter), 166
PEARSON HA. Treatment of hemophilic children who have factor VIII inhibitors (Editor's column), 367
–, AND GUILIOTIS DK. Thalassemia in Greek Americans (Reply), 165
PEDERSEN JEP. (*See* BENVENISTE ET AL), 1015
PELTON SI. (*See* SHURIN ET AL), 646
PENNISI AJ. (*See* WASSNER ET AL), 134
PENSO JS. (*See* GOLDBERG ET AL) (Letter), 518
PÉREZ COMAS A. Congenital rubella and acquired hypothyroidism secondary to Hashimoto thyroiditis (Letter), 1065.
PERLOFF DL. (*See* KOROBKIN ET AL), 388
PETER G. (*See* COWETT ET AL), 1035
PETERSON JA. (*See* JACKSON ET AL), 963
PETRYKOWSKI W V. On the treatment of congenital goiter (Letter), 526
PETTY RE. (*See* FRUMAN ET AL) (BCLO), 267
PHELAN E. (*See* RAGAB ET AL), 790
PHILIPPIDIS P. (*See* BERGMAN ET AL), 501
PHOENIX MD. (*See* KRON ET AL), 637
PIERPONT ME. (*See* KRAMER AND PIERPONT), 297
PILDES RS. (*See* LILIEN ET AL), 478
–. (*See* RAMAMURTHY ET AL), 831
PIPPENGER CE. (*See* ROSEN AND PIPPENGER), 1044
PITCOCK JA. (*See* ETTELDORF ET AL), 206
PITTARD WB III, THULLEN JD, AND FANAROFF AA. Neonatal septic arthritis, 621
PIZZO PA, BLEYER WA, POPLACK DG, AND LEVENTHAL BG. Reversible dementia temporally associated with intraventricular therapy with methotrexate in a child with acute myelogenous leukemia, 131
–, HENDERSON ES, AND LEVENTHAL BG. Acute myelogenous leukemia in children: A preliminary report of combination chemotherapy, 125
PLATT LH. (*See* SARFF ET AL), 473
PLOTKIN SA. (See BRADFORD AND PLOTKIN) (Letter), 1060
PODGORE JK, AND BASS JW. The "thumb sign" and "little finger sign" in acute epiglottitis (Letter), 154
POLAND RL. (*See* KESAREE ET AL) (BCLO), 598
POLLITT E. AND LEIBEL RL. Iron deficiency and behavior, 372
POND GD. (*See* DENSON ET AL) (Letter), 521
POPLACK DG. (*See* GERETY ET AL), 561
–. (*See* PIZZO ET AL), 131
PORT R. (*See* PAULI ET AL), 506
POTTS E. (*See* KLISH ET AL), 948
POWARS D. (*See* KUMAR ET AL), 859
POWELL GK. Enterocolitis in low-birth-weight infants associated with milk and soy protein intolerance, 840
POZIVIAK CS. (*See* MICHAELS AND POZIVIAK) (BCLO), 72
PRADER A. (*See* ZACHMANN ET AL), 116
PRETI G. (*See* ROTH ET AL), 229
PRICE TH. (*See* FELDMAN ET AL) (BCLO), 979

R

RADECKI LL, AND TOMATIS LA. Continuous bilateral electrophrenic pacing in an infant with total diaphragmatic paralysis, 969
RADEL EG, KOCHEN JA, AND FINBERG L. Hyponatremia in sickle cell disease, 800

RAGAB AH, GILKERSON E, CRIST WM, AND PHELAN E. Granulopoiesis in childhood aplastic anemia, 790
RAGSDALE CG. (*See* FRUMAN ET AL) (BCLO), 267
RAIVIO K. (*See* LEISTI ET AL) (BCLO), 989
RAIVIO KO. Neonatal hyperuricemia, 625
RAMAMURTHY RS, REVERI M, ESTERLY NB, FRETZIN DF, AND PILDES RS. Transient neonatal pustular melanosis, 831
—. (*See* LILIEN ET AL), 478
RAMES LK. (*See* ROBILLARD ET AL) (BCLO), 79
RANDOLPH J. (*See* LEIKIN ET AL), 864
RAPHAEL D. Night waking: A normal response? (Letter), 169
RAUH JL. Self-induced subcutaneous emphysema in an adolescent (Letter), 690
RAZEMON-PINTA M. (*See* ODIÈVRE ET AL), 774
REED RK, LARTER WE, SIEBER OF JR, AND JOHN TJ. Peripheral nodular lesions in *Pseudomonas* sepsis: The importance of incision and drainage (BCLO), 977
REID IS, AND TURNER G. Familial anal abnormality (BCLO), 992
REID L. (*See* HAWORTH AND REID), 614
REINHART JB. Short-term starvation in infancy re subsequent learning disabilities—a proven relationship? (Letter), 701
REIS L. (*See* RUSSELL ET AL), 382
REIVICH M. (*See* RUSSELL ET AL), 382
REVERI M. (*See* RAMAMURTHY ET AL), 831
REYNOLDS WA. (*See* JACKSON ET AL), 963
RHODES PG, HALL RT, BURRY VF, AND THURN A. Sepsis and osteomyelitis due to *Staphylococcus aureus* phage type 94 in a neonatal intensive care unit, 1063
—. (*See* HALL ET AL), 467
—. (*See* LEONIDAS ET AL) (Reply), 902
RICCARDI VM. (*See* WENGER AND RICCARDI) (BCLO), 76
RICHMAN EM, AND LAHMAN JE. Fetal anomalies associated with warfarin therapy initiated shortly prior to conception, 509
RICOUR C. Continuous infusion technique in short bowel syndrome (Letter), 1072
RIDER PS. (*See* WEETMAN ET AL), 46
RIEMANN H. A reminder: Deficiency of folic acid in goat milk (Reply), 901
ROBBINS JB. (*See* GLODE ET AL), 36
ROBERTON NRC. (*See* BAUM AND ROBERTON) (Reply), 525
ROBERTS KB. Persistent Group B *Streptococcus* bacteremia without clinical "sepsis" in infants (Letter), 1059
ROBERTS RJ. (*See* ROBILLARD ET AL) (BCLO), 79
ROBERTSON JA, AND FOST N. Passive euthanasia of defective newborn infants: Legal considerations, 883
ROBILLARD JE, RAMES LK, JENSEN RL, AND ROBERTS RJ. Peritoneal dialysis in mercurial diuretic intoxication (BCLO), 79
ROBINOW M. Mental retardation in Duchenne muscular dystrophy: Its relation to the maternal carrier state (Letter), 896
ROBINSON A. (*See* PEAKMAN AND ROBINSON) (Letter), 166
ROBINSON R, AND ADLER R. Mucocutaneous lymph node syndrome in California (Letter), 1069
ROBSON AM. (*See* COLE ET AL), 307
RODRIGUEZ JT, HUANG TL, FERRY GD, KLISH WJ, HARBERG FJ, AND NICHOLS BL. Treatment of skin irritation around enterostomies with cholestyramine ointment, 659
ROGERS CA, ISENBERG JN, LEONARD AS, AND SHARP HL. Ascending cholangitis diagnosed by percutaneous hepatic aspiration (BCLO), 83
ROGINSKY M. (*See* DAUM ET AL), 1041
ROGOL AD, AND KAHN CR. Congenital hypothyroidism in a young man with growth hormone, thyrotropin, and prolactin deficiencies, 953
ROLDMAN E. (*See* CHERUBIN ET AL) (Letter), 893
ROOT AW, AND HARRISON HE. Recent advances in calcium metabolism. I. Mechanisms of calcium homeostasis, 1
—, AND —. Recent advances in calcium metabolism. II. Disorders of calcium homeostasis, 177
ROSEN JF. (*See* DAUM ET AL), 1041
ROSEN TS, AND PIPPENGER CE. Pharmacologic observations on the neonatal withdrawal syndrome, 1044
ROSENBERG LE. (*See* HALLORAN ET AL), 1054
ROSENBLOOM AL. (*See* GRGIC ET AL), 584
—. (*See* MALONE ET AL), 943
ROSENGART RM, AND ISABEL-JONES JB. Pulmonary vascular involvement in Down syndrome (Letter), 161
ROTH K, COHN R, YANDRASITZ J, PRETI G, DODD P, AND SEGAL S. Beta-methylcrotonic aciduria associated with lactic acidosis, 229
ROTH KS, COHN RM, BERMAN P, AND SEGAL S. Phenylketonuria and Duchenne muscular dystrophy: A case report (Letter), 689
ROWLEY A. (*See* FADEN ET AL) (Letter), 895
—. (*See* FITZHARDINGE ET AL), 531
ROY CC. (*See* MORIN ET AL), 213
RUBIN HM. (*See* PAI ET AL), 289
RUDOLPH AJ. (*See* ADAMS ET AL), 292
RULEY EJ. (*See* STRIFE ET AL), 403
RUSSELL MO, GOLDBERG HI, REIS L, FRIEDMAN S, SLATER R, REIVICH M, AND SCHWARTZ E. Transfusion therapy for cerebrovascular abnormalities in sickle cell disease, 382
RUVALCABA RHA, LIMBECK GA, TATTONI DS, MOORE DC, AND KELLEY VC. Studies of anabolic steroids. VIII. Adult stature of males with Down syndrome treated with oxandrolone during childhood, 504
RUZICSKA GY. (*See* PAPP ET AL) (Letter), 524

S

SAADE M, WHITTEN DM, NICHELES TF, LEAPE L, AND DARLING D. Posterior mediastinal accessory thymus (BCLO), 71
SACK S. (*See* BOYLE ET AL), 318
SAENGER P, LEVINE LS, WIEDEMANN E, SCHWARTZ E, AND NEW MI. Somatomedin in cerebral gigantism (Letter), 155
SAITO Y. (*See* MATSUDA ET AL) (BCLO), 824
SAKAI RI. Chronic versus intermittent phenobarbital therapy (Letter), 363
SARFF LD, PLATT LH, AND MCCRACKEN GH JR. Cerebrospinal fluid evaluation in neonates: Comparison of high-risk infants with and without meningitis, 473
SASS-KORTSAK A. (*See* MOROZ ET AL), 19
SATIJA NK. (*See* TANDON ET AL) (Letter), 898
SAUK JJ JR. (*See* BROWN ET AL), 573

SAUNDERS N, BALFE JW, AND LASKI B. Severe salt poisoning in an infant (BCLO), 258
SAY B, BARBER N, BOBROW M, JONES K, AND COLDWELL JG. Familial translocation (3p 15p) with partial trisomy for the upper arm of chromosome 3 in two sibs (BCLO), 447
SCANLON JW, AND MUIRHEAD DM. Hydrops fetalis due to anti-Kell isoimmune disease: Survival with optimal long-term outcome, 484
SCARPELLI EM. (*See* CONDORELLI AND SCARPELLI), 94
SCHALLER JG, OCHS HD, THOMAS ED, NISPEROS B, FEIGL P, AND WEDGWOOD RJ. Histocompatibility antigens in childhood-onset arthritis, 926
—, AND OMENN GS. The histocompatibility system and human disease, 913
SCHANBERGER JE. (*See* LIGHTSEY ET AL), 414
SCHEIFELE D. (*See* SHURIN ET AL), 646
SCHIFF D. (*See* ANDREW ET AL), 273, 279
—. (*See* CHAN AND SCHIFF), 609
SCHIFF GM. (*See* LINNEMANN AND SCHIFF) (Letter), 907
SCHIFFER MS. (*See* GLODE ET AL), 36
SCHILD JP, WUILLOUD A, KOLLBERG H, AND BOSSI E. Tracheal perforation as a complication of nasotracheal intubation in a neonate, 631
SCHUBERT WK, PARTIN JC, BOBO RC, AND PARTIN JS. Clinical staging of Reye syndrome (Reply), 1071
SCHWARTZ A. (*See* OPPENHEIMER AND SCHWARTZ), 1049
SCHWARTZ AD. (*See* DADASH-ZADEH ET AL) (Letter), 520
SCHWARTZ E. (*See* RUSSELL ET AL), 382
—. (*See* SAENGER ET AL) (Letter), 155
SCHWARTZ GJ, HAYCOCK GB, AND SPITZER A. Plasma creatinine and urea concentration in children: Normal values for age and sex (BCLO), 828
SEELER RA. (*See* ASHENHURST ET AL) (BCLO), 257
SEGAL S. (*See* ROTH ET AL), 229; (Letter) 689
SEIBERT J. (*See* MUELLER ET AL), 650
SEIDEL JS. Treatment of parasitic infections (Letter), 528
SEIGEL SE. (*See* SINGSEN ET AL) (BCLO), 602
SEKHON GS. (*See* DUCK ET AL) (Reply), 530
SELL SH. (*See* WRIGHT ET AL), 931
SELL SHW. (*See* WRIGHT ET AL), 31
SELLERS BB JR, MENDOZA SA, AND GRISWOLD WR. Catheter for peritoneal dialysis in small infants (Letter), 160
SETH TD. (*See* TANDON ET AL) (Letter), 898
SHAFFNER L. (*See* CHANG ET AL) (BCLO), 594
SHAH N. (*See* WARBURTON AND SHAH) (BCLO), 599
SHAPIRO RS. A home-made catheter for peritoneal dialysis in the neonate (Letter), 160
SHARP HL. (*See* ROGERS ET AL) (BCLO), 83
SHEFFIELD LJ, DANKS DM, HAMMOND JW, AND HOOGENRAAD NJ. Massive pulmonary hemorrhage as a presenting feature in congenital hyperammonemia (BCLO), 450
SHENDE A. (*See* JAYABOSE ET AL) (Letter), 898
—. (*See* LANZKOWSKY AND SHENDE) (Letter), 359
SHENFIELD G. (*See* MITCHELL AND SHENFIELD) (Letter), 901
SHENNAN AT, CHERIAN AG, ANGEL A, AND BRYAN MH. The effect of Intralipid on the estimation of serum bilirubin in the newborn infant, 285
SHERINS RJ. (*See* LUCKY AND SHERINS) (Letter), 530
SHIELDS WD, AND BRAY PF. A danger of haloperidol therapy in children, 301
—. (*See* GRUNNET AND SHIELDS), 605
SHINOZAKI T. (*See* WRIGHT ET AL), 931
SHTURMAN-ELLSTEIN R, BORKOWSKY W, FISH I, AND GERSON AA. Myelitis associated with genital herpes in a child (Letter), 523
SHURIN PA, PELTON SI, SCHEIFELE D, AND KLEIN JO. Otitis media caused by non-typable, ampicillin-resistant strains of *Haemophilus influenzae*, 646
SHUSTER JJ. (*See* GRGIC ET AL), 584
SIBER GR, SMITH AL, AND SMITH DH. Estimations of peak tissue concentrations of gentamicin (Reply), 1067
SIDBURY JB JR. Heritable disorders of amino acid metabolism: Patterns of clinical expression and genetic variation (B rev), 350
SIEBER OF JR. (*See* REED ET AL) (BCLO), 977
SIEGEL SE. (*See* BERMAN ET AL), 553
SIGAL JJ, AND GAGNON P. More on the overconcern of parents following a severe illness in their child (Letter), 700
SIIMES MA. (*See* BURKS ET AL), 224
SILBER I. (*See* CARELLA AND SILBER) (BCLO), 987
SILVERMAN SH, AND NYHAN WL. Shock following intravenous pyelography in patients with congenital adrenal hyperplasia (BCLO), 269
SIMON JL. (*See* HUGHES ET AL) (Reply), 364
SINATRA F, BUNTAIN WL, MITCHELL CH, AND SUNSHINE P. Cholestyramine treatment of pseudomembranous colitis, 304
SINGER AD, THIBEAULT DW, HOBEL CJ, AND HEINER DC. Alpha$_1$-antitrypsin in amniotic fluid and cord blood of preterm infants with the respiratory distress syndrome, 87
SINGER DB. (*See* UDALL ET AL) (BCLO), 819
SINGSEN BH, WATERS KD, SEIGEL SE, AND HANSON V. Lymphocytic leukemia, atypical dermatomyositis, and hyperlipidemia in a 4-year-old boy (BCLO), 602
SITAR DS. (*See* LOUGHNAN ET AL), 869, 874
SIZONENKO PC. (*See* PAUNIER AND SIZONENKO), 51
SLATER R. (*See* RUSSELL ET AL), 382
SLONIM AE. (*See* BURR EI AL), 439
SMITH AL. (*See* SIBER ET AL) (Reply), 1067
—. (*See* WARD AND SMITH) (BCLO), 261
SMITH DH. (*See* SIBER ET AL) (Reply), 1067
SMITH DW. "Anomalad" vs "polyanomaly" (Reply), 899
SMITH EH. (*See* DODGE ET AL), 327
SMITH WL. (*See* VOLLMAN ET AL), 486
SOBEL EH. Ethical problem of hysterectomy in a mentally retarded girl, 529
SOSA R, KLAUS M, AND URRUTIA JJ. Feed the nursing mother, thereby the infant, 668
SOUKUP SW. (*See* DJERNES ET AL) (BCLO), 596
SPARLING D. The physician's continuing education and the introduction of new drugs (Letter), 1073
SPECHT T. (*See* NAEYE ET AL), 511
SPIGELBLATT L, BENOIT P, AND JACOB JL. Neuroblastoma with heterochromia and Horner syndrome (Letter), 1067
SPITZER A. (*See* NASH ET AL), 806
—. (*See* SCHWARTZ ET AL) (BCLO), 828
STAPLETON FB, LINSHAW MA, AND ZAKHEIM R. Renal venous thrombosis—another cause of acute renal failure following cardiac surgery in infancy (Letter), 365
—. (*See* GREITZER ET AL), 880
STECHENBERG BW. (*See* FEIGIN ET AL), 542

Steele RW, Fuccillo DA, Hensen SA, Vincent MM, and Bellanti JA. Specific inhibitory factors of cellular immunity in children with subacute sclerosing panencephalitis, 56
Steichen JJ. (*See* Lubens et al), 1020
Steinberg AD. (*See* Gershwin et al) (Reply), 699
Stepp WP Jr. (*See* Brown et al) (BCLO), 81
Stern L. (*See* Hakanson et al) (Letter), 166
Stern LM. (*See* Goldberg et al) (Letter), 518
Stillman AE, Long P, and Komar NN. Arteriographic demonstration and colonoscopic removal of a bleeding juvenile polyp (BCLO), 445
Strauss ME. (*See* Ostrea et al), 642
Strife CF, McDonald BM, Ruley EJ, McAdams AJ, and West CD. Shunt nephritis: The nature of the serum cryoglobulins and their relation to the complement profile, 403
Stuart CM. (*See* Aylsworth et al), 814
Stuart MJ. (*See* Gross et al), 795
Stuart-Harris C. (*See* Marine and Stuart-Harris), 26
Sullivan DB. (*See* Fruman et al) (BCLO), 267
Sunakorn P. (*See* Lampe et al), 557
Sunshine P. (*See* Friedland et al) (Reply), 693
—. (*See* Sinatra et al), 304
Suskind RM, and Adeniyi-Jones S. Immune response in iron-deficient children (Letter), 696
Swender PT. (*See* Gross et al), 795
Swischuk LE, and McConnell RF Jr. The radiographic demonstration of fatty liver in children (a clue to protein malnutrition) (BCLO), 452
Swyer PR. (*See* Fitzhardinge et al), 531
Symchych PS. (*See* Dauber et al), 851
Szalay GC. Familial Caffey disease (Letter), 167
Szmuness W. (*See* Cherubin et al) (Letter), 893

T

Taeusch HW Jr, Carson S, Frantz ID, and Milic-Emili J. Respiratory regulation after elastic loading and CO_2 rebreathing in normal term infants, 102
—. (*See* Frantz et al) (Reply), 1072
Talamo R. (*See* Feldman et al) (Reply), 700
Tandon DS, Seth TD, and Satija NK. Lead exposure in mentally retarded children from North India (Letter), 898
Taniguchi N. (*See* Matsuda et al), 581
Tattoni DS. (*See* Ruvalcaba et al), 504
Taussig LM. (*See* Denson et al) (Letter), 521
Taybi H. (*See* Hurdiss et al) (BCLO), 990
Taylor HA. (*See* Aylsworth et al), 814
Telfer MC. (*See* Ashenhurst et al) (BCLO), 257
Teller WM. (*See* Homoki and Teller) (Reply), 527
Terhaar B. Pattern of inheritance in familial variable immunodeficiency (Letter), 700
Thibeault DW. (*See* Singer et al), 87
Thomaidis Th. (*See* Mandalenaki-Asfi et al) (BCLO), 74
Thomas ED. (*See* Schaller et al), 926
Thomas GH. (*See* Aylsworth et al), 814
Thompson J. (*See* Wright et al), 31, 931
Thullen JD. (*See* Pittard et al), 621
Thurn A. (*See* Rhodes et al) (Letter), 1063
Timmons AL. Leukemia! Is it so awful? 147
Tinker J. (*See* Faden et al) (Letter), 895
Tomarelli RM. Osmolality, osmolarity, and renal solute load of infant formulas (BCLO), 454
Tomatis LA. (*See* Radecki and Tomatis), 969
Torii S. (*See* Clark et al), 461
Torrado A. (*See* Guignard et al), 845
Toublanc J-E. (*See* Job et al), 494
Touya E. (*See* Osorio et al) (Letter), 360
Tsang RC, Chen I-W, McEnery P, Brown DR, Johnson JR, and Lesniewicz J. Parathyroid function tests with EDTA infusions in infancy and childhood, 250
—. (*See* Vollman et al), 486
Tsukimoto I, and Lampkin BC. Lymphocyte subpopulations in pertussis (BCLO), 826
Tucker MA. (*See* Li et al), 419
Tukey DP. (*See* McCormack et al) (Letter), 1061
Tulchinsky D. (*See* Cohen et al), 1007
Tulloch AL. Pancytopenia in an infant associated with sulfamethoxazole-trimethoprim therapy, 499
Tunnessen WW Jr, Neiburg PI, and Voorhess ML. Hypothyroidism and pityriasis rubra pilaris (BCLO), 456
Turner EA. (*See* Hall et al), 467
Turner G. (*See* Reid and Turner) (BCLO), 992
Tze WJ, Guyda HJ, and Hoy P. Provocative tests for growth hormone release, 565

U

Udall JN, Singer DB, Huang CTL, Nichols BL, and Ferry GD. Watery diarrhea and hypokalemia associated with increased plasma vasoactive intestinal peptide in a child (BCLO), 819
Urrutia JJ. (*See* Sosa et al), 668

V

Valayer J. (*See* Odièvre et al), 774
Valenzuela R. (*See* O'Regan et al) (Letter), 522
Valman HB. Growth and fat absorption after resection of ileum in childhood, 41
Vanderhoof JA, and Ament ME. Fatal hepatic necrosis due to isoniazid chemophrophylaxis in a 15-year-old girl, 867
—, and —. Hiatal hernia and gastroesophageal reflux (Letter), 693
Vernier RL. (*See* Libit et al), 394
Vidyasagar D, Joseph ME, and Hamilton LR. Noise levels in the Neonatal Intensive Care Unit (Letter), 115
Vincent MM. (*See* Steele et al), 56
Vollman JH, Smith WL, and Tsang RC. Necrotizing enterocolitis with recurrent hepatic portal venous gas, 486
Volpe JJ, Manica JP, Land VJ, and Coxe WS. Neonatal subdural hematoma associated with severe hemophilia A, 1023
Voorhess ML. (*See* Tunnessen et al) (BCLO), 456

W

Wagner Y. (*See* Berant et al) (Letter), 153
Walbaum R. Achalasia in siblings: Another case (Letter), 167

WALDMAN AM. Medical ethics and the hopelessly ill child, 890
WALDMAN S. Drug-associated colitis (Letter), 704
WANG WC, AND MENTZER WC. Differentiation of transient erythroblastopenia of childhood from congenital hypoplastic anemia, 784
WARBURTON D, AND SHAH N. A 9/11 translocation in a child with Ph¹-negative chronic myelogenous leukemia (BCLO), 599
WARD J, AND SMITH AL. *Hemophilus influenzae* bacteremia in children with sickle cell disease (BCLO), 261
WARD MS. (*See* BENNETT ET AL), 633
WASSNER SJ, PENNISI AJ, MALEKZADEH MH, AND FINE RN. The adverse effect of anticonvulsant therapy on renal allograft survival, 134
WATERS KD. (*See* SINGSEN ET AL) (BCLO), 602
WAYNE ER. (*See* HUTTER ET AL), 1026
WEBER FT. (*See* GRGIC ET AL), 584
—. (*See* MALONE ET AL), 943
WEDEMEYER PP. (*See* PAI ET AL), 289
WEDGWOOD RJ. (*See* FELDMAN ET AL) (BCLO), 979
—. (*See* GREITZER ET AL), 880
—. (*See* SCHALLER ET AL), 926
WEETMAN RM, RIDER PS, OEI TO, HEMPEL JS, AND BAEHNER RL. Effect of diet on urinary excretion of VMA, HVA, metanephrine, and total free catecholamine in normal preschool children, 46
WEICHERT A, AND DINE MS. Macrocephaly and neurofibromatosis (Letter), 1066
WEINBERG AG, MIZE CE, AND WORTHEN HG. The occurrence of hepatoma in the chronic form of hereditary tyrosinemia, 434
WEINBERG PM. (*See* BRADY AND WEINBERG), 113
WEINBERGER HL. An attempt to identify frequency of use of technical skills and procedures by the primary care physician, 671
WEISS L. (*See* JACKSON ET AL), 963
WEISSBLUTH M. Pleural effusion in histoplasmosis (Letter), 894
WELCH K. (*See* HEDLEY-WHYTE AND WELCH) (Letter), 699
WELDON VV. (*See* DUCK ET AL) (Reply), 530
WELEBER RG, AND BEALS RK. The Hajdu-Cheney syndrome, 243
WENGER DA, AND RICCARDI VM. Possible misdiagnosis of Krabbe disease (BCLO), 76
WENTZ AC, GUTAI JP, JONES GS, AND MIGEON CJ. Ovarian hyperthecosis in the adolescent patient, 488
WESSEL MA. The role of the pediatrician "after the child dies" (Letter), 1065
WEST CD. (*See* ETTELDORF ET AL), 206
—. (*See* STRIFE ET AL), 403
WEST EF. (*See* DODGE ET AL), 327
WHITTEN DM. (*See* SAADE ET AL) (BCLO), 71
WIEDEMANN E. (*See* SAENGER ET AL) (Letter), 155
WIGGINS GL. (*See* ALBRITTON ET AL), 481
WILBOIS R. (*See* DUCK ET AL) (Reply), 530
WILLIAMS DL. (*See* ETTELDORF ET AL), 206
WINTER JSD. (*See* HUGHES AND WINTER), 766
WINTERS RW. (*See* HEIRD AND WINTERS) (Reply), 158
WITTE DL. (*See* BARRETT ET AL) (Letter), 1072
WITZLEBEN CL. Etiology(ies) of infantile obstructive cholangiopathy (Editor's column), 909
WOLFSDORF J. Kerosene intoxication: An experimental approach to the etiology of the CNS manifestations in primates, 1037
WONG KY. (*See* DJERNES ET AL) (BCLO), 596
WONG ML. (*See* FEIGIN ET AL), 542
WORTHEN HG. (*See* WEINBERG ET AL), 434
WRIGHT DG. (*See* CHURCH ET AL) (BCLO), 982
WRIGHT L. (*See* GREITZER ET AL), 880
WRIGHT PF, SELL SHW, THOMPSON J, AND KARZON DT. Clinical reactions and serologic response following inactivated monovalent influenza type B vaccine in young children and infants, 31
—, SHINOZAKI T, FLEET W, SELL SH, THOMPSON J, AND KARZON DT. Evaluation of a live, attenuated respiratory syncytial virus vaccine in infants, 931
WU JT. (*See* FRENS ET AL) (BCLO), 591
WUILLOUD A. (*See* SCHILD ET AL), 631
WYMAN ML, AND KUHNS LR. Unilateral pulmonary interstitial emphysema (Letter), 902

Y

YANDRASITZ J. (*See* ROTH ET AL), 229
YUNIS EJ. (*See* MURPHY AND YUNIS), 937

Z

ZACHMANN M, FERRANDEZ A, MÜRSET G, GNEHM HE, AND PRADER A. Testosterone treatment of excessively tall boys, 116
ZAK SJ. (*See* MCCORMACK ET AL) (Letter), 1061
ZAKHEIM R. (*See* STAPLETON ET AL), (Letter), 365
ZBORALSKE FF. (*See* FRIEDLAND ET AL) (Reply), 693
ZELAZKO M, AND FELDMAN G. Behavior of the complement system in the nephropathy of congenital syphilis (Letter), 359

*Subject index**

A

Abnormality(ies)—anal, limb, and craniofacial—with new syndrome of mental deficiency (Keller et al) (BCLO), 589
familial anal (Reid and Turner) (BCLO), 992
foot, craniosynostosis, and midfacial hypoplasia: Autosomal dominant phenotype in large Amish kindred (Jackson et al), 963
hematologic, in severe neonatal necrotizing enterocolitis (Hutter et al), 1026
Abscesses, cerebral, in amebiasis (Bachy) (Letter), 364; (Hughes et al) (Reply), 364
Absorption, fat, and growth after resection of ileum (Valman), 41
Abstracts of 1975 Midwest Society for Pediatric Research, 678
Acid, folic, deficiency of, in goat milk (Coleman) (Letter), 900; (Riemann) (Reply), 901
free fatty, concentrations and plasma triglyceride, effects of Intralipid infusion on. I. Lipid metabolism (Andrew et al), 273
Acidosis, lactic, associated with beta-methylcrotonic aciduria (Roth et al), 229
origin of, in total parenteral nutrition: Controversy (Chan) (Letter), 157; (Heird and Winters) (Reply), 158
Aciduria, beta-methylcrotonic, associated with lactic acidosis (Roth et al), 229
Acro-osteolysis syndrome: Morphologic and biochemical studies (Brown et al), 573
Adenitis, cervical, caused by anaerobic bacteria (Bradford and Plotkin) (Letter), 1060
Adjustments, social and personal, anxiety, and self-concept with sickle cell anemia (Kumar et al), 859
Adolescent(s), affected, clinical and biochemical studies in: Mannosidosis (Booth et al) (BCLO), 821
and children—effect of synthetic luteinizing hormone–releasing hormone on the release of gonadotropins in hypophysogonadal disorders of. VII. Constitutional delay of puberty in males (Job et al), 494
young adults, emotional adjustment of, with cystic fibrosis (Boyle et al), 318
patient, ovarian hyperthecosis in (Wentz et al), 488
—self-induced subcutaneous emphysema in an (Rauh) (Letter), 690
—sex maturity ratings related to serum alkaline phosphatase concentrations (Bennett et al), 633
Adrenal glands, fusion of, in association with asplenia (Coen and Aase) (Letter), 152
Adrenal—Cont'd
hyperplasia, congenital—application of serum 17OH-progesterone radioimmunoassay to diagnosis and management of (Hughes and Winter), 766
with shock following intravenous pyelography (Silverman and Nyhan) (BCLO), 269
Age, term conceptional—neurologic comparison of pre-term and full-term infants at (Howard et al), 995
Air accumulation, massive intravascular (Lubens et al), 1020
Airway obstruction produced by intraluminal tracheal cyst (Denson et al) (Letter), 521
pressure, continuous positive, technique for delivery of (Benveniste et al), 1015
Albumin loading, variance in, in exchange transfusions (Chan and Schiff), 609
Aldrich-Wiskott syndrome—hepatitis B virus infection in (Gerety et al), 561
Alkali therapy of respiratory distress syndrome, more on (Martin) (Letter), 524; (Baum and Roberton) (Reply), 525; (Ostrea and Odell) (Letter), 525; (Baum and Roberton) (Reply), 525
Alkaline phosphatase concentrations, serum, related to sex maturity ratings in adolescents (Bennett et al), 633
Alkaptonuria with nephrocalcinosis (Goldberg et al) (Letter), 518
Allograft, renal, survival—adverse effect of anticonvulsant therapy on (Wassner et al), 134; Commentary (McEnery and Stempel), 138
α-Mannosidase activity in cultured fibroblasts, phenotype and characterization of: Mannosidosis (Aylsworth et al), 814
Alpha$_1$-antitrypsin deficiency with liver disease (Moroz et al), 19
in amniotic fluid and cord blood of preterm infants with RDS (Singer et al), 87
Ambulant child, portable infusion system for (Macnab), 654
Amebiasis, cerebral abscesses in (Bachy) (Letter), 364; (Hughes et al) (Reply), 364
metronidazole in treatment of (Human) (Letter), 695; (Katz) (Reply), 695
Amines, urinary biogenic, in idiopathic apnea of prematurity (Kattwinkel et al), 1003
Amniotic fluid and cord blood of preterm infants with RDS—alpha$_1$-antitrypsin in (Singer et al), 87
cortisol after premature rupture of membranes (Cohen et al), 1007
Ampicillin-resistant strains of *Haemophilus influenzae*, otitis media caused by (Shurin et al), 646
Anabolic steriods, studies of. VIII. Adult stature of males with Down syndrome treated with oxandrolone (Ruvalcaba et al), 504

*January, pp 1-176; February, pp 177-370; March, pp 371-530; April, part 1, pp 531-710; April, part 2, pp 711-750; May, pp 751-912; June, pp 913-1076.

Anaerobic bacteria—cervical adenitis caused by (Bradford and Plotkin) (Letter), 1060
Anal abnormality, familial (Reid and Turner) (BCLO), 992
limb, and craniofacial abnormalities with mental deficiency—new syndrome of (Keller et al) (BCLO), 589
Anemia and gastrointestinal hemorrhage after therapeutic doses of aspirin (Bergman et al), 501
aplastic, with granulopoiesis (Ragab et al), 790
congenital hypoplastic, differentiated from transient erythroblastopenia (Wang and Mentzer), 784
Fanconi: Simultaneous onset of symptoms in two siblings (Jones) (Letter), 152
hemolytic, due to anti-B in antihemophiliac factor concentrates (Ashenhurst et al) (BCLO), 257
idiopathic immune hemolytic, acute and transient nature of (Buchanan et al), 780
sickle cell—anxiety, self-concept, and personal and social adjustments with (Kumar et al), 859
"Anomalad" vs "polyanomaly" (Bartsocas) (Letter), 899; (Smith) (Reply), 899; (Fraser) (Reply), 900
Anomalies, fetal, associated with warfarin therapy initiated shortly prior to conception (Richman and Lahman) (Letter), 509
Anorexia nervosa, thyroid studies in (Danufsky) (Letter), 1069; (Kim and Michael) (Reply), 1069
Anoxia, perinatal—renal failure following (Dauber et al), 851
Anticonvulsant therapy, adverse effect of, on renal allograft survival (Wassner et al), 134; Commentary (McEnery and Stempel), 138
Antigen(s) assay, carcinoembryonic: Prognostic value in neural crest tumors (Frens et al) (BCLO), 591
bacterial, detection of, in pleural fluid by counterimmunoelectrophoresis (Lampe et al), 557
driven malignancy?—cytomegalovirus infection, immunodeficiency, and monoclonal gammopathy (Groshong et al), 217
hepatitis, B—neonatal exchange transfusion with blood containing (Paxson et al) (Letter), 357
histocompatibility, in childhood arthritis (Schaller et al), 926
Antitrypsin, alpha$_1$-, deficiency with liver disease (Moroz et al), 19
in amniotic fluid and cord blood of preterm infants with RDS (Singer et al), 87
Anxiety, self-concept, and personal and social adjustments with sickle cell anemia (Kumar et al), 859
Aortic arch, interrupted, in infancy (Collins-Nakai et al), 959
Aplastic anemia with granulopoiesis (Ragab et al), 790
Apnea, idiopathic, of prematurity—urinary biogenic amines in (Kattwinkel et al), 1003
Arch, interrupted aortic, in infancy (Collins-Nakai et al), 959
Arteriographic demonstration and colonoscopic removal of bleeding juvenile polyp (Stillman et al) (BCLO), 445
Arteriography, renal, in evaluation of hypertension (Korobkin et al), 388
Artery catheter, umbilical—reliability of bacterial culture of blood obtained from (Cowett et al), 1035
Arthritis, childhood-onset—histocompatibility antigens in (Schaller et al), 926
neonatal septic (Pittard et al), 621
septic, case reports associated with: Meningococcal osteomyelitis (Hammerschlag and Baker) (Letter), 519
Aspiration, percutaneous hepatic—ascending cholangitis diagnosed by (Rodgers et al) (BCLO), 83
Aspirin, therapeutic doses of—gastrointestinal hemorrhage and anemia after (Bergman et al), 501
Asplenia—fusion of adrenal glands in association with (Coen and Aase) (Letter), 152
Assay, carcinoembryonic antigen: Prognostic value in neural crest tumors (Frens et al) (BCLO), 591
Atresia, extrahepatic biliary—hepatic porto-enterostomy or cholecystostomy in treatment of (Odièvre et al), 774
—25-hydroxycholecalciferol in management of rickets associated with (Daum et al), 1041
Atrioventricular conduction disturbance during total parenteral nutrition (Brady and Weinberg), 113
Auditory stimuli and rocking waterbeds to enhance growth of preterm infants (Kramer and Pierpont), 297
Autosomal dominant phenotype in large Amish kindred: Craniosynostosis, midfacial hypoplasia, and foot abnormalities (Jackson et al), 963

B

Bacteremia, *H. influenzae*, with sickle cell disease (Ward and Smith) (BCLO), 261
neonatal—early diagnosis by buffy-coat examination (Faden), 1032
persistent Group B *Streptococcus*, without clinical "sepsis" (Roberts) (Letter), 1059
Bacteria, anaerobic—cervical adenitis caused by (Bradford and Plotkin) (Letter), 1060
concentrations of, in cerebrospinal fluid with bacterial meningitis (Feldman), 549
Bacterial antigen, detection of, in pleural fluid by counterimmunoelectrophoresis (Lampe et al), 557
culture of blood obtained from an umbilical artery catheter, reliability of (Cowett et al), 1035
infections, recurrent, T lymphocyte dysfunction, hyperimmunoglobulinemia E, and defective neutrophil chemotaxis (Church et al) (BCLO), 982
meningitis, gram-negative—cerebrospinal fluid endotoxin concentrations in (Berman et al), 553
pleocytosis in (Chartrand and Cho), 424
Banding techniques, new effect of: Indications for chromosome analysis (Peakman and Robinson) (Letter), 166
Barbiturates and vagotomy, induction in utero and effects of: Fetal breathing (Condorelli and Scarpelli), 94
Behavior and iron deficiency (Pollitt and Leibel), 371
disorders, six-year controlled trial of prevention of (Kullen), 662; Commentary (Olmsted), 667
nutritive sucking, effects of pharmacotherapeutic agents and maternal drug usage: Neonatal narcotic abstinence (Kron et al), 637
of complement system in nephropathy of congenital syphilis (Zelazko and Feldman) (Letter), 359
Beta-methylcrotonic aciduria associated with lactic acidosis (Roth et al), 229
Biliary atresia, extrahepatic—hepatic porto-enterostomy or cholecystostomy in treatment of (Odièvre et al), 774
—25-hydroxycholecalciferol in management of rickets associated with (Daum et al), 1041

Bilirubin binding in vitro and in vivo, effect of Intralipid on. II. Lipid metabolism (Andrew et al), 279
serum, effect of Intralipid on estimation of (Shennan et al), 285
Biochemical and clinical studies in affected adolescents and adults: Mannosidosis (Booth et al) (BCLO), 821
morphologic studies: Acro-osteolysis syndrome (Brown et al), 573
Biogenic amines, urinary, in idiopathic apnea of prematurity (Kattwinkel et al), 1003
Bleeding juvenile polyp, arteriographic demonstration and colonscopic removal of (Stillman et al) (BCLO), 445
Blood, bacterial culture of, obtained from an umbilical artery catheter, reliability of (Cowett et al), 1035
containing hepatitis B antigen, neonatal exchange transfusion with (Paxson et al) (Letter), 357
cord, and amniotic fluid of preterm infants with RDS–alpha$_1$-antitrypsin in (Singer et al), 87
isolation of varicella-zoster virus from (Feldman and Epp) (BCLO), 265
Book reviews
Hematology of infancy and childhood (Hathaway), 349
Heritable disorders of amino acid metabolism: Patterns of clinical expression and genetic variation (Sidbury), 350
Neurology of infancy and childhood (DeVivo), 348
Paediatric ophthalmology (Crawford), 1058
Pediatric nephrology, Vol XI, Major problems in clinical pediatrics (Gruskin), 348
Bowel, small, mucosal dysfunction with cystic fibrosis (Morin et al), 213
syndrome, short–continuous infusion technique in (Ricour) (Letter), 1072
Breathing, fetal: Induction in utero and effects of vagotomy and barbiturates (Condorelli and Scarpelli), 94
re-, CO_2, and elastic loading–respiratory regulation after (Taeusch et al), 102; Commentary (Bryan and Bryan), 112
Breuer-Hering inspiratory inhibitory reflex, maturation of, effect of premature delivery on (Kirkpatrick et al), 1010
"Bronze baby" syndrome: Postmortem data (Clark et al), 461; Commentary (Gartner and Lee), 465
Bruisability and terminal coma in "normal" 5-month-old infant (Oppenheimer and Schwartz), 1049
Buccal cellulitis, *Hemophilus influenzae*, hypothesis on pathogenesis of (Nelson and Ginsburg) (Editor's column), 709
Buffy-coat examination–early diagnosis of neonatal bacteremia by (Faden), 1032

C

Caffey disease, familial (Szalay) (Letter), 167; (Langewisch) (Reply), 167
Calcaneus, neonatal osteomyelitis of: Complication of heel puncture (Lilien et al), 478
Calcifications, cerebral, associated with intrathecal methotrexate therapy in acute lymphocytic leukemia (Mueller et al), 650
Calcium metabolism, recent advances in. I. Mechanisms of calcium homeostasis; II. Disorders of calcium homeostasis (Root and Harrison), 1, 177
Cancer is sibs (Li et al), 419
Carcinoembryonic antigen assay: Prognostic value in neural crest tumors (Frens et al) (BCLO), 591
Candidiasis, chronic mucocutaneous–clotrimazole treatment of (Leikin et al), 864
Cardiac surgery, another cause of acute renal failure following–renal venous thrombosis (Stapleton et al) (Letter), 365
Carrier state, maternal–relation to: Mental retardation in Duchenne muscular dystrophy (Robinow) (Letter), 896
Catecholamine, total free, VMA, HVA, and metanephrine–effect of diet on urinary excretion (Weetman et al), 46
Catheter(s), for peritoneal dialysis (Shapiro) (Letter), 160; (Sellers et al) (Letter), 160; (Anand and Northway) (Reply), 161
indwelling umbilical–protamine sulfate titration for heparin activity in neonates with (Hall et al), 467
umbilical artery–reliability of bacterial culture of blood obtained from (Cowett et al), 1035
Catheterization, subclavian vein–septic thrombosis following (Faden et al) (Letter), 895
Cell anemia, sickle–anxiety, self-concept, and personal and social adjustments with (Kumar et al), 859
congenital stem, dysfunction, associated with Turner-like phenotype (Feldman et al) (BCLO), 979
disease, sickle–*H. influenzae* bacteremia in (Ward and Smith) (BCLO), 261
–transfusion therapy for cerebrovascular abnormalities in (Russell et al), 382
with hyponatremia (Radel et al), 800
membrane disease: Hypomagnesemia and hypokalemia? (Paunier and Sizonenko), 51
T- and null, proliferation with acute infectious lymphocytosis (Dadash-Zadeh et al) (Letter), 520
Cellular immunity, inhibitory factors of, with subacute sclerosing panencephalitis (Steele et al), 56
Cellulitis, *Hemophilus influenzae* buccal, hypothesis on the pathogenesis of (Nelson and Ginsburg) (Editor's column), 709
Cerebellar hemorrhage in premature infant (Grunnet and Shields), 605
Cerebral abscesses in amebiasis (Bachy) (Letter), 364; (Hughes et al) (Reply), 364
calcifications associated with intrathecal methotrexate therapy in acute lymphocytic leukemia (Mueller et al), 650
gigantism, somatomedin in (Saenger et al) (Letter), 155
Cerebrospinal fluid, concentrations of bacteria in, with bacterial meningitis (Feldman), 549
endotoxin concentrations in gram-negative bacterial meningitis (Berman et al), 553
evaluation: Comparison of high-risk infants with and without meningitis (Sarff et al), 473
Cerebrovascular abnormalities in sickle cell disease, transfusion therapy for (Russell et al), 382
Cervical adenitis caused by anaerobic bacteria (Bradford and Plotkin) (Letter), 1060
Chediak-Higashi syndrome in Negro infant (O'Regan et al) (Letter), 522
Chemoprophylaxis, isonizaid–fatal hepatic necrosis due to (Vanderhoof and Ament), 867

Chemotaxis, defective neutrophil, T lymphocyte dysfunction, hyperimmunoglobulinemia E, and recurrent bacterial infections, (Church et al) (BCLO), 982
Chemotherapy, combination—preliminary report of: Acute myelogenous leukemia (Pizzo et al), 125
hepatotoxicity of, following nephrectomy and radiation therapy for right-sided Wilms tumor (Jayabose et al) (Letter), 898
Cheney-Hajdu syndrome (Weleber and Beals), 243
Cholangiopathy, infantile obstructive, etiology(ies) of (Witzleben) (Editor's column), 909
Cholangitis, ascending, diagnosed by percutaneous hepatic aspiration (Rogers et al) (BCLO), 83
Cholecystostomy or hepatic porto-enterostomy in treatment of extrahepatic biliary atresia (Odièvre et al), 774
Cholestyramine in management of infantile diarrhea (Berant et al) (Letter), 153
ointment, treatment of skin irritation around enterostomies with (Rodriguez et al), 659
treatment of pseudomembranous colitis (Sinatra et al), 304
Chondrodysplasia punctata, phenotypic, and warfarin therapy initiated during pregnancy (Pauli et al), 506
Choroid plexus, error in labeling illustration of (Hedley-Whyte and Welch) (Letter), 699; (Gershwin et al) (Reply), 699
Chromosomal mosaicism, prenatal diagnosis of (Milunksy and Atkins) (Letter), 365
Chromosome analysis, indications for: Effect of new banding techniques (Peakman and Robinson) (Letter), 166
deletion and neonatal hyperglycemia (Leisti et al) (BCLO), 989
3, upper arm of, in two sibs—partial trisomy in familial translocation (3p 15p) (Say et al) (BCLO), 447
Circulation, persistent fetal: Newly recognized structural features (Haworth and Reid), 614
Citrullinemia, variant form of (Matsuda et al) (BCLO), 824
Cleft lip and/or palate and twinning (Meadow) (Letter), 364
Clotrimazole: Commentary (Leitman) (Editor's column), 908
treatment of chronic mucocutaneous candidiasis (Leikin et al), 864
CO_2 rebreathing and elastic loading, respiratory regulation after (Taeusch et al), 102
Colitis, drug-associated (Waldman) (Letter), 704; (Christie and Ament) (Reply), 705
pseudomembranous, treated with cholestyramine (Sinatra et al), 304
Colonization, *S. aureus,* and indwelling feeding catheters, association with: Neonatal staphylococcal enterocolitis (Gutman et al), 836
Colonoscopic removal and arteriographic demonstration of bleeding juvenile polyp (Stillman et al) (BCLO), 445
Coma, terminal, and bruisability in "normal" 5-month-old infant (Oppenheimer and Schwartz), 1049
Complement profile—nature of serum cryoglobulins and their relation to: Shunt nephritis (Strife et al), 403
system, behavior of, in nephropathy of congenital syphilis (Zelazko and Feldman) (Letter), 359
Conceptional age, term, neurologic comparison of pre-term and full-term infants at (Howard et al), 995
Congenital adrenal hyperplasia—application of serum 170H-progesterone radioimmunoassay to diagnosis and management of (Hughes and Winter), 766
Congenital adrenal hyperplasia—Cont'd
with shock following intravenous pyelography (Silverman and Nyhan) (BCLO), 269
goiter, treatment of (v. Petrykowski) (Letter), 526; (Homoki and Teller) (Reply), 527; (Fisher) (Comment), 527
heart disease, genetic counseling for (Halloran et al), 1054
hyperammonemia—massive pulmonary hemorrhage as presenting feature in (Sheffield et al) (BCLO), 450
hypoplastic anemia differentiated from transient erythroblastopenia (Wang and Mentzer), 784
hypothyroidism with growth hormone, thyrotropin, and prolactin deficiencies (Rogol and Kahn), 953
leukemia associated with mosaic trisomy 9 (Djernes et al) (BCLO), 596
rubella and acquired hypothyroidism secondary to Hashimoto thyroiditis (Pérez Comas) (Letter), 1065
stem cell dysfunction associated with Turner-like phenotype (Feldman et al) (BCLO), 979
syphilis, behavior of complement system in nephropathy of (Zelazko and Feldman) (Letter), 359
Contracture, joint—common manifestation of childhood diabetes mellitus (Grgic et al), 584
Convulsant therapy, anti-, adverse effect of—on renal allograft survival (Wassner et al), 134; Commentary (McEnery and Stempel), 138
Cord blood and amniotic fluid of preterm infants with RDS—alpha$_1$-antitrypsin in (Singer et al), 87
Cortisol, amniotic fluid, after premature rupture of membranes (Cohen et al), 1007
Counseling, genetic, for congenital heart disease (Halloran et al), 1054
Countercurrent immunoelectrophoresis for diagnosis of pneumococcal pneumonia (Michaels and Poziviak (BCLO), 72
Counterimmunoelectrophoresis, detection of bacterial antigen in pleural fluid by (Lampe et al), 557
CPAP box, neck ulceration from (Hakanson et al) (Letter), 166
technique for delivery of (Benveniste et al), 1015
Craniofacial, limb, and anal abnormalities with mental deficiency—new syndrome of (Keller et al) (BCLO), 589
Craniosynostosis, midfacial hypoplasia, and foot abnormalities: Autosomal dominant phenotype in large Amish kindred (Jackson et al), 963
Creatinine, plasma, and urea concentration: Normal values for age and sex (Schwartz et al) (BCLO), 828
Cryoglobulins, serum, nature of, and their relation to complement profile: Shunt nephritis (Strife et al), 403
Cutaneous delayed hypersensitivity in a healthy pediatric population: Diagnostic value of diptheria-tetanus toxoids (Franz et al) (BCLO), 975
Cyclophosphamide therapy with nephrotic syndrome—gonadal function, testicular histology, and meiosis following (Etteldorf et al), 206
Cyst(s), intraluminal tracheal, producing airway obstruction (Denson et al) (Letter), 521
intrathoracic gastrogenic, and hemoptysis (Chang et al) (BCLO), 594
Cystic fibrosis, emotional adjustment of adolescents and young adults with (Boyle et al), 318
—protein level in meconium of homozygotic and heterozygotic infant with (Papp et al) (Letter), 151

Cystic fibrosis—Cont'd
report of committee for study of evaluation of testing for, 711
—small bowel mucosal dysfunction with (Morin et al), 213
Cytomegalovirus infection, chronic, immunodeficiency, and monoclonal gammopathy—antigen-driven malignancy? (Groshong et al), 217

D

Death—after the child dies (Fischhoff and O'Brien), 140
—leukemia! Is it so awful? (Timmons), 147
—role of pediatrician "after the child dies" (Wessel) (Letter), 1065
sudden infant death syndrome temperament before (Naeye et al), 511: Commentary (Carey), 516
Defect, proposed X-linked: Chronic granulomatous disease in adult male (Biggar et al), 63
Defective newborn infants, passive euthanasia of: Legal considerations (Robertson and Fost), 883
Deficiency(ies), alpha,-antitrypsin, with liver disease (Moroz et al), 19
IgA, and recurrent pneumonia in Schwartz-Jampel syndrome (Kirschner and Pachman) (Letter), 1060
iron, and behavior (Pollitt and Leibel), 371
and impaired attentional development or scholastic performance: Evidence to establish causality? (Deinard et al) (Letter), 162; (Oski and Nieburg) (Reply), 163
in Eskimo village (Burks et al), 224
with malabsorption of iron (Gross et al), 795
of folic acid in goat milk (Coleman) (Letter), 900; (Riemann) (Reply), 901
leukocyte glutathione peroxidase, with chronic granulomatous disease (Matsuda et al), 581
mental, with craniofacial, limb, and anal abnormalities—new syndrome of (Keller et al) (BCLO), 589
probable immune, with familial hepatic venoocclusive disease (Mellis and Bale), 236
—prolactin, thyrotropin, and growth hormone—with congenital hypothyrodism (Rogol and Kahn), 953
Deficient, iron-, children, immune response in (Suskind and Adeniyi-Jones) (Letter), 696; (Macdougall et al) (Reply), 697; (Chandra) (Reply), 698
Dementia, reversible, temporally associated with intraventricular therapy with methotrexate in acute myelogenous leukemia (Pizzo et al), 131
Dermatomyositis, atypical, lymphocytic leukemia, and hyperlipidemia (Singsen et al) (BCLO), 602
juvenile, retinopathy in (Fruman et al) (BCLO), 267
Development, impaired attentional, or scholastic performance and iron deficiency: Evidence to establish causality? (Deinard et al) (Letter), 162; (Oski and Nieburg) (Reply), 163
Dextrostix—is it adequate to assess neonatal hypoglycemia? (Barrett and Witte) (Letter), 1072; (Frantz et al) (Reply), 1072
values, correlation of, with true glucose in range less than 50 mg/dl (Dorchy and Loeb) (Letter), 692; (Frantz) (Reply), 693
Diabetes insipidus as presenting manifestations of acute myelogenous leukemia (Bergman et al) (Letter), 355
central, following intraventricular hemorrhage (Adams et al), 292
neurogenic, pitressin with: Commentary (Crigler), 295
mellitus, common manifestation of—joint contracture (Grgic et al), 584
control of: Is it achievable? (Drash) (Editor's column), 1074
Diabetic control, good—study in mass delusion (Malone et al), 943
ketoacidosis with continuous "low-dose infusion" of insulin (Molitch) (Letter), 904; (Brink) (Letter), 905; (Guthrie) (Letter), 905; (Kaufman et al) (Reply), 906
Dialysis, peritoneal, catheter for (Shapiro) (Letter), 160; (Sellers et al) (Letter), 160; (Anand and Northway) (Reply), 161
in mercurial diuretic intoxication (Robillard et al) (BCLO), 79
Diaphragmatic hernia, left-sided, delayed appearance of (Hurdiss et al) (BCLO), 990
paralysis, total, with continuous bilateral electrophrenic pacing (Radecki and Tomatis), 969
Diarrhea, infantile, cholestyramine in management of (Berant et al) (Letter), 153
watery, and hypokalemia associated with increased plasma vasoactive intestinal peptide (Udall et al) (BCLO), 819
Diencephalic syndrome revisited (Burr et al), 439
Diet(s), effect of, on urinary excretion of VMA, HVA, metanephrine, and total free catecholamine (Weetman et al), 46
elemental, and hypertonic feedings for LBW infants (Christie and Ament) (Letter), 903; (Book and Herbst) (Reply), 904
Diptheria-tetanus toxoids, diagnostic value of: Cutaneous delayed hypersensitivity in a healthy pediatric population (Franz et al) (BCLO), 975
Disabilities, subsequent learning, short-term starvation in infancy re—a proven relationship? (Oettinger) (Letter), 700; (Metcalf) (Letter), 701; (Reinhart) (Letter), 701; (Fenton) (Letter), 701; (Lloyd-Still) (Letter), 702; (Klein et al) (Reply), 702
Disease(s), anti-Kell isoimmune, hydrops fetalis due to: Survival with optimal long-term outcome (Scanlon and Muirhead), 484
cell membrane: Hypomagnesemia and hypokalemia? (Paunier and Sizonenko), 51
chronic granulomatous, in adult male: Proposed X-linked defect (Biggar et al), 63
with leukocyte glutathione peroxidase deficiency (Matsuda et al), 581
congenital heart—genetic conseling for (Halloran et al), 1054
distribution of serotypes in relation to age at onset of: Neonatal listeriosis (Albritton et al), 481
familial Caffey (Szalay) (Letter), 167; (Langewisch) (Reply), 167
hepatic venoocclusive, with probable immune deficiency (Mellis and Bale), 236
human, and histocompatibility system (Schaller and Omenn), 913

Disease(s)—Cont'd
hydatid, diagnostic value of scintigraphy of liver in (Osorio et al) (Letter), 360
Krabbe, possible misdiagnosis of (Wenger and Riccardi) (BCLO), 76
liver, with alpha$_1$-antitrypsin deficiency (Moroz et al), 19
renal, screening for (Daeschner) (Editor's column), 367
serious Group A streptococcal (Burech et al), 972
sickle cell—*H. influenzae* bacteremia in (Ward and Smith) (BCLO), 261
—transfusion therapy for cerebrovascular abnormalities in (Russell et al), 382
with hyponatremia (Radel et al), 800
uncommon (chronic granulomatous disease), unusual forms of, (Johnston) (Editor's column), 172
Disorders of calcium homeostasis. II. Recent advances in calcium metabolism (Root and Harrison), 117
Diuretic intoxication, mercurial—peritoneal dialysis in (Robillard et al) (BCLO), 79
therapy in infants and children (Danks) (Letter), 695
Down syndrome, adult stature of males with, treated with oxandrolone. VIII. Studies of anabolic steroids (Ruvalcaba et al), 504
—pulmonary vascular involvement in (Rosengart and Isabel-Jones) (Letter), 161; (Krovetz) (Reply), 161
Drug-associated colitis (Waldman) (Letter), 704; (Christie and Ament) (Reply), 705
new, introduction of, and physician's continuing education (Sparling) (Letter), 1073
usage, maternal, and pharmacotherapeutic agents, effects on nutritive sucking behavior: Neonatal narcotic abstinence (Kron et al), 637
Duchenne muscular dystrophy and phenylketonuria: Case report (Roth et al) (Letter), 689
mental retardation in: Its relation to maternal carrier state (Robinow) (Letter), 896
Dwarfism in two siblings (mulibrey nanism) with constrictive pericarditis (Cumming et al), 569
Laron: Growth and immunoreactive insulin following treatment with human growth hormone (Clemons et al), 427
Dystrophy, Duchenne muscular, and phenylketonuria: Case report (Roth et al) (Letter), 689
—mental retardation in: Its relation to maternal carrier state (Robinow) (Letter), 896

E

EDTA infusions, parathyroid function tests with (Tsang et al), 250
Education, physician's continuing, and introduction of new drugs (Sparling) (Letter), 1073
Effusion, pleural, in histoplasmosis (Weissbluth) (Letter), 894
Elastic loading and CO_2 rebreathing, respiratory regulation after (Taeusch et al), 102
Electrophrenic pacing, continuous bilateral, with total diaphragmatic paralysis (Radecki and Tomatis), 969
Electrophoresis, immuno-, countercurrent, for diagnosis of pneumococcal pneumonia (Michaels and Poziviak) (BCLO), 72
Emotional adjustment of adolescents and young adults with cystic fibrosis (Boyle et al), 318
Emphysema, self-induced subcutaneous, in an adolescent (Rauh) (Letter), 690
unilateral pulmonary interstitial (Wyman and Kuhns) (Letter), 902; (Leonidas et al) (Reply), 902
Encephaloclastic porencephaly—postnatal evolution (Kesaree et al) (BCLO), 598
Encephalopathy following measles infection with chronic illness (Murphy and Yunis), 937
Endotoxin concentrations, cerebrospinal fluid, in gram-negative bacterial meningitis (Berman et al), 553
Enterocolitis in LBW infants associated with milk and soy protein intolerance (Powell), 840
necrotizing, with recurrent hepatic portal venous gas (Vollman et al), 486
neonatal staphylococcal: Association with indwelling feeding catheters and *S. aureus* colonization (Gutman et al), 836
severe neonatal necrotizing—hematologic abnormalities in (Hutter et al), 1026
Enterostomies, treatment of skin irritation around, with cholestyramine ointment (Rodriguez et al), 659
Epidemiology and early natural history: Proteinuria and hematuria in schoolchildren (Dodge et al), 327
of heroin abuse (Lapin) (Letter), 703; (Litt and Cohen) (Reply), 704
Epidural hemorrhage in hemophilia—factor VIII inhibitor following surgery for: Successful therapy with concentrate containing factors II, VII, IX, and X (Goodnight et al) (Letter), 356
Epiglottitis, acute, "thumb" and "little finger" signs in (Podgore and Bass) (Letter), 154
and *Hemophilus influenzae* type b (Granoff) (Letter), 1068; (Margolis) (Reply), 1069
Erythematosus, systemic lupus, relationship to: Extramembranous glomerulonephritis in childhood (Libit et al), 394
Erythroblastopenia, transient, differentiated from congenital hypoplastic anemia (Wang and Mentzer), 784
Estradiol as inhibitor of gonadotropin? (Lucky and Sherins) (Letter), 530; (Duck et al) (Reply), 530
Ethical problem of hysterectomy in a mentally retarded girl (Sobel) (Letter), 529; (Duck et al) (Reply), 530
Ethics, medical, and the hopelessly ill child (Waldman), 890
Euthanasia, passive, of defective newborn infants: Legal considerations (Robertson and Fost), 883
Evaluation of testing for cystic fibrosis, report of the committee for a study of, 711
Exchange transfusion(s), neonatal, with blood containing hepatitis b antigen (Paxson et al) (Letter), 357
variance in albumin loading (Chan and Schiff), 609

F

Facial, mid-, hypoplasia, craniosynostosis, and foot abnormalities: Autosomal dominant phenotype in large Amish kindred (Jackson et al), 963
Factor concentrates, antihemophiliac—hemolytic anemia due to anti-B in (Ashenhurst et al) (BCLO), 257

Factor–Cont'd
VIII inhibitor following surgery for epidural hemorrhage in hemophilia: Successful therapy with concentrate containing factors II, VII, IX, and X (Goodnight et al) (Letter), 356
prothrombin complex concentrate (Konyne) in treatment of hemophilic patients with (Abildgaard et al), 200
treatment of hemophilic children who have (Pearson) (Editor's column), 367
Familial anal abnormality (Reid and Turner) (BCLO), 992
Caffey disease (Szalay) (Letter), 167; (Langewisch) (Reply), 167
hepatic venoocclusive disease with probable immune deficiency (Mellis and Bale), 236
translocation (3p 15p) with partial trisomy for upper arm of chromosome 3 in two siblings (Say et al) (BCLO), 447
variable immunodeficiency, pattern of inheritance in (Garver) (Letter), 699; (Terhaar) (Letter), 700; (Feldman et al) (Reply), 700
Family, clinical and biochemical studies in: Mannosidosis (Booth et al) (BCLO), 821
Fanconi anemia: Simultaneous onset of symptoms in two siblings (Jones) (Letter), 152
Fat absorption and growth after resection of ileum (Valman), 41
Fatty acid concentrations, free, and plasma triglyceride, effects of Intralipid infusion on. I. Lipid metabolism (Andrew et al), 273
liver (clue to protein malnutrition)–radiographic demonstration of (Swischuk and McConnell) (BCLO), 452
Feed the nursing mother, thereby the infant (Sosa et al), 668
Feeding catheters, indwelling, associated with *S. aureus* colonization: Neonatal staphylococcal enterocolitis (Gutman et al), 836
hypertonic, and elemental diets for LBW infants (Christie and Ament) (Letter), 903; (Book and Herbst) (Reply), 904
Fetal anomalies associated with warfarin therapy initiated shortly prior to conception (Richman and Lahman) (Letter), 509
breathing: Induction in utero and effects of vagotomy and barbiturates (Condorelli and Scarpelli), 94
circulation, persistent: Newly recognized structural features (Haworth and Reid), 614
Fetus, indirect effect of sex hormones on (Papp et al) (Letter), 524
Fever in the neonate (Goldstone) (Letter), 167
Fibroblasts, cultured–phenotype and characterization of α-mannosidase activity in: Mannosidosis (Aylsworth et al), 814
Fibrosis, cystic, emotional adjustment of adolescents and young adults with (Boyle et al), 318
–protein level in meconium of homozygotic and heterozygotic infant with (Papp et al) (Letter), 151
report of committee for study of evaluation of testing for, 711
–small bowel mucosal dysfunction with (Morin et al), 213
First-aid kits for insect sting (Frazier) (Letter), 170; (Lietman) (Reply), 170
Fluid, amniotic, cortisol after premature rupture of membranes (Cohen et al), 1007
Fluid, amniotic–Cont'd
and cord blood of preterm infants with RDS–alpha$_1$-antitrypsin in (Singer et al), 87
cerebrospinal, concentrations of bacteria in, with bacterial meningitis (Feldman), 549
endotoxin concentrations in gram-negative bacterial meningitis (Berman et al), 553
pleural, detection by counterimmunoelectrophoresis of bacterial antigen in (Lampe et al), 557
Focal sclerotic lesions of glomeruli, significance of (Nash et al), 806
Folic acid, deficiency of, in goat milk (Coleman) (Letter), 900; (Riemann) (Reply), 901
Food intolerances, approach to management with specific or complex: Modular Formula (Klish et al), 948
Foot abnormalities, craniosynostosis, and midfacial hypoplasia: Autosomal dominant phenotype in large Amish kindred (Jackson et al), 963
Formula(s), infant–osmolality, osmolarity, and renal solute load of (Tomarelli) (BCLO), 454
Modular: Approach to management with specific or complex food intolerances (Klish et al), 948
Function tests, parathyroid, with EDTA infusions (Tsang et al), 250
Fusion of adrenal glands in association with asplenia (Coen and Aase) (Letter), 152

G

Gammopathy, monoclonal, cytomegalovirus infection, and immunodeficiency–antigen-driven malignancy? (Groshong et al), 217
Gas, recurrent hepatic portal venous, with necrotizing entercolitis (Vollman et al), 486
Gastroesophageal reflux and hiatal hernia (Vanderhoof and Ament) (Letter), 693; (Friedland et al) (Reply), 693
Gastrogenic intrathoracic cysts and hemoptysis (Chang et al) (BCLO), 594
Gastrointestinal hemorrhage and anemia after therapeutic doses of aspirin (Bergman et al), 501
Genetic counseling for congenital heart disease (Halloran et al), 1054
Genital herpes associated with myelitis (Shturman-Ellstein et al) (Letter), 523
Gentamicin, estimations of peak tissue concentrations of (Eshelman) (Letter), 1066; (Siber et al) (Reply), 1067
Gigantism, cerebral, somatomedin in (Saenger et al) (Letter), 155
Glands, adrenal, fusion of, in association with asplenia (Coen and Aase) (Letter), 152
Glomeruli, significance of focal sclerotic lesions of (Nash et al), 806
Glomerulonephritis, extramembranous: Relationship to systemic lupus erythematosus (Libit et al), 394
severe, "pulse" methylprednisolone therapy of (Cole et al), 307
Glucose, true, in range less than 50 mg/dl correlated with Dextrostix values (Dorchy and Loeb) (Letter), 692; (Frantz) (Reply), 693
Glutathione peroxidase deficiency, leukocyte, with chronic granulomatous disease (Matsuda et al), 581

Goiter, congenital, treatment of (v. Petrykowski) (Letter), 526; (Homoki and Teller) (Reply), 527; (Fisher) (Comment), 527
Gonadal function, testicular histology, and meiosis following cyclophosphamide therapy with nephrotic syndrome (Etteldorf et al), 206
Gonadotropin(s)—estradiol as inhibitor of? (Lucky and Sherins) (Letter), 530; (Duck et al) (Reply), 530
in hypophysogonadal disorders of children and adolescents, effect of synthetic luteinizing hormone-releasing hormone on release of. VII. Conditional delay of puberty in males (Job et al), 494
Granulomatous disease, chronic, in adult male: Proposed X-linked defect (Biggar et al), 63
unusual forms of (Johston) (Editor's column), 172
with leukocyte glutathione peroxidase deficiency (Matsuda et al), 581
Granulopoiesis in aplastic anemia (Ragab et al), 790
Growth and fat absorption after resection of ileum (Valman), 41
immunoreactive insulin following treatment with human growth hormone: Laron dwarfism (Clemons et al), 427
health, and neurologic sequelae: Mechanical ventilation of infants of less than 1,501 gm birth weight (Fitzhardinge et al), 531
hormone release, provocative tests for (Tze et al), 565
thyrotropin, and prolactin deficiencies with congenital hypothyroidism (Rogol and Kahn), 953
of preterm infants, rocking waterbeds and auditory stimuli to enhance (Kramer and Pierpont), 297

H

Hajdu-Cheney syndrome (Weleber and Beals), 243
Haloperidol therapy, danger of (Shields and Bray), 301
Hashimoto thyroiditis—congenital rubella and acquired hypothyroidism secondary to (Pérez Comas) (Letter), 1065
Hearing loss in Noonan syndrome (Cremers) (Letter), 363
Heart disease, congenital—genetic counseling for (Halloran et al), 1054
Heel puncture, complication of: Neonatal osteomyelitis of calcaneus (Lilien et al), 478
Hematologic abnormalities in severe neonatal necrotizing enterocolitis (Hutter et al), 1026
Hematoma, neonatal subdural, associated with severe hemophilia A (Volpe et al), 1023
Hematuria and proteinuria in schoolchildren: Epidemiology and early natural history (Dodge et al), 327
Hemiphypertrophy with focal nodular hyperplasia of liver (Everson et al) (BCLO), 985
Hemoglobin Malmö, new kindred with (McCormack et al) (Letter), 1061
Hemolytic anemia due to anti-B in antihemophiliac factor concentrates (Ashenhurst et al) (BCLO), 257
idiopathic immune, acute and transient nature of (Buchanan et al), 780
streptococcal, group B beta, meningitis—hypothalamic-pituitary dysfunction following (Pai et al), 289
Hemophilia A, severe, associated with neonatal subdural hematoma (Volpe et al), 1023
Hemophilia—Cont'd
epidural hemorrhage in—factor VIII inhibitor following surgery for: Successful therapy with concentrate containing factors II, VII, IX, and X (Goodnight et al) (Letter), 356
Hemophiliac, anti-, factor concentrates—hemolytic anemia due to anti-B in (Ashenhurst et al) (BCLO), 257
Hemophilic children who have factor VIII inhibitors, treatment of (Pearson) (Editor's column), 367
patients with factor VIII inhibitors, prothrombin complex concentrate (Konyne) in treatment of (Abildgaard et al), 200
Hemophilus influenzae bacteremia with sickle cell disease (Ward and Smith) (BCLO), 261
buccal cellulitis, hypothesis on pathogenesis of (Nelson and Ginsburg) (Editor's column), 709
meningitis, prospective evaluation of treatment of (Feigin et al), 542
otitis media caused by nontypable, ampicillin resistant strains of (Shurin et al), 646
type b and epiglottitis (Granoff) (Letter), 1068; (Margolis) (Reply), 1069
meningitis, outbreak of, in enclosed hospital population (Glode et al), 36
Hemoptysis and intrathoracic gastrogenic cysts (Chang et al) (BCLO), 594
Hemorrhage, cerebellar, in premature infant (Grunnet and Shields), 605
epidural, in hemophilia—factor VIII inhibitor following surgery for: Successful therapy with concentrate containing factors II, VII, IX, and X (Goodnight et al) (Letter), 356
gastrointestinal, and anemia after therapeutic doses of aspirin (Bergman et al), 501
intraventricular, central diabetes insipidus following (Adams et al), 292
massive pulmonary, as presenting feature in congenital hyperammonemia (Sheffield et al) (BCLO), 450
Heparin activity in the neonate with indwelling umbilical catheters—protamine sulfate titration for (Hall et al), 467
Hepatic aspiration, percutaneous—ascending cholangitis diagnosed by (Rodgers et al) (BCLO), 83
extra-, biliary atresia—25-hydroxycholecalciferol in the management of rickets associated with (Daum et al), 1041
necrosis, fatal, due to isoniazid chemoprophylaxis (Vanderhoof and Ament), 867
portal venous gas, recurrent, with necrotizing enterocolitis (Vollman et al), 486
porto-enterostomy or cholecystostomy in treatment of extrahepatic biliary atresia (Odièvre et al), 774
venoocclusive disease, familial, with probable immune deficiency (Mellis and Bale), 236
Hepatitis B antigen, neonatal exchange transfusion with blood containing (Paxson et al) (Letter), 357
infection, evidence of, in hospitalized children in New York City (Cherubin et al) (Letter), 893
virus infection in Wiskott-Aldrich syndrome (Gerety et al), 561
Hepatoma in chronic form of hereditary tyrosinemia (Weinberg et al), 434

Hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for right-sided Wilms tumor (Jayabose et al) (Letter), 898
Hereditary tyrosinemia, hepatoma in chronic form of (Weinberg et al), 434
Hering-Breuer inspiratory inhibitory reflex, maturation of, effect of premature delivery on (Kirkpatrick et al), 1010
Hernia, hiatal, and gastroesophageal reflux (Vanderhoof and Ament) (Letter), 693; (Friedland et al) (Reply), 693
left-sided diaphragmatic, delayed appearance of (Hurdiss et al) (BCLO), 990
Heroin abuse, epidemiology of (Lapin) (Letter), 703; (Litt and Cohen) (Reply), 704
Herpes, genital, associated with myelitis (Shturman-Ellstein et al) (Letter), 523
Heterochromia and Horner syndrome with neuroblastoma (Gilboa) (Letter), 366; (Spigelblatt et al) (Letter), 1067; (Jaffe) (Reply), 1068
neuroblastoma (Meadows and Knudson) (Letter), 168; (Jaffe) (Reply), 168
Heterozygotic and homozygotic infant with cystic fibrosis—protein level in meconium of (Papp et al) (Letter), 151
Hiatal hernia and gastroesophageal reflux (Vanderhoof and Ament) (Letter), 693; (Friedland et al) (Reply), 693
Higashi-Chediak syndrome in Negro infant (O'Regan et al) (Letter), 522
Histocompatibility antigens in childhood-onset arthritis (Schaller et al), 926
system and human disease (Schaller and Omenn), 913
Histology, testicular, gonadal function, and meiosis following cyclophosphamide therapy with nephrotic syndrome (Etteldorf et al), 206
Histoplasmosis, pleural effusion in (Weissbluth) (Letter), 894
Homeostatsis, calcium, disorders of. II. Recent advances in calcium metabolism (Root and Harrison), 117
mechanisms of. I. Recent advances in calcium metabolism (Root and Harrison), 1
Homozygotic and heterozygotic infant with cystic fibrosis—protein level in meconium of (Papp et al) (Letter), 151
Hormone(s), growth, release, provocative tests for (Tze et al), 565
thyrotropin, and prolactin deficiencies with congenital hypothyroidism (Rogol and Kahn), 953
human growth—growth and immunoreactive insulin following treatment with: Laron dwarfism (Clemons at al), 427
sex, indirect effect on fetus (Papp et al) (Letter), 524
synthetic luteinizing,-releasing hormone—effect on release of gonadotropins in hypophysogonadal disorders of children and adolescents. VII. Constitutional delay of puberty in males (Job et al), 494
Horner syndrome and heterochromia with neuroblastoma (Gilboa) (Letter), 366; (Spigelblatt et al) (Letter), 1067; (Jaffe) (Reply), 1068
Human variation—trouble maker for the laboratory diagnostician (Mellman) (Editor's column), 175
HVA, VMA, metanephrine and total free catecholamine—effect of diet on urinary excretion of (Weetman et al), 46
Hydatid disease, diagnostic value of scintigraphy of liver in (Osorio et al) (Letter), 360
Hydrops fetalis due to anti-Kell isoimmune disease: Survival with optimal long-term outcome (Scanlon and Muirhead), 484
25-Hydroxycholecalciferol in management of rickets associated with extrahepatic biliary atresia (Daum et al), 1041
Hyperammonemia, congenital—massive pulmonary hemorrhage as presenting feature in (Sheffield et al) (BCLO), 450
Hyperglycemia, neonatal, and chromosome deletion (Leisti et al) (BCLO), 989
Hyperimmunoglobulinemia E, T lymphocyte dysfunction, recurrent bacterial infections, and defective neutrophil chemotaxis (Church et al) (BCLO), 982
Hyperlipidemia, lymphocytic leukemia, and atypical dermatomyositis (Singsen et al) (BCLO), 602
Hyperplasia, congenital adrenal—application of serum 170H-progesterone radioimmunoassay to diagnosis and management of (Hughes and Winter), 766
with shock following intravenous pyelography (Silverman and Nyhan) (BCLO), 269
focal nodular, of liver with hemihypertrophy (Everson et al) (BCLO), 985
Hypersensitivity, delayed cutaneous, in healthy pediatric population: Diagnostic value of diptheria-tetanus toxodis (Franz et al) (BCLO), 975
Hypertension, hyperreninemic, secondary to pelviureteric obstruction treated by surgery (Carella and Silber) (BCLO), 987
renal arteriography in evaluation of (Korobkin et al), 388
Hyperthecosis, ovarian, in adolescent patient (Wentz et al), 488
Hyperthyroidism, neonatal, following intrauterine hypothyroidism (Mitchell and Shenfield) (Letter), 901; (Hayek) (Reply), 901
Hypertonic feedings and elemental diets for LBW infants (Christie and Ament) (Letter), 903; (Book and Herbst) (Reply), 904
Hyperuricemia, neonatal (Raivio), 625
Hypoglycemia, neonatal—is Dextrostix adequate to assess it? (Barrett and Witte) (Letter), 1072; (Frantz et al) (Reply), 1072
Hypokalemia and asymptomatic chronic hypomagnesemia: Cell membrane disease? (Paunier and Sizonenko), 51
watery diarrhea associated with increased plasma vasoactive intestinal peptide (Udall et al) (BCLO), 819
Hypomagnesemia, asymptomatic chronic, and hypokalemia: Cell membrane disease? (Paunier and Sizonenko), 51
Hyponatremia in sickle cell disease (Radel et al), 800
Hypophysogonadal disorders of children and adolescents—effect of synthetic luteinizing hormone-releasing hormone on release of gonadotropins in. VII. Constitutional delay of puberty in males (Job et al), 494
Hypoplasia, midfacial, craniosynostosis, and foot abnormalities: Autosomal dominant phenotype in large Amish kindred (Jackson et al), 963
Hypoplastic anemia, congenital, differentiated from transient erythroblastopenia (Wang and Mentzer), 784
Hypothalamic-pituitary dysfunction following group B beta hemolytic streptococcal meningitis (Pai et al), 289
"Hypothermia" in a cool mist tent (Grady and Bamman) (Letter), 691
Hypothyroidism, acquired, and congenital rubella secondary to Hashimoto thyroiditis (Pèrez Comas) (Letter), 1065

Hypothyroidism—Cont'd
and pityriasis rubra pilaris (Tunnessen et al) (BCLO), 456
congenital, with growth hormone, thyrotropin, and prolactin deficiencies (Rogol and Kahn), 953
intrauterine—neonatal hyperthyroidism following (Mitchell and Shenfield) (Letter), 901; (Hayek) (Reply), 901
Hysterectomy in a mentally retarded girl, ethical problem of (Sobel) (Letter), 529; (Duck et al) (Reply), 530

I

Idiopathic apnea of prematurity—urinary biogenic amines in (Kattwinkel et al), 1003
immune hemolytic anemia, acute and transient nature of (Buchanan et al), 780
IgA deficiency and recurrent pneumonia in the Schwartz-Jampel syndrome (Kirschner and Pachman) (Letter), 1060
IgG, platelet-binding, in vitro production of, in idiopathic thrombocytopenic purpura (Lightsey et al), 414
Ileum, resection of—growth and fat absorption after (Valman), 41
Immune deficiency, probable, with familial hepatic venoocclusive disease (Mellis and Bale), 236
hemolytic anemia, idiopathic, acute and transient nature of (Buchanan et al), 780
response in iron-deficient children (Suskind and Adeniyi-Jones) (Letter), 696; (Macdougall et al) (Reply), 697; (Chandra) (Reply), 698
Immunity, cellular, inhibitory factors of, with sclerosing panencephalitis (Steele et al), 56
Immunodeficiency, cytomegalovirus infection, and monoclonal gammopathy—antigen-driven malignancy? (Groshong et al), 217
familial variable, pattern of inheritance in (Garver) (Letter), 699; (Terhaar) (Letter), 700; (Feldman et al) (Reply), 700
Immunoelectrophoresis, countercurrent, for diagnosis of pneumococcal pneumonia (Michaels and Poziviak) (BCLO), 72
Immunoreactive insulin and growth following treatment with human growth hormone: Laron dwarfism (Clemons et al), 427
Incision and drainage, importance of: Peripheral nodular lesions in *Pseudomonas* sepsis (Reed et al) (BCLO), 977
Infection(s), chronic cytomegalovirus, immunodeficiency, and monoclonal gammopathy—antigen-driven malignancy? (Groshong et al), 217
hepatitis B, evidence of, in hospitalized children in New York City (Cherubin et al) (Letter), 893
virus, in Wiskott-Aldrich syndrome (Gerety et al), 561
measles, with chronic illness—encephalopathy following (Murphy and Yunis), 937
parasitic, treatment of (Seidel) (Letter), 528; (Katz) (Reply), 529
post-transfusion viral, in Reye syndrome (Linnemann and Schiff) (Letter), 907; (Bobo) Reply), 907
recurrent bacterial, T lymphocyte dysfunction, hyperimmunoglobulinemia E, and defective neutrophil chemotaxis (Church et al) (BCLO), 982
Infectious lymphocytosis, acute, with T- and null cell proliferation (Dadash-Zadeh et al) (Letter), 520
Influenza A vaccine, inactivated monovalent—serologic responses and reactions after administration of (Marine and Stuart-Harris), 26
type B vaccine, inactivated monovalent—serologic response and clinical reactions following (Wright et al), 31
virus, swine-like, and vaccine (Denny et al), 1057
Infusion(s), EDTA, with parathyroid function tests (Tsang et al), 250
Intralipid, effects on plasma triglyceride and free fatty acid concentrations. I. Lipid metabolism (Andrew et al), 273
system, portable, for ambulant child (Macnab), 654
technique, continuous, in short bowel syndrome (Ricour) (Letter), 1072
Inheritance, pattern of, in familial variable immunodeficiency (Garver) (Letter), 699; (Terhaar) (Letter), 700; (Feldman et al) (Reply), 700
Inhibitors, factor VIII, prothrombin complex ' concentrate (Konyne) in treatment of hemophilic patients with (Abildgaard et al), 200
Inhibitory factors of cellular immunity with subacute sclerosing panencephalitis (Steele et al), 56
reflex, Hering-Breuer inspiratory—effect of premature delivery on maturation of (Kirkpatrick et al), 1010
Insect sting emergency first-aid kits (Frazier) (Letter), 170; (Lietman) (Reply), 170
Inspiratory inhibitory reflex, Hering-Breuer, maturation of—effect of premature delivery (Kirkpatrick et al), 1010
Insulin, diabetic ketoacidosis with continuous "low-dose infusion" of (Molitch) (Letter), 904; (Brink) (Letter), 905; (Guthrie) (Letter), 905; (Kaufman et al) (Reply), 906
immunoreactive, and growth following human growth hormone therapy: Laron dwarfism (Clemons et al), 427
Interstitial emphysema, unilateral pulmonary (Wyman and Kuhns) (Letter), 902; (Leonidas et al) (Reply), 902
Intestinal lymphangiectasia with Noonan syndrome (Herzog et al) (BCLO), 270
malabsorption of iron (Halpin and Ament) (Editor's column), 911
peptide, increased plasma vasoactive, associated with watery diarrhea and hypokalemia (Udall et al) (BCLO), 819
Intolerances, food—approach to management with specific or complex: Modular Formula (Klish et al), 948
Intoxication, kerosene: Experimental approach to etiology of CNS manifestations in primates (Wolfsdorf), 1037
mercurial diuretic—peritoneal dialysis in (Robillard et al) (BCLO), 79
Intralipid, effect of, on bilirubin binding in vitro and in vivo. II. Lipid metabolism (Andrew et al), 279
estimation of serum bilirubin in newborn infant (Shennan et al), 285
infusion, effects on plasma triglyceride and free fatty acid concentrations. I. Lipid metabolism (Andrew et al), 273
Intraluminal tracheal cyst producing airway obstruction (Denson et al) (Letter), 521
Intrauterine hypothyrodism—neonatal hyperthyroidism following (Mitchell and Shenfield) (Letter), 901; (Hayek) (Reply), 901
Intravenous pyelography, shock following—with congenital adrenal hyperplasia (Silverman and Nyhan) (BCLO), 269

Intravenous—Cont'd
theophylline, pharmacolkinetic analysis of disposition of (Loughnan et al), 874
Intraventricular hemorrhage, central diabetes insipidus following (Adams et al), 292
Intubation, nasotracheal—tracheal perforation as a complication of (Schild et al), 631
Intussusception and nutritional status (Janik and Firor) (Letter), 358
Iron deficiency and behavior (Pollitt and Leibel), 371
childhood, and impaired attentional development or scholastic performance: Is the evidence sufficient to establish causality? (Deinard et al) (Letter), 162; (Oski and Nieburg) (Reply), 163
in Eskimo village (Burks et al), 224
deficient children, immune response in (Suskind and Adeniyi-Jones) (Letter), 696; (Macdougall et al) (Reply), 697; (Chanda) (Reply), 698
intestinal malabsorption of (Halpin and Ament) (Editor's column), 911
malabsorption of, with iron deficiency (Gross et al), 795
Isoimmune disease, anti-Kell, hydrops fetalis due to: Survival with optimal long-term outcome (Scanlon and Muirhead), 484
Isoniazid chemoprophylaxis—fatal hepatic necrosis due to (Vanderhoof and Ament), 867

J

Jadassohn, nevus sebaceous of (organoid nevus), possible relationship to childhood malignancies (Lanzkowsky and Shende) (Letter), 359
Jampel-Schwartz syndrome—IgA deficiency and recurrent pneumonia in (Kirschner and Pachman) (Letter), 1060
Joint contracture—common manifestation of childhood diabetes mellitus (Grgic et al), 584

K

Kell, anti-, isoimmune disease, hydrops fetalis due to: Survival with optimal long-term outcome (Scanlon and Muirhead), 484
Kerosene intoxication: Experimental approach to etiology of CNS manifestations in primates (Wolfsdorf), 1037
Ketoacidosis, diabetic, with continuous "low-dose infusion" of insulin (Molitch) (Letter), 904; (Brink) (Letter), 905; (Guthrie) (Letter), 905; (Kaufman et al) (Reply), 906
Kindred, large Amish—autosomal dominant phenotype: Craniosynostosis, midfacial hypoplasia, and foot abnormalities (Jackson et al), 963
new, with hemoglobin Malmö (McCormack et al) (Letter), 1061
Kinetic model, two-compartment open-system: Review of its clinical implications and applications (Loughnan et al), 869
Konyne (prothrombin complex concentrate) in treatment of hemophilic patients with factor VIII inhibitors (Abildgaard et al), 200
Krabbe disease, possible misdiagnosis of (Wenger and Riccardi) (BCLO), 76

L

Laboratory diagnostician, troublemaker for—human variation (Mellman) (Editor's column), 175
Lactic acidosis associated with beta-methylcrotonic aciduria (Roth et al), 229
Laron dwarfism: Growth and immunoreactive insulin following treatment with human growth hormone (Clemons et al), 427
Laryngeal obstruction in sarcoidosis (Kirschner and Holinger) (BCLO), 263
LBW infants, elemental diets and hypertonic feedings for (Christie and Ament) (Letter), 903; (Book and Herbst) (Reply), 904
Lead exposure in mentally retarded children from North India (Tandon et al) (Letter), 898
Legal considerations: Passive euthanasia of defective newborn infants (Robertson and Fost), 883
Learning disabilities, subsequent, re short-term starvation in infancy—a proven relationship? (Oettinger) (Letter), 700; (Metcalf) (Letter), 701; (Reinhart) (Letter), 701; (Fenton) (Letter), 701; (LLoyd-Still) (Letter), 702; (Klein et al) (Reply), 702
Lesions, focal sclerotic, of glomeruli—significance of (Nash et al), 806
Leukemia, acute myelogenous—diabetes insipidus as presenting manifestation of (Bergman et al) (Letter), 355
Preliminary report of combination chemotherapy (Pizzo et al), 125
—reversible dementia temporally associated with intraventricular therapy with methotrexate (Pizzo et al), 131
congenital, associated with mosaic trisomy 9 (Djernes et al) (BCLO), 596
Is it so awful? (Timmons), 147
lymphocytic, atypical dermatomyositis, and hyperlipidemia (Singsen et al) (BCLO), 602
—cerebral calcifications associated with intrathecal methotrexate therapy in (Mueller et al), 650
Ph¹-negative chronic myelogenous, with 9/11 translocation (Warburton and Shah) (BCLO), 599
Leukocyte glutathione peroxidase deficiency with chronic granulomatous disease (Matsuda et al), 581
Limb, craniofacial, and anal abnormalities with mental deficiency—new syndrome of (Keller et al) (BCLO), 589
Lip, cleft, and/or palate and twinning (Meadow) (Letter), 364
Lipid metabolism in neonate. I. Effects of Intralipid infusion on plasma triglyceride and free fatty acid concentrations. II. Effect of Intralipid on bilirubin binding in vitro and in vivo (Andrew et al), 273, 279
Listeriosis, neonatal: Distribution of serotypes in relation to age at onset of disease (Albritton et al), 481
Liver disease associated with alpha$_1$-antitrypsin deficiency in childhood (Moroz et al), 19
fatty (clue to protein malnutrition)—radiographic demonstration of (Swischuk and McConnell) (BCLO), 452
focal nodular hyperplasia of, with hemihypertrophy (Everson et al) (BCLO), 985
in hydatid disease, diagnostic value of scintigraphy of (Osorio et al) (Letter), 360
Lupus erythematosus, systemic, relationship to: Extramembranous glomerulonephritis (Libit et al), 394

Luteinizing hormone–releasing hormone, synthetic–effect on the release of gonadotropins in hypophysogonadal disorders of children and adolescents. VII. Constitutional delay of puberty in males (Job et al), 494
Lymph node syndrome, mucocutaneous, in California (Robinson and Adler) (Letter), 1069
Lymph node syndrome, mucocutaneous, in continential US (Brown et al) (BCLO), 81
Lymphangiectasia, intestinal, with Noonan syndrome (Herzog et al) (BCLO), 270
Lymphocyte(s), rosette-forming, and measles vaccination (Mandalenaki-Asfi et al) (BCLO), 74
subpopulations in pertussis (Tsukimoto and Lampkin) (BCLO), 826
T, dysfunction, hyperimmunoglobulinemia E, recurrent bacterial infections, and defective neutrophil chemotaxis (Church et al) (BCLO), 982
Lymphocytic leukemia associated with cerebral calcifications, intrathecal methotrexate therapy in (Mueller et al), 650
atypical dermatomyositis, and hyperlipidemia (Singsen et al) (BCLO), 602
Lymphocytosis, acute infectious, with T- and null cell proliferation (Dadash-Zadeh et al) (Letter), 520

M

Macrophage-moncyte system, basic and clinical considerations (Albrecht and Hong), 751
Macrocephaly and neurofibromatosis (Weichert and Dine) (Letter), 1066
Malabsorption, intestinal, of iron (Halpin and Ament) (Editor's column), 911
of iron with iron deficiency (Gross et al), 795
Malarial prophylaxis for pregnant women (Berthoud) (Letter), 362; (Jellife) (Reply), 362; (Clyde) (Reply), 362
Malignancies, childhood–possible relationship of nevus sebaceous of Jadassohn (organoid nevus) to (Lanzkowsky and Shende) (Letter), 359
Malignancy, antigen-diven?–cytomegalovirus infection, immunodeficiency, and monoclonal gammopathy (Groshong et al), 217
Malmö, hemoglobin–new kindred with (McCormack et al) (Letter), 1061
Malnutrition, protein, clue to–radiographic demonstration of fatty liver (Swischuk and McConnell) (BCLO), 452
Mannosidosis: Clinical and biochemical studies of affected adolescents and adults (Booth et al) (BCLO), 821
Phenotype and characterization of α-mannosidase activity in cultured fibroblasts (Aylsworth et al), 814
Maternal carrier state, relation to: Mental retardation in Duchenne muscular dystrophy (Robinow) (Letter), 896
drug usage and pharmacotherapeutic agents, effects on nutritive sucking behavior: Neonatal narcotic abstinence (Kron et al), 637
Maturation of Hering-Breuer inspiratory inhibitory reflex, effect of premature delivery on (Kirkpatrick et al), 1010
Maturity ratings, sex, in adolescents related to serum alkaline phosphatase concentrations (Bennett et al), 633
Measles infection with chronic illness, encephalopathy following (Murphy and Yunis), 937
Measles–Cont'd
vaccination and rosette-forming lymphocytes (Mandalenaki-Asfi et al) (BCLO), 74
Meconium, protein level in, of homozygotic and heterozygotic infant with cystic fibrosis (Papp et al) (Letter), 151
Mediastinal posterior accessory thymus (Saade et al) (BCLO), 71
Meiosis, testicular histology, and gonadal function following cyclophosphamide therapy with nephrotic syndrome (Etteldorf et al), 206
Melanosis, transient neonatal pustular (Ramamurthy et al), 831
Membrane(s), cell, disease: Hypomagnesemia and hypokalemia? (Paunier and Sizonenko), 51
premature rupture of–amniotic fluid cortisol after (Cohen et al), 1007
Membranous, extra-, glomerulonephritis: Relationship to systemic lupus erythematosus (Libit et al), 394
Meningitis, bacterial–concentrations of bacteria in cerebrospinal fluid with (Feldman), 549
–pleocytosis in (Chartrand and Cho), 424
comparison of high-risk infants with and without: Cerebrospinal fluid evaluation (Sarff et al), 473
gram-negative bacterial–cerebrospinal fluid endotoxin concentrations in (Berman et al), 553
group B beta hemolytic streptococcal–hypothalamic-pituitary dysfunction following (Pai et al), 289
Hemophilus influenzae–prospective evaluation of treatment of (Feigin et al), 542
type b, outbreak of, in enclosed hospital population (Glode et al), 36
rapid identification of specific etiology in (McCracken) (Editor's column), 706
Meningococcal osteomyelitis: Case reports associated with septic arthritis (Hammerschlag and Baker) (Letter), 519
Mental deficiency with craniofacial, limb, and anal abnormalities–new syndrome of (Keller et al) (BCLO), 589
retardation in Duchenne muscular dystrophy: Its relation to maternal carrier state (Robinow) (Letter), 896
Mentally retarded children from North India, lead exposure in (Tandon et al) (Letter), 898
girl, ethical problem of hysterectomy in (Sobel) (Letter), 529; (Duck et al) (Reply), 530
Mercurial diuretic intoxication–peritoneal dialysis in (Robillard et al) (BCLO), 79
Metabolism, calcium, recent advances in. I. Mechanisms of calcium homeostasis. II. Disorders of calcium homeostatis (Root and Harrison), 1, 17
lipid. I. Effects of Intralipid infusion on plasma triglyceride and free fatty acid concentrations. II. Effect of Intralipid on bilirubin binding in vitro and in vivo (Andrew et al), 273, 279
Metanephrine, HVA, VMA, and total free catecholamine–effect of diet on urinary excretion of (Weetman et al), 46
Methotrexate, reversible dementia temporally associated with (Pizzo et al), 131
therapy, intrathecal, in acute lymphocytic leukemia associated with cerebral calcifications (Mueller et al), 650
Methylcrotonic, beta-, aciduria associated with lactic acidosis (Roth et al), 229
Methylprednisolone, "pulse," therapy of severe glomerulonephritis (Cole et al), 307

Metronidazole in treatment of amebiasis (Human) (Letter), 695; (Katz) (Reply), 695
Milk and soy protein intolerance associated with enterocolitis in LBW infants (Powell), 840
goat–deficiency of folic acid in (Coleman) (Letter), 900; (Riemann) (Reply), 901
Monoclonal gammopahy, cytomegalovirus infection, and immunodeficiency–antigen-driven malignancy? (Groshong et al), 217
Monocyte-macrophage system, basic and clinical considerations (Albrecht and Hong), 751
Morphologic and biochemical studies: Acro-osteolysis syndrome (Brown et al), 573
Mosaic trisomy 9 associated with congenital leukemia (Djernes et al) (BCLO), 596
Mosaicism, chromosomal, prenatal diagnosis of (Milunksy and Atkins) (Letter), 365
Mucocutaneous candidiasis, chronic–clotrimazole treatment of (Leikin et al), 864
lymph node syndrome in California (Robinson and Adler) (Letter), 1069
continental US (Brown et al) (BCLO), 81
Mucosal dysfunction, small bowel, with cystic fibrosis (Morin et al), 213
Mulibrey nanism (constrictive pericarditis with dwarfism in two siblings) (Cumming et al), 569
Muscular dystrophy, Duchenne, and phenylketonuria: Case report (Roth et al) (Letter), 689
–mental retardation in: Its relation to maternal carrier state (Robinow) (Letter), 896
Myelitis associated with genital herpes (Shturman-Ellstein et al) (Letter), 523
Myelogenous leukemia, acute–diabetes insipidus as presenting manifestation of (Bergman et al) (Letter), 355
Preliminary report of combination chemotherapy (Pizzo et al), 125
–reversible dementia temporally associated with intraventricular therapy with methotrexate (Pizzo et al), 131
Ph¹-negative, with 9/11 translocation (Warburton and Shah) (BCLO), 599

N

Narcotic abstinence, neonatal: Effects of pharmacotherapeutic agents and maternal drug usage on nutritive sucking behavior (Kron et al), 637
withdrawal, neonatal–study of factors that influence severity of (Ostrea et al), 642
Nasotracheal intubation–tracheal perforation as a complication of (Schild et al), 631
Neck ulceration from CPAP box (Hakanson et al) (Letter), 166
Necrosis, fatal hepatic, due to isoniazid chemoprophylaxis (Vanderhoof and Ament), 867
Necrotizing entercolitis, severe neonatal–hematologic abnormalities in (Hutter et al), 1026
with recurrent hepatic portal venous gas (Vollman et al), 486
Nephrectomy and radiation therapy for right-sided Wilms tumor–hepatotoxicity of chemotherapy following (Jayabose et al) (Letter), 898
Nephropathy of congenital syphilis, behavior of complement system in (Zelazko and Feldman) (Letter), 359
Nephritis, shunt: The nature of the serum cryoglobulins and their relation to complement profile (Strife et al), 403
Nephrocalcinosis with alkaptonuria (Goldberg et al) (Letter), 518
Nephrotic syndrome–gonadal function, testicular histology, and meiosis following cyclophosphamide therapy (Etteldorf et al), 206
Nervous system, central, manifestations in primates, experimental approach to etiology of: Kerosene intoxication (Wolfsdorf), 1037
Neural crest tumors, prognostic value in: Carcinoembryonic antigen assay (Frens et al) (BCLO), 591
Neuroblastoma and heterochromia (Meadows and Knudson) (Letter), 168; (Jaffe) (Reply), 168
with heterochromia and Horner syndrome (Gilboa) (Letter), 366; (Spigelblatt et al) (Letter), 1067; (Jaffe) (Reply), 1068
Neurofibromatosis and macrocephaly (Weichert and Dine) (Letter), 1066
Neurogenic diabetes insipidus, pitressin with: Commentary (Crigler), 295
Neurologic comparison of pre-term and full-term infants at term conceptional age (Howard et al), 995
sequelae, health, and growth: Mechanical ventilation of infants of less than 1,501 gm birth weight (Fitzhardinge et al), 531
Neutrophil chemotaxis, defective, T lymphocyte dysfunction, hyperimmunoglobulinemia E, and recurrent bacterial infections (Church et al) (BCLO), 982
Nevus sebaceous of Jadassohn (organoid nevus), possible relationship to childhood malignancies (Lanzkowsky and Shende) (Letter), 359
New books received, 149, 350, 1058
Nitrogen mustard therapy, adverse reaction to (Carpentieri et al) (Letter), 1064
Nodular hyperplasia, focal, of liver with hemihypertrophy (Everson et al) (BCLO), 985
lesions, peripheral, in *Pseudomonas* sepsis: Importance of incision and drainage (Reed et al) (BCLO), 977
Noise levels in the Neonatal Intensive Care Unit (Vidyasagar et al) (Letter), 115
Noonan syndrome, hearing loss in (Cremers) (Letter), 363
with intestinal lymphangiectasia (Herzog et al) (BCLO), 270
Null and T-cell proliferation with acute infectious lymphocytosis (Dadash-Zadeh et al) (Letter), 520
Nurse associate/practitioner internship, pediatric–postgraduate training (Kukla) (Letter), 169
Nursing mother, feed, thereby the infant (Sosa et al), 668
Nutrition, total parenteral–atrioventricular conduction disturbance during (Brady and Weinberg), 113
–origin of acidosis in: Controversy (Chan) (Letter), 157; (Heird and Winters) (Reply), 158
Nutritional status and intussusception (Janik and Firor) (Letter), 358
Nutritive sucking behavior, effects of pharmacotherapeutic agents and maternal drug usage: Neonatal narcotic abstinence (Kron et al), 637

O

Obstruction, laryngeal, in sarcoidosis (Kirschner and Holinger) (BCLO), 263
Organoid nevus (nevus sebaceous of Jadassohn), possible relationship to childhood malignancies (Lanzkowsky and Shende) (Letter), 359
Osmolality, osmolarity, and renal solute load of infant formulas (Tomarelli) (BCLO), 454
Osmolarity, osmolality, and renal solute load of infant formulas (Tomarelli) (BCLO), 454
Osteomyelitis and sepsis due to *Staphylococcus aureus* phage type 94 in NICU (Rhodes et al) (Letter), 1063
  meningococcal: Case reports associated with septic arthritis (Hammerschlag and Baker) (Letter), 519
  neonatal, of calcaneus: Complication of heel puncture (Lilien et al), 478
Otitis media caused by non-typable, ampicillin-resistant strains of *Haemophilus influenzae* (Shurin et al), 646
Ovarian hyperthecosis in adolescent patient (Wentz et al), 488
Overconcern of parents following severe illness (Sigal and Gagnon) (Letter), 700
Oxandrolone—adult stature of males with Down syndrome treated with. VIII. Studies of anabolic steroids (Ruvalcaba et al), 504

P

Palate, cleft, and/or lip and twinning (Meadow) (Letter), 364
Pancytopenia associated with sulfamethoxazole-trimethoprim therapy (Tulloch), 499
Panencephalitis, sclerosing, inhibitory factors of cellular immunity with (Steele et al), 56
Paralysis, total diaphragmatic, with continuous bilateral electrophrenic pacing (Radecki and Tomatis), 969
Parasitic infections, treatment of (Seidel) (Letter), 528; (Katz) (Reply), 529
Parathyroid function tests with EDTA infusions (Tsang et al), 250
Pathogenesis of *Hemophilus influenzae* buccal cellulitis, hypothesis on (Nelson and Ginsburg) (Editor's column), 709
Pelviureteric obstruction treated by surgery—hyperreninemic hypertension secondary to (Carella and Silber) (BCLO), 987
Peptide, increased plasma vasoactive intestinal, associated with watery diarrhea and hypokalemia (Udall et al) (BCLO), 819
Percutaneous hepatic aspiration—ascending cholangitis diagnosed by (Rodgers et al) (BCLO), 83
Perforation, tracheal, as a complication of nasotracheal intubation (Schild et al), 631
Pericarditis, constrictive, with dwarfism in two siblings (mulibrey nanism) (Cumming et al), 569
Peritoneal dialysis, catheter for (Shapiro) (Letter), 160; (Sellers et al) (Letter), 160; (Anand and Northway) (Reply), 161
  in mercurial diuretic intoxication (Robillard et al) (BCLO), 79
Peroxidase deficiency, leukocyte glutathione, with chronic granulomatous disease (Matsuda et al), 581
Pertussis, lymphocyte subpopulations in (Tsukimoto and Lampkin) (BCLO), 826
Ph¹-negative chronic myelogenous leukemia with 9/11 translocation (Warburton and Shah) (BCLO), 599
Pharmacokinetic analysis of disposition of intravenous theophylline (Loughnan et al), 874
Pharmacologic observations on neonatal withdrawal syndrome (Rosen and Pippenger), 1044
Pharmacotherapeutic agents and maternal drug usage, effects on nutritive sucking behavior: Neonatal narcotic abstinence (Kron et al), 637
Phenobarbital therapy, chronic versus intermittent (Sakai) (Letter), 363
Phenotype and characterization of α-mannosidase activity in cultured fibroblast: Mannosidosis (Aylsworth et al), 814
  autosomal dominant, in large Amish kindred: Craniosynostosis, midfacial hypoplasia, and foot abnormalities (Jackson et al), 963
  Turner-like, associated with congenital stem cell dysfunction (Feldman et al) (BCLO), 979
Phenotypic chondrodysplasia punctata and warfarin therapy initiated during pregnancy (Pauli et al), 506
Phenylketonuria and Duchenne muscular dystrophy: Case report (Roth et al) (Letter), 689
Phosphatase concentrations, serum alkaline, related to sex maturity ratings in adolescents (Bennett et al), 633
Pitressin with neurogenic diabetes insipidus: Commentary (Crigler), 295
Pituitary-hypothalamic dysfunction following group B beta hemolytic streptococcal meningitis (Pai et al), 289
Pityriasis rubra pilaris and hypothyroidism (Tunnessen et al) (BCLO), 456
Plasma creatinine and urea concentration: Normal values for age and sex (Schwartz et al) (BCLO), 828
  triglyceride and free fatty acid concentrations, effects of Intralipid infusion on. I. Lipid metabolism (Andrew et al), 273
  vasoactive intestinal peptide, increased, associated with watery diarrhea and hypokalemia (Udall et al) (BCLO), 819
Platelet-binding IgG, in vitro production of, in idiopathic thrombocytopenic purpura (Lightsey et al), 414
Pleocytosis in bacterial meningitis (Chartrand and Cho), 424
Pleural effusion in histoplasmosis (Weissbluth) (Letter), 894
  fluid, detection by counterimmunoelectrophoresis of bacterial antigen in (Lampe et al), 557
Pneumonia, pneumococcal—countercurrent immunoelectrophoresis for diagnosis of (Michaels and Poziviak) (BCLO), 72
  recurrent, and IgA deficiency in Schwartz-Jampel syndrome (Kirschner and Pachman) (Letter), 1060
Pneumococcal pneumonia—countercurrent immunoelectrophoresis for diagnosis of (Michaels and Poziviak) (BCLO), 72
Poisoning, salt (Saunders et al) (BCLO), 258
"Polyanomaly" vs "anomald" (Bartsocas) (Letter), 899; (Smith) (Reply), 899; (Fraser) (Reply), 900
Polyp, bleeding juvenile—arteriographic demonstration and colonscopic removal of (Stillman et al) (BCLO), 445
Porencephaly, encephalocalstic—postnatal evolution (Kesaree et al) (BCLO), 598

Porto-enterostomy, hepatic, or cholecystostomy in treatment of extrahepatic biliary atresia (Odievre et al), 774
Pregnant women, malarial prophylaxis for (Berthoud) (Letter), 362; (Jellife) (Reply), 362; (Clyde) (Reply), 362
Premature delivery, effect of, on maturation of Herring-Breuer inspiratory inhibitory reflex (Kirkpatrick et al), 1010
infant, cerebellar hemorrhage in (Grunnet and Shields), 605
rupture of membranes—amniotic fluid cortisol after (Cohen et al), 1007
Prematurity, urinary biogenic amines in idiopathic apnea of (Kattwinkel et al), 1003
Pressure, continuous positive airway, technique for delivery of (Benveniste et al), 1015
Progesteron, 17OH-, serum, radioimmunoassay, application of, to diagnosis and management of congenital adrenal hyperplasia (Hughes and Winter), 766
Prolactin, thyrotropin, and growth hormone deficiencies with congenital hypothyroidism (Rogol and Kahn), 953
Prophylaxis, malarial, for pregnant women (Berthoud) (Letter), 362; (Jellife) (Reply), 362; (Clyde) (Reply), 362
Protamine sulfate titration for heparin activity in neonates with indwelling umbilical catheters (Hall et al), 467
Protein malnutrtion, clue to—radiographic demonstration of fatty liver (Swischuk and McConnell) (BCLO), 452
level in meconium of hemozygotic and heterozygotic infant with cystic fibrosis (Papp et al) (Letter), 151
soy, and milk intolerance associated with enterocolitis in LBW infants (Powell), 840
Proteinuria and hematuria in schoolchildren: Epidemiology and early natural history (Dodge et al), 327
Prothrombin complex concentrate (Konyne) in treatment of hemophilic patients with factor VIII inhibitors (Abildgaard et al), 200
Pseudomonas sepsis, peripheral nodular lesions in: Importance of incision and drainage (Reed et al) (BCLO), 977
Pseudomembranous colitis treated with cholestyramine (Sinatra et al), 304
Puberty in males, constitutional delay of. VII. Effect of synthetic luteinizing hormone–releasing hormone on release of gonadotropins in hypophysogonadal disorders of (Job et al), 494
Pulmonary hemorrhage, massive, as feature in congenital hyperammonemia (Sheffield et al) (BCLO), 450
interstitial emphysema, unilateral (Wyman and Kuhns) (Letter), 902; (Leonidas et al) (Reply), 902
vascular involvement in Down syndrome (Rosengart and Isabel-Jones) (Letter), 161; (Krovetz) (Reply), 161
"Pulse" methylprednisolone therapy of severe glomerulonephritis (Cole et al), 307
Purpura, idiopathic thrombocytopenic—in vitro production of platelet-binding IgG (Lightsey et al), 414
Pustular melanosis, transient neonatal (Ramamurthy et al), 831
Pyelography, intravenous, shock following—with congenital adrenal hyperplasia (Silverman and Nyhan) (BCLO), 269

R

Radiation therapy and nephrectomy for right-sided Wilms tumor—hepatotoxicity of chemotherapy following (Jayabose et al) (Letter), 898
Radiographic demonstration of fatty liver (clue to protein malnutrition) (Swischuk and McConnell) (BCLO), 452
Radioimmunoassay, serum 17OH-progesterone, application of, to diagnosis and management of congenital adrenal hyperplasia (Hughes and Winter), 766
Reflex, maturation of Hering-Breuer inspiratory inhibitory—effect of premature delivery on (Kirkpatrick et al), 1010
Reflux, gastroesophageal, and hiatal hernia (Vanderhoof and Ament) (Letter), 693; (Friedland et al) (Reply), 693
Renal allograft survival, adverse effect of anticonvulsant therapy on (Wassner et al), 134; Commentary (McEnery and Stempel), 138
arteriography in evaluation of unexplained hypertension (Korobkin et al), 388
diseases, screening for (Daeschner) (Editor's column), 367
failure following perinatal anoxia (Dauber et al), 851
function, abnormal, in newborn infant (Daniel and James), 856
in respiratory distress syndrome (Guignard et al), 845
solute load, osmolarity, and osmolality of infant formulas (Tomarelli) (BCLO), 454
venous thrombosis—another cause of acute renal failure following cardiac surgery (Stapleton et al) (Letter), 365
Reninemic, hyper-, hypertension secondary to pelviureteric obstruction treated by surgery (Carella and Silber) (BCLO), 987
Respiratory distress syndrome—alpha,-antitrypsin in amniotic fluid and cord blood of preterm infants with (Singer et al), 87
more on alkali therapy of (Martin) (Letter), 524; (Baum and Roberton) (Reply), 525; (Ostrea and Odell) (Letter), 525; (Baum and Roberton) (Reply), 525
renal function in (Guignard et al), 845
regulation after elastic loading and CO_2 rebreathing (Taeusch et al), 102; Commentary (Bryan and Bryan), 112
syncytical virus vaccine, live, attenuated—evaluation in infants (Wright et al), 931
Retardation, mental, in Duchenne muscular dystrophy: Its relation to the maternal carrier state (Robinow) (Letter), 896
Retarded children, mentally, from North India, lead exposure in (Tandon et al) (Letter), 898
girl, mentally, ethical problem of hysterectomy in (Sobel) (Letter), 529; (Duck et al) (Reply), 530
Retinopathy in juvenile dermatomyositis (Fruman et al) (BCLO), 267
Reye syndrome, clinical staging of (Lansky) (Letter), 1070; (Schubert et al) (Reply), 1071
post-transfusion viral infections in (Linnemann and Schiff) (Letter), 907; (Bobo) (Reply), 907
Rickets associated with extrahepatic biliary atresia—25-hydroxycholecalciferol in the management of (Daum et al), 1041
Rosette-forming lymphocytes and measles vaccination (Mandalenaki-Asfi et al) (BCLO), 74
Rubella, congenital, and acquired hypothyroidism secondary to Hashimoto thyroiditis (Pérez Comas) (Letter), 1065
Rupture of membranes, premature—amniotic fluid cortisol after (Cohen et al), 1007

S

Salt poisoning, severe, in an infant (Saunders et al) (BCLO), 258
Sarcoidosis, laryngeal obstruction in (Kirschner and Holinger) (BCLO), 263
Schwartz-Jampel syndrome—IgA deficiency and recurrent pneumonia in (Kirschner and Pachman) (Letter), 1060
Scintigraphy, diagnostic value of, of liver in hydatid disease (Osorio et al) (Letter), 360
Sclerosing panencephalitis, inhibitory factors of cellular immunity with (Steele et al), 56
Sclerotic lesions, focal, of glomeruli—significance of (Nash et al), 806
Screening for renal diseases (Daeschner) (Editor's column), 367
Self-concept, anxiety, and personal and social adjustments with sickle cell anemia (Kumar et al), 859
Sensory stimulation—Bach, Beethoven, or Rock—and how much? (Klaus and Fanaroff), 300
Sepsis and osteomyelitis due to *Staphylococcus aureus* phage type 94 in NICU (Rhodes et al) (Letter), 1063
  clinical—persistent Group B *Streptococcus* bacteremia without (Roberts) (Letter), 1059
  overwhelming, following splenectomy for trauma (Balfanz et al) (BCLO), 458
  Pseudomonas—peripheral nodular lesions in: Importance of incision and drainage (Reed et al) (BCLO), 977
Septic arthritis, case reports associated with: Meningococcal osteomyelitis (Hammerschlag and Baker) (Letter), 519
  neonatal (Pittard et al), 621
  thrombosis following subclavian vein catheterization (Faden et al) (Letter), 895
Serologic response(s) and clinical reactions following inactivated monovalent influenza type B vaccine (Wright et al), 31
  reactions after administration of inactivated monovalent influenza A vaccine (Marine and Stuart-Harris), 26
Serotypes, distribution of, in relation to age at onset of disease: Neonatal listeriosis (Albritton et al), 481
Serum alkaline phosphatase concentrations related to sex maturity ratings in adolescents (Bennett et al), 633
  bilirubin, effect of Intralipid on estimation of (Shennan et al), 285
  cryoglobulins, nature of, and their relation to complement profile: Shunt nephritis (Strife et al), 403
  17OH-progesterone radioimmunoassay, application of, to diagnosis and management of congenital adrenal hyperplasia (Hughes and Winter), 766
Sex hormones, indirect effect on fetus (Papp et al) (Letter), 524
  maturity ratings in adolescents related to serum alkaline phosphatase concentrations (Bennett et al), 633
  normal values for age and: Plasma creatinine and urea concentration (Schwartz et al) (BCLO), 828
Shock following intravenous pyelography with congenital adrenal hyperplasia (Siverman and Nyhan) (BCLO), 269
Shunt nephritis: Nature of serum cryoglobulins and their relation to complement profile (Strife et al), 403
Sibs, cancer in (Li et al), 419
Sibs—Cont'd
  familial translocation (3p 15p) with partial trisomy for upper arm of chromosome 3 in (Say et al) (BCLO), 447
Siblings, simultaneous onset of symptoms in: Fanconi anemia (Jones) (Letter), 152
  two, dwarfism in (mulibrey nanism), with constrictive pericarditis (Cumming et al), 569
Sickle cell anemia—self-concept, anxiety, and personal and social adjustments with (Kumar et al), 859
  disease, *H. influenzae* bacteremia in (Ward and Smith) (BCLO), 261
  transfusion therapy for cerebrovascular abnormalities in (Russell et al), 382
  with hyponatremia (Radel et al), 800
Signs, "thumb" and "little finger," in acute epiglottitis (Podgore and Bass) (Letter), 154
Skills and procedures by primary care physician, attempt to identify frequency of use of (Weinberger), 671; Commentary (Garfunkel), 676
Skin irritation, treatment of, around enterostomies with cholestyramine ointment (Rodriguez et al), 659
Solute load, renal, osmolality, and osmolarity of infant formulas (Tomarelli) (BCLO), 454
Somatomedin in cerebral gigantism (Saenger et al) (Letter), 155
Soy protein and milk intolerance, associated with enterocolitis in LBW infants (Powell), 840
Splenectomy for trauma—overwhelming sepsis following (Balfanz et al) (BCLO), 458
Staphylococcal enterocolitis, neonatal: Association with indwelling feeding catheters and *S. aureus* colonization (Gutman et al), 836
Staphylococcus aureus phage type 94 in neonatal intensive care unit, sepsis and osteomyelitis due to (Rhodes et al) (Letter), 1063
Starvation, short-term, in infancy re subsequent learning disabilities—a proven relationship? (Oettinger) (Letter), 700; (Metcalf) (Letter), 701; (Reinhart) (Letter), 701; (Fenton) (Letter), 701; (Lloyd-Still) (Letter), 702; (Klein et al) (Reply), 702
Stature, adult, of males with Down syndrome treated with oxandrolone. VIII. Studies of anabolic steroids (Ruvalcaba et al), 504
Stem cell dysfunction, congenital, associated with Turner-like phenotype (Feldman et al) (BCLO), 979
Steroids, anabolic, studies of. VIII. Adult stature of males with Down syndrome treated with oxandrolone (Ruvalcaba et al), 504
Stimulation, sensory—Bach, Beethoven, or Rock—and how much? (Klaus and Fanaroff), 300
Stimuli, auditory, and rocking waterbeds to enhance growth of preterm infants (Kramer and Pierpont), 297
Streptococcal diseases, serious Group A (Burech et al), 972
  group B beta hemolytic, meningitis—hypothalamic-pituitary dysfunction following (Pai et al), 289
Streptococcus, persistent Group B, bacteremia without clinical "sepsis" (Roberts) (Letter), 1059
Structural features, newly recognized: Persistent fetal circulation (Haworth and Reid), 614
Study for evaluation of testing for cystic fibrosis, report of committee for, 711

Sucking behavior, nutritive, effects of pharmacotherapeutic agents and maternal drug usage: Neonatal narcotic abstinence (Kron et al), 637
Sudden infant death syndrome temperament before death (Naeye et al), 511; Commentary (Carey), 516
Sulfamethoxazole-trimethoprim therapy associated with pancytopenia (Tulloch), 499
Sulfate, protamine, titration for heparin activity in neonates with indwelling umbilical catheters (Hall et al), 467
Surgery, cardiac, another cause of acute renal failure following—renal venous thrombosis (Stapleton et al) (Letter), 365
—hyperreninemic hypertension secondary to pelviureteric obstruction treated by (Carella and Silber) (BCLO), 987
Swine-like influenza virus and vaccine (Denny et al), 1057
Syncytical virus vaccine, live, attenuated respiratory—evaluation of in infants (Wright et al), 931
Syndrome, acro-osteolysis: Morphologic and biochemical studies (Brown et al), 573
"bronze baby": Postmortem data (Clark et al), 461; Commentary (Gartner and Lee), 465
Chediak-Higashi, in Negro infant (O'Regan et al) (Letter), 522
diencephalic, revisited (Burr et al), 439
Down—adult stature of males treated with oxandrolone. VIII. Studies of anabolic steroids (Ruvalcaba et al), 504
—pulmonary vascular involvement in (Rosengart and Isabel-Jones) (Letter), 161; (Krovetz) (Reply), 161
Hajdu-Cheney (Weleber and Beals), 243
Horner, and heterochromia with neuroblastoma (Gilboa) (Letter), 366; (Spigelblatt et al) (Letter), 1067; (Jaffe) (Reply), 1068
mucocutaneous lymph node, in California (Robinson and Adler) (Letter), 1069
continental US (Brown et al) (BCLO), 81
neonatal withdrawal—pharmacologic observations on (Rosen and Pippenger), 1044
nephrotic—gonadal function, testicular histology, and meiosis following cyclophosphamide therapy (Etteldorf et al), 206
new, of mental deficiency with craniofacial, limb, and anal abnormalities (Keller et al) (BCLO), 589
Noonan, hearing loss in (Cremers), (Letter), 363
with intestinal lymphangiectasia (Herzog et al) (BCLO), 270
respiratory distress—alpha$_1$-antitrypsin in amniotic fluid and cord blood of preterm infants with (Singer et al), 87
more on alkali therapy of (Martin) (Letter), 524; (Baum and Roberton) (Reply), 525; (Ostrea and Odell) (Letter), 525; (Baum and Roberton) (Reply), 525
renal function in (Guignard et al), 845
Reye, clinical staging of (Lansky) (Letter), 1070; (Schubert et al) (Reply), 1071
post-transfusion viral infections in (Linnemann and Schiff) (Letter), 907; (Bobo) (Reply), 907
Schwartz-Jampel—IgA deficiency and recurrent pneumonia in (Kirschner and Pachman) (Letter), 1060
short bowel—continuous infusion technique in (Ricour) (Letter), 1072
sudden infant death—temperament before death (Naeye et al), 511; Commentary (Carey), 516
Syndrome—Cont'd
Wiskott-Aldrich—hepatitis B virus infection in (Gerety et al), 561
Syphilis, congenital, behavior of complement system in nephropathy of (Zelazko and Feldman) (Letter), 359
System, monocyte-macrophage, basic and clinical considerations (Albrecht and Hong), 751
Systemic lupus erythematosus, relationship to: Extramembranous glomerulonephritis (Libit et al), 394

T

T- and null cell proliferation with acute infectious lymphocytosis (Dadash-Zadeh et al) (Letter), 520
T lymphocyte dysfunction, hyperimmunoglobulinemia E, recurrent bacterial infections, and defective neutrophil chemotaxis (Church et al) (BCLO), 982
Tall boys, excessively—testosterone treatment of (Zachmann et al), 116
Telephone assessement of illness by practicing pediatricans (Greitzer et al), 880
Temperament before death, sudden infant death syndrome (Naeye et al), 511; Commentary (Carey), 516
Term conceptional age, neurologic comparison of pre-term and full-term infants at (Howard et al), 995
Testicular histology, gonadal function, and meiosis following cyclophosphamide therapy with nephrotic syndrome (Etteldorf et al), 206
Testing for cystic fibrosis, report of committee for study of evaluation of, 711
Testosterone treatment of excessively tall boys (Zachmann et al), 116
Tests, parathyroid function, with EDTA infusions (Tsang et al), 250
provactive, for growth hormone release (Tze et al), 565
Tetanus-diptheria toxoids, diagnostic value of: Cutaneous delayed hypersensitivity in a healthy pediatric population (Franz et al) (BCLO), 975
Thalassemia in Greek Americans (Bartsocas) (Letter), 165; (Pearson and Guilotis) (Reply), 165
Theophylline, intravenous, pharmacolkinetic analysis of disposition of (Loughnan et al), 874
Thoracic, intra-, gastrogenic cysts and hemoptysis (Chang et al) (BCLO), 594
Thrombocytopenic purpura, idiopathic—in vitro production of platelet-binding IgG (Lightsey et al), 414
Thrombosis, renal venous—another cause of acute renal failure following cardiac surgery (Stapleton et al) (Letter), 365
septic, following subclavian vein catheterization (Faden et al) (Letter), 895
Thymus, posterior mediastinal accessory (Saade et al) (BCLO), 71
Thyroid studies in anorexia nervosa (Danufsky) (Letter), 1069; (Kim and Michael) (Reply), 1069
Thyroiditis, Hashimoto—congenital rubella and acquired hypothyroidism secondary to (Pérez Comas) (Letter), 1065
Thyrotropin, growth hormone, and prolactin deficiencies with congenital hypothyroidism (Rogol and Kahn), 953
Tissue concentrations, peak, estimations of gentamicin (Eshelman) (Letter), 1066; (Silber et al) (Reply), 1067

Tobramycin usage in pediatrics, appraisal of: Commentary (McCracken and Nelson), 315
Toxoids, tetanus-diptheria, diagnostic value of: Cutaneous delayed hypersensitivity in a healthy pediatric population (Franz et al) (BCLO), 975
Tracheal cyst, intraluminal, producing airway obstruction (Denson et al) (Letter), 521
perforation as a complication of nasotracheal intubation (Schild et al), 631
Training, postgraduate–pediatric nurse associate/practitioner internship (Kukla) (Letter), 169
Transfusion(s), exchange, variance in albumin loading (Chan and Schiff), 609
neonatal exchange, with blood containing hepatitis B antigen (Paxson et al) (Letter), 357
post-, viral infections in Reye syndrome (Linnemann and Schiff) (Letter), 907; (Bobo) (Reply), 907
therapy for cerebrovascular abnormalities in sickle cell disease (Russell et al), 382
Translocation, familial (3p 15P), with partial trisomy for upper arm of chromosome 3 in two sibs (Say et al) (BCLO), 447
9/11, with Ph¹-negative chronic myelogenous leukemia (Warburton and Shah) (BCLO), 599
Trauma, overwhelming sepsis following splenectomy for (Balfanz et al) (BCLO), 458
Triglyceride, plasma, and free fatty acid concentrations, effects of Intralipid infusion on. I. Lipid metabolism (Andrew et al), 273
Trimethoprim-sulfamethoxazole therapy associated with pancytopenia (Tulloch), 499
Trisomy 9, mosaic, associated with congenital leukemia (Djernes et al) (BCLO), 596
partial, for upper arm of chromosome 3 in two sibs with familial translocation (3p 15p), (Say et al) (BCLO), 447
Tumor(s), neural crest, prognostic value in: Carcinoembryonic antigen assay (Frens et al) (BCLO), 591
right-sided Wilms–hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for (Jayabose et al) (Letter), 898
Turner-like phenotype associated with congenital stem cell dysfunction (Feldman et al) (BCLO), 979
Twinning and cleft lip and/or palate (Meadow) (Letter), 364
Tyrosinemia, hereditary, hepatoma in chronic form of (Weinberg et al), 434

U

Ulceration, neck, from CPAP box (Hakanson et al) (Letter), 166
Umbilical artery catheter, reliability of bacterial culture of blood obtained from (Cowett et al), 1035
catheters, indwelling–protamine sulfate titration for heparin activity in neonates with (Hall et al), 467
Urea and plasma creatinine concentration: Normal values for age and sex (Schwartz et al) (BCLO), 828
Ureteric, pelvi-, obstruction treated by surgery–hyperreninemic hypertension secondary to (Carella and Silber) (BCLO), 987
Urinary biogenic amines in idiopathic apnea of prematurity (Kattwinkel et al), 1003
excretion of VMA, HVA, metaenephrine, and total free catecholamine, effect of diet on (Weetman et al), 46

V

Vaccination, measles, and rosette-forming lymphocytes (Mandalenaki-Asfi et al) (BCLO), 74
Vaccine, influenza A, inactivated monovalent–serologic responses and reactions after administration of (Marine and Stuart-Harris), 26
and swine-like influenza virus (Denny et al), 1057
type B, inactivated monovalent–serologic response and clinical reactions following (Wright et al), 31
live, attenuated respiratory syncytical virus–evaluation in infants (Wright et al), 931
Vagotomy and barbiturates, induction in utero and effects of: Fetal breathing (Condorelli and Scarpelli), 94
VMA, HVA, metanephrine, and total free catecholamine–effect of diet on urinary excretion of (Weetman et al), 46
Varicella-zoster virus from blood, isolation of (Feldman and Epp) (BCLO), 265
Vascular, cerebro-, abnormalities in sickle cell disease, transfusion therapy for (Russell et al), 382
intra-, air accumulation, massive (Lubens et al), 1020
involvement, pulmonary, in Down syndrome (Rosengart and Isabel-Jones) (Letter), 161; (Krovetz) (Reply), 161
Vasoactive intestinal peptide increased plasma, associated with watery diarrhea and hypokalemia (Udall et al) (BCLO), 819
Vein catheterization, subclavian–septic thrombosis following (Faden et al) (Letter), 895
Venoocclusive disease, familial hepatic, with probable immune deficiency (Mellis and Bale), 236
gas, recurrent hepatic portal, with necrotizing enterocolitis (Vollman et al), 486
thrombosis, renal–another cause of acute renal failure following cardiac surgery (Stapleton et al) (Letter), 365
Ventilation, mechanical, of infants of less than 1,501 gm birth weight: Health, growth, and neurologic sequelae (Fitzhardinge et al), 531
Viral infections, post-transfusion, in Reye syndrome (Linnemann and Schiff) (Letter), 907; (Bobo) (Reply), 907
Virus infection, hepatitis B, in Wiskott-Aldrich syndrome (Gerety et al), 561
swine-like influenza, and vaccine (Denny et al), 1057
vaccine, live, attenuated respiratory syncytical–evaluation in infants (Wright et al), 931
varicella-zoster–isolation from blood (Feldman and Epp) (BCLO), 265

W

Waking, night: A normal response? (Raphael) (Letter), 169; (Carey) (Reply), 170
Warfarin therapy initiated during pregnancy and phenotypic chondrodysplasia punctata (Pauli et al), 506

Warfarin therapy—Cont'd
shortly prior to conception, fetal anomalies associated with (Richman and Lahman) (Letter), 509
Waterbeds, rocking, and auditory stimuli to enhance growth of preterm infants (Kramer and Pierpont), 297
Weight, birth—mechanical ventilation of infants of less than 1,501 gm: Health, growth, and neurologic sequelae (Fitzhardinge et al), 531
low-birth, infants, and enterocolitis associated with milk and soy protein intolerance (Powell), 840
—elemental diets and hypertonic feedings for (Christie and Ament) (Letter), 903; (Book and Herbst) (Reply), 904
Wilms tumor, right-sided—hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for (Jayabose et al) (Letter), 898
Wiskott-Aldrich syndrome—hepatitis B virus infection in (Gerety et al), 561
Withdrawal, neonatal narcotic—study of factors that influence severity of (Ostrea et al), 642
syndrome, neonatal, pharmacologic observations on (Rosen and Pippenger), 1044

X

X-linked defect, proposed: Chronic granulomatous disease (Biggar et al), 63

THE JOURNAL OF PEDIATRICS

EDITOR

WALDO E. NELSON
Philadelphia

ASSOCIATE EDITORS

JOSEPH M. GARFUNKEL
Springfield, Illinois

ARTHUR E. McELFRESH
St. Louis

DAVID S. SMITH
Philadelphia

EDITORIAL BOARD

MARY ELLEN AVERY
Boston

RICHARD E. BEHRMAN
Editor, Fetal and neonatal medicine
New York

FLOYD W. DENNY, Jr.
Chapel Hill

PHILIP R. DODGE
St. Louis

LEON EISENBERG
Boston

DELBERT A. FISHER
Torrance

MELVIN GRUMBACH
San Francisco

DAVID T. KARZON
Nashville

PAUL S. LIETMAN
Editor, Pharmacology and therapeutics
Baltimore

MILTON MARKOWITZ
Farmington, Connecticut

HARRY MEDOVY
Winnipeg

WILLIAM L. NYHAN
La Jolla

HOWARD A. PEARSON
New Haven

WILLIAM B. WEIL, Jr.
East Lansing

CLARK D. WEST
Cincinnati

CONTRIBUTING EDITORS

Adolescent medicine
W.A. DANIEL, Jr.
Birmingham, Alabama

Behavioral pediatrics
RICHARD W. OLMSTED
Evanston, Illinois

Book reviews
ANGELO M. DiGEORGE
Philadelphia

Dysmorphology (Teratology)
DAVID W. SMITH
Seattle

Endocrinology
ALLEN W. ROOT
St. Petersburg, Florida

Genetics
WILLIAM J. MELLMAN
Philadelphia

Immunology
REBECCA H. BUCKLEY
Durham

RICHARD HONG
Madison, Wisconsin

Infectious diseases
GEORGE H. McCRACKEN, Jr.
Dallas

Metabolism
ALLAN DRASH
Pittsburgh

LAURENCE FINBERG
New York

Pathology
JAY BERNSTEIN
Royal Oak, Michigan

Pediatric epidemiology
BEA J. van den BERG
Oakland

Rheumatology
JANE SCHALLER
Seattle

Tropical pediatrics
D.B. JELLIFFE
Los Angeles

ADVISORY BOARD

RUSSELL J. BLATTNER
Houston

PATRICK F. BRAY
Salt Lake City

ROBERT E. COOKE
Madison, Wisconsin

JAMES N. ETTELDORF
Memphis

LEE FORREST HILL
Des Moines

CHARLES A. JANEWAY
Boston

SAUL KRUGMAN
New York

M. EUGENE LAHEY
Salt Lake City

WALLACE W. McCRORY
New York

IRVING SCHULMAN
Stanford

HARRY C. SHIRKEY
New Orleans

VOLUME 89
COPYRIGHT © 1976 BY
THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

INDEX TO VOLUME 89

*Author index**

A

ABROMS IF. (*See* FINER ET AL.), 100
ADAMS G. (*See* DORAND AND ADAMS), 188
ADLER R, ROBINSON RG, AND BINKIN NJ. Intravascular hemolysis: An unusual complication of hydrocarbon ingestion (Letter), 679
AGUSTIN AV. (*See* KLEIN ET AL.), 545
AHLFORS CE. (*See* RASMUSSEN ET AL.), 475
AKL KF. (*See* GEHA AND AKL), 724
AKSNES L. (*See* SOVIK ET AL.) (BCLO), 946
ALFORD CA. (*See* WHITLEY ET AL.), 16
ALLAHVERDI H. (*See* ÖZSOYLU ET AL.), 388
ALLEN JC, WATTERS G, O'GORMAN AM, PATRIQUIN H, MELOFF K, MIDDLETON P, AND ARMSTRONG D. Herpes virus type 2 encephalitis in two neonates from the same household (BCLO), 949
AMENT ME. (*See* KELBER AND AMENT) (BCLO), 595
—. (*See* VANDERHOOF AND AMENT), 911
AMUNDSON S. (*See* MACE ET AL.) (Letter), 515
ANAGNOSTAKIS D. AND DACOU-VOUTETAKIS C. Effect of cortisol/insulin in lecithin synthesis (Letter), 687
ANDERMANN F. (*See* GUNN ET AL.), 565
ANDERSON R, RABSON AR, SHER R. AND KOORNHOF HJ. Defective neutrophil motility in children with measles, 27
ANDERSON RC. Cardiac defects in children of mothers receiving anticonvulsant therapy during pregnancy, 318
ANDERSON RJ. Commentary, 474
ANDERSON RL. (*See* STAMM ET AL.), 96
ANDIMAN WA. Primary Epstein-Barr virus infection and thrombocytopenia during late infancy (BCLO), 435
ANSUSINGHA K. (*See* RADFAR ET AL.), 719
ANTHONY BF. (*See* ORLOWSKI ET AL.), 797
APOLD J. (*See* SOVIK ET AL.) (BCLO), 946
APT L. AND GAFFNEY WL. Ocular teratogens (Reply), 160
ARAD I. AND BENADY S. Gangrene following intraumbilical injection of hypertonic glucose (Letter), 327
ARANDA JV. AND DUPONT C. Metabolic effect of theophylline in the premature neonate (Letter), 833
—, COHEN S. AND NEIMS AH. Drug utilization in a newborn intensive care unit, 315
AREY JB. (*See* VALDÉS-DAPENA ET AL.), 128
ARMSTRONG D. (*See* ALLEN ET AL.) (BCLO), 949
ASBROCK T. (*See* STRAUSS ET AL.), 391
ASCHINBERG LC. (*See* ZEIS ET AL.) (BCLO), 263
ASHENHURST JB. (*See* SEELER ET AL.) (BCLO), 87
ASPNES GT. (*See* O'BRIEN ET AL.), 205
AUSTIN TK, MYHRE B, AND HANA C. Prenatal screening for erythroblastosis fetalis (Letter), 519
AUSTIN TKL, FINKLESTEIN J, OKADA DM, MYHRE B, AND STURGEON P. Hemolytic disease of newborn infant due to anti-U (Letter), 330
AXELROD FB, AND DANCIS J. Treatment of familial dysautonomia with bethanecol (Reply), 863
AYNSLEY-GREEN A, ZACHMANN M, AND PRADER A. Interrelation of the therapeutic effects of growth hormone and testosterone on growth in hypopituitarism, 992

B

BABSON SG, AND BENDA GI. Growth graphs for the clinical assessment of infants of varying gestational age, 814
BAEHNER RL. (*See* WOLFF ET AL.) (BCLO), 956
BAKER EL JR. (*See* LANDRIGAN ET AL.), 904
BAKER S. (*See* MCNICHOLL ET AL.), 418
BALFE JW. (*See* SAUNDERS ET AL.) (Reply), 684
BALLARD ET. (*See* VOLLMAN ET AL.), 199
BALUARTE HJ. (*See* GRUSKIN ET AL.), 755
—. (*See* HINER ET AL.) (BCLO), 258, 950
BARLOW B, TABOR E, BLANC WA, SANTULLI TV, AND HARRIS RC. Choledochal cyst: A review of 19 cases, 934
—. (*See* POLIN ET AL.), 460
BARNER HB. (*See* CHEN ET AL.), 231
BARR M JR. (*See* KANTO ET AL.), 612
BARTOLETTI AL. (*See* GOETZMAN ET AL.), 617
BASS JL, MEHTA KA, AND TRUITT L. Safety screening in a pediatric population (Letter), 863
BAUER SB. (*See* WILLSCHER ET AL.), 743
BAUM V. More on the use of umbilical blood for bacterial cultures (Letter), 861
BAUMAN RA, BODE HH, HAYEK A, AND CRAWFORD JD. Technetium 99m pertechnetate scans in congenital hypothyroidism (BCLO), 268
BAUZA J. (*See* MESKO ET AL.) (Letter), 1031
BEAUDET AL. (*See* BROADWELL AND BEAUDET) (Letter), 156
BEAUREGARD WG. Predominant left pseudoesotropia (Letter), 157
BEHRMAN RE. Persistence of the fetal circulation, 636
BELIZÁN JM. (*See* MARTELL ET AL.), 963
BELKE DP. (*See* LAPIN ET AL.) (BCLO), 607
BELMONTE MM. (*See* GUNN ET AL.), 565
BENADY S. (*See* ARAD AND BENADY) (Letter), 327
BENDA GI. (*See* BABSON AND BENDA), 814
BENIRSCHKE K. (*See* FLETCHER ET AL.), 806
BENJAMIN JT, AND PERRIELLO VA, JR. Pharyngitis due to group C hemolytic streptococci in children (BCLO), 254

*July, pp 1-172; August, pp 173-342; September, pp 343-526; October, pp 527-694; November, pp 695-868; December, pp 869-1044.

BERANT M. (*See* COHEN AND BERANT) (BCLO), 261
—. (*See* COHEN ET AL.) (Letter), 856
—. (*See* SHREM AND BERANT) (Letter), 685
BERATIS NG, TURNER BM, AND HIRSCHHORN K. On genetic variants in fucosidosis (Reply), 690
BERGER GMB. (*See* WIGGELINKHUIZEN ET AL.), 452
BERMAN LS, FOX WW, RAPHAELY RC, AND DOWNES JJ JR. Optimum levels of CPAP for tracheal extubation of newborn infants, 109
BERNSTEIN BH. (*See* SINGSEN ET AL.), 358
BERNSTEIN J. Commentary (Editor's column), 341
BHETTAY E, KIPPS A, AND MCDONALD R. Early onset of subacute sclerosing panencephalitis (BCLO), 271
BIGLIERI EG. (*See* KERSHNAR ET AL.), 395
BILEK MK. (*See* FISCH ET AL.), 494
BINKIN NJ. (*See* ADLER ET AL.) (Letter), 679
BIRDSELL DC. (*See* MCMILLAN ET AL.) (BCLO), 953
BJÖRKSTÉN B, BORTOLUSSI R, GOTHEFORS L, AND QUIE PG. Interaction of *E. coli* strains with human serum: Lack of relationship to K1 antigen, 892
BLACKBURN GK. Massive fetomaternal hemorrhage due to choriocarcinoma of the uterus (Letter) 680
BLACKMON L. (*See* OWNBY ET AL.), 382
BLAESE RM. (*See* GERSHWIN ET AL.), 377
BLANC WA. Commentary: Yellow lung in premature infants, 131
—. (*See* BARLOW ET AL.), 934
BLAW M. (*See* LEVIN ET AL.) (Letter), 1034
BOAT TF. (*See* STERN ET AL.), 406, 412
BODE HH. (*See* BAUMAN ET AL.) (BCLO), 268
BOLES A. (*See* PRUITT AND BOLES), 306
BONGIOVANNI AM. Commentary, 1009
—. (*See* KIRKLAND ET AL.), 941
BOOK LS, HERBST JJ, AND JUNG AL. Comparison of fast- and slow-feeding rate schedules to the development of necrotizing enterocolitis, 463
BORER RC JR. (*See* KANTO ET AL.), 612
BORKOWSKY W. (*See* GERSHON ET AL.) (Reply), 338
BØRRENSEN HC. More on salt poisoning (Letter), 684
BORRONE C. (*See* DURAND ET AL.) (Letter), 688
BORTOLUSSI R. (*See* GUNN ET AL.), 565
—. (*See* BJÖRKSTÉN ET AL.), 892
BORUT D. (*See* KERSHNAR ET AL.), 395
BOWEN FW JR. (*See* TURBEVILLE ET AL.), 294
BOYCE T. Identification of epilepsy by encephalographic examination of infants and young children following an initial "febrile seizure" (Letter), 337
BRASFIELD D. (*See* WHITLEY ET AL.), 16
BRAUN W. (*See* HALL ET AL.) (Reply), 340
BRAY PF. (*See* DRUEGER AND BRAY) (Letter), 682
BRECHER G. (*See* KOERPER ET AL.), 580
BRECKBILL DL. (*See* HARWOOD-NASH AND BRECKBILL), 343
BRITTEN A. (*See* MEUWISSEN ET AL.), 588
BROADWELL DK, AND BEAUDET AL. Interference of radiopaque dyes with the 2,4-dinitrophenylhydrazine test (Letter), 156
BROCKELBANK JT. (*See* CONLEY ET AL.), 898
BROOKE MH. (*See* CARROLL ET AL.), 216
BROUGHTON DB, MITCHELL WG, GROSSMAN M, HADLEY K, AND COHEN MS. Recurrence of group B streptococcal infection, 183
BROWN AK. (*See* RAO ET AL.) (Letter), 682
BROWN DR, TSANG RC, AND CHEN I-W. Oral calcium supplementation in premature and asphyxiated neonates, 973
—. (*See* TSANG ET AL.), 115
BROWN EG, AND SWEET AY. Blood volume in infants with hyaline membrane disease (RDS) (Reply), 858
BROWN W. (*See* GERSONY ET AL.), 631
BROWN WR. (*See* CARROLL ET AL.), 216
BRUCE DA. (*See* TIBBS ET AL.), 928
BRYAN JH. (*See* MAY AND BRYAN) (BCLO), 428
BRYAN LE. (*See* WOODS ET AL.), 483
BUCKLEY RH. (*See* OWNBY ET AL.), 382
BURGHEN GA, ETTELDORF JN, TROUY RL, AND KITABCHI AE. Insulin and proinsulin in normal and chemical diabetic children, 48
BURROW GN. (*See* FISHER ET AL.) (Editor's column), 692
BUTLER IJ. (*See* MILSTIEN ET AL.), 763

C

CAMPBELL AB, AND SOYKA LF. Selective beta$_2$-receptor agonists for the treatment of asthma—therapeutic breakthrough or advertising ploy? 1020
CAPEK V. (*See* ZEIS ET AL.) (BCLO), 263
CARPENTIERI U, MOORE RL, AND NICHOLS MM. Kernicterus in a newborn female with G-6-PD deficiency (Letter), 854
CARROLL JE, SILVERMAN A, ISOBE Y, BROWN WR, KELTS KA, AND BROOKE MH. Inflammatory myopathy, IgA deficiency, and intestinal malabsorption, 216
CARROLL RG. (*See* HOPWOOD ET AL.), 710
CARTER BS. (*See* TANNER ET AL.), 1000
CASAR C. (*See* DANUS ET AL.), 220
CASSADY G. Blood volume in infants with hyaline membrane disease (RDS) (Letter), 857
CASSIDY JT. Clinical assessment of immune-complex disease in children with systemic lupus erythematosus (Editor's column), 523
CASTELLS S, REDDY CM, AND HASHEMI S-E. Metabolic responses to human growth hormone in children with cerebral dwarfism (BCLO), 958
CEDERBAUM SD, KAITILA I, RIMOIN DL, AND STIEHM ER. The chondro-osseous dysplasia of adenosine deaminase deficiency with severe combined immunodeficiency, 737
CELORIO A. (*See* GARCÍA RODRÍGUEZ ET AL.) (Letter), 1037
CHALHUB EG, AND DEVIVO DC. Phenytoin-induced choreoathetosis (Letter), 153
CHAMPION LAA, SCHWARTZ AD, LUDDY RE, AND SCHINDLER S. The effects of four commonly used drugs on platelet function, 653
CHAN G. (*See* WOODS ET AL.), 483
CHANG CP. (*See* ECHEVERRIA ET AL.), 8
CHANG P-N. (*See* FISCH ET AL.), 494
CHARNEY E. Lead in teeth as a determinant of long-term exposure to lead (Letter), 1040
CHAVEZ CJ. (*See* STRAUSS ET AL.), 842
CHEN I-W. (*See* BROWN ET AL.), 973
—. (*See* TSANG ET AL.), 115
CHEN S, BARNER HB, FAGAN LF, KAISER GC, MUDD JFG, AND WILLMAN VL. Aortic aneurysm in childhood: Report of six instances, 231

CHERRY JD. (*See* SUMAYA ET AL.) (BCLO), 81
CHESNEY PJ, TEETS KC, MULVIHILL JJ, SALIT IE, AND MARKS MI. Successful treatment of *Candida* meningitis with amphotericin B and 5-fluorocytosine in combination, 1017
CHESNEY RW, MCPHERSON E, HALL D, AND SEGAR WE. Severe mixed metabolic and respiratory alkalosis in Reye syndrome (Letter), 328
CHILDS HA. Ampicillin-associated colitis? (Letter), 163
CHIN TDY. (*See* MILLER ET AL.), 638
CHOI SJ. (*See* SCHUSSHEIM ET AL.) (BCLO), 782
CHOW AW. (*See* DYSART ET AL.) (Letter), 509
CHU J-Y, MCELFRESH AE, AND WAELTERMANN RM. Autoimmune hemolytic anemia as a presenting manifestation of Hodgkin disease (BCLO), 429
CHUNG GSH. (*See* PABST ET AL.) (BCLO), 425
CHVAPIL M. (*See* LAPIN ET AL.) (BCLO), 607
CLARK JC. (*See* LAKE ET AL.), 787
CLUFF LE. (*See* MCKENZIE ET AL.), 487
COCCHI P, AND SILENZI M. Pleural effusion in HB, AG-positive hepatitis (Letter), 329
COHEN H. (*See* GERSONY ET AL.), 631
COHEN LF, FARRELL PM, LUNDGREN DW, AND DI SANT'AGNESE PA. Electrolyte values of sweat obtained by local and whole body collection methods in cystic fibrosis patients (BCLO), 430
COHEN MI. (*See* DAUM ET AL.) (Letter), 853
—. (*See* LITT ET AL.), 133
COHEN MM. (*See* HANSON ET AL.), 54
COHEN MM JR. The FG syndrome (Letter), 687
COHEN MS. (*See* BROUGHTON ET AL.), 183
COHEN N, AND BERANT M. Duplications of the renal collecting system in the hereditary osteo-onycho-dysplasia syndrome (BCLO), 261
—, GRAUER M, AND BERANT M. Duodenal intramural hematoma in anaphylactoid purpura (Letter), 856
COHEN S. (*See* ARANDA ET AL.), 315
COLON AR. Sampling of duodenal contents by a nylon line (Letter), 513
CONGENI BL, AND NANKERVIS GA. *Clostridia septicum* bacteremia in a patient with aplastic anemia (Letter), 331
CONLEY SB, BROCKLEBANK JT, TAYLOR IT, AND ROBSON AM. Recurrent hypernatremia: A proposed mechanism in a patient with absence of thirst and normal excretion of water, 898
CONTE FA. (*See* RICHARDS ET AL.), 553
CORMODE EJ. (*See* HARDWICK ET AL.), 501
CORNFELD D. (*See* KIRKLAND ET AL.), 941
COTE ML. (*See* HINER ET AL.) (BCLO), 258, 950
COULSON JD. (*See* DUKE ET AL.), 990
COUVREUR J, DESMONTS G, AND GIRRE JY. Congenital toxoplasmosis in twins, 235
COWETT RM, PETER G, HAKANSON DO, AND OH W. Use of umbilical blood for bacterial cultures (Reply), 861
COX DH. (*See* LANDRIGAN ET AL.), 904
CRAST FW. (*See* MITCHELL ET AL.) (BCLO), 593
CRAWFORD JD. (*See* BAUMAN ET AL.) (BCLO), 268
—. (*See* MCLOUGHLIN ET AL.), 62
CULBERTSON MC JR. (*See* GINSBURG ET AL.), 1011
CUMMINGS C. (*See* KAPLAN ET AL.), 241
CUNDY KR. (*See* LARAYA-CUASAY ET AL.), 23
CUTZ E. (*See* GALL ET AL.) (Reply), 515

D

DACOU-VOUTETAKIS C. (*See* ANAGNOSTAKIS AND DACOU-VOUTETAKIS) (LETTER), 687
DALLMAN PR. (*See* KOERPER ET AL.), 580
DANCIS J. (*See* AXELROD AND DANCIS) (Reply), 863
DANIEL SS. (*See* GERSONY ET AL.), 631
DANIELSON RA. (*See* STRAUSS ET AL.) (Letter), 160
DANKS DM. (*See* SHEFFIELD ET AL.), 916
DANUS O, CASAR C, LARRAIN A, AND POPE CE II. Esophageal reflux—an unrecognized cause of recurrent obstructive bronchitis in children, 220
DAUM F, COHEN MI, AND MCNAMARA H. Experimental toxicologic studies on a phenol detergent associated with neonatal hyperbilirubinemia (Letter), 853
DAVIS AT. (*See* NEGLIA ET AL.) (BCLO), 253
DAVIS DC. (*See* ZONANA ET AL.) (BCLO), 600
DAVIS RF. (*See* TRUOG ET AL.), 185
DE LA BURDÉ B. Lead in teeth as a determinant of long-term exposure to lead (Reply), 1040
DEBROS F. (*See* TODRES ET AL.), 126
DECHATELET LR, SHIRLEY PS, AND MCPHAIL LC. Normal leukocyte glutathione peroxidase activity in patients with chronic granulomatous disease (BCLO), 598
DEFRONZO RA, SIEGEL NJ, AND PEARSON HA. More on the pathogenesis and management of hyponatremia in the crisis of sickle cell disease (Letter), 1038
DEINARD AS. (*See* FISCH ET AL.), 494
DELIVORIA-PAPADOPOULOS M, MILLER LD, FORSTER RE, AND OSKI FA. The role of exchange transfusion in the management of low-birth-weight infants with and without severe respiratory distress syndrome. I. Initial observations, 273
DENT PB. (*See* ELARABY ET AL.) (BCLO), 961
DESMONTS G. (*See* COUVREUR ET AL.), 235
DESPERT, J. LOUISE. The Inner Voices of Children (B. rev), 146
DEVEIKIS A. (*See* SCHAUF ET AL.), 194
DEVIVO DC. (*See* CHALHUB AND DEVIVO) (Letter), 153
—. (*See* DODSON ET AL.), 527, 695
—, KEATING JP, AND HAYMOND MW. More on the uncertainties concerning Reye syndrome (Reply), 1041
DICKENS MD. (*See* GUERRANT ET AL.), 885
DICKMAN GL. Unilateral pulmonary interstitial emphysema (Letter), 864
DILIBERTI JH. Intravenous isoproterenol for severe asthma (Letter), 865
DILLING LA. (*See* HAWORTH AND DILLING), 810
DILLON HC JR. (*See* NELSON ET AL.), 792
DINICOLA AF. Nerve-growth factor and neuroblastoma (Letter), 517
DI SANT'AGNESE PA. (*See* COHEN ET AL.) (BCLO), 430
DODGE PR. (*See* DODSON ET AL.), 527, 695
DODSON WE, PRENSKY AL, DEVIVO DC, GOLDRING S, AND DODGE PR. Management of seizure disorders: Selected aspects. Part I, 527; Part II, 695
DOERSHUK CF. (*See* STERN ET AL.), 406, 412
DÖLEN J. (*See* PABST ET AL.) (BCLO), 425
DONES EM. (*See* STAMM ET AL.), 96
DONNELLY WH. (*See* GARIN ET AL.), 366
DORAND RD, AND ADAMS G. Relapse during penicillin treatment of group B streptococcal meningitis, 188
DOUGLAS RG JR. (*See* HALL ET AL.), 11

DOWNES JJ JR. (*See* BERMAN ET AL.), 109
DREW JH. AND KITCHEN WH. Jaundice in infants of Greek parentage: The unknown factor may be environmental, 248
—. AND —. The effect of maternally administered drugs on bilirubin concentrations in the newborn infant, 657
DROTAR DD, STERN RC, AND POLMAR SH. Intellectual and social development following prolonged isolation, 675
DRUMMOND KN. (*See* HUTCHEON ET AL.), 372
DUCKETT GE. (*See* GRUSKIN ET AL.), 755
DUKE PM, COULSON JD, SANTOS JI, AND JOHNSON JD. Cleft palate associated with prolonged orotracheal intubation in infancy, 990
DULANEY JT, MILUNSKY A, SIDBURY JB, HOBOLTH N, AND MOSER HW. Diagnosis of lipogranulomatosis (Farber disease) by use of cultured fibroblasts, 59
—. (*See* LOTT ET AL.) (BCLO), 438
DUNKLE LM. (*See* FEIGIN ET AL.) (BCLO), 773
DUNN GD. (*See* GREENE ET AL.), (BCLO), 777
DUPONT C. (*See* ARANDA AND DUPONT) (Letter), 833
DURAND P, BORRONE C, AND GATTI R. On genetic variants in fucosidosis (Letter), 688
DURANTE D, JONES D, AND SPITZER R. Neonatal renal arterial embolism syndrome, 978
DUSSAULT JH, LETARTE J, GUYDA H, AND LABERGE C. Thyroid function in neonatal hypothyrodism, 541
—, PARLOW A, LETARTE J, GUYDA H, AND LABERGE C. TSH measurements from blood spots on filter paper: A confirmatory screening test for neonatal hypothyroidism, 550
—. (*See* FISHER ET AL.) (Editor's column), 692
DYSART NK JR, GRISWOLD WR, SCHANBERGER JE, GOSCIENSKI PJ, AND CHOW AW. Meningitis due to *Bacteroides fragilis* in a newborn infant (Letter), 509

E

EAGAN EA, MANTILLA G, NELSON RM, AND EITZMAN DV. A prospective controlled trial of oral kanamycin in the prevention of neonatal necrotizing enterocolitis, 467
EASA D. (*See* SAUNDERS ET AL.), 988
ECHEVERRIA P. (*See* LORIA ET AL.), 479
ECHEVERRIA PD, CHANG CP, AND SMITH D. Enterotoxigenicity and invasive capacity of "enteropathogenic" serotypes of *Escherichia coli*, 8
EDEN KV. (*See* LANDRIGAN ET AL.), 904
EGAN-MITCHELL R. (*See* MCNICHOLL ET AL.), 418
EGERT F. (*See* WERDER ET AL.) (BCLO), 266
EICHENWALD HF. (*See* GINSBURG AND EICHENWALD), 872
EIDELMAN AI. (*See* LEE ET AL.) (Letter), 161
—. (*See* RUBINSTEIN ET AL.), 136
EITZMAN DV. (*See* EAGAN ET AL.), 467
ELARABY II, DENT PB, HUNTER JDW, AND MINIELLY JA. Histiocytosis X: Late manifestations in a long-term survivor of Letterer-Siwe disease (BCLO), 961
ETTELDORF JN. (*See* BURGHEN ET AL.), 48

F

FAGAN LF. (*See* CHEN ET AL.), 231
FALTER ML. (*See* RAO ET AL.) (Letter), 682
FANAROFF A. (*See* MARTIN ET AL.), 290
FARMER JJ III. (*See* STAMM ET AL.), 96
FARRELL PM. (*See* COHEN ET AL.) (BCLO), 430
FAUST HS. (*See* NIMOITYN ET AL.) (Letter), 1622
FAVARA BE. (*See* ROE ET AL.) (BCLO), 75
FEDER HM JR, MACLEAN WC JR, AND MOXON R. Scalp abscess secondary to fetal scalp electrode, 808
FEELEY JC. (*See* WILSON ET AL.) (BCLO), 767
FEIGIN RD, WONG M, SHACKELFORD PG, STECHENBERG BW, DUNKLE LM, AND KAPLAN S. Countercurrent immunoelectrophoresis of urine as well as of CSF and blood for diagnosis of bacterial meningitis (BCLO), 773
FELDMAN RG. (*See* LANDRIGAN ET AL.), 904
FELDMAN V. Serious reactions to phenothiazines (Letter), 163
FELDMAN WE. (*See* MCCRACKEN AND FELDMAN), 203
FENNELL RS III. (*See* GARIN ET AL.), 366
FINBERG L. More on salt poisoning (Reply), 685
—. (*See* RADEL ET AL.) (Reply), 1039
FINE BP, MUNOZ AR, UY CS, AND TY A. Nitrogen mustard therapy in children with nephrotic syndrome unresponsive to corticosteroid therapy, 1014
FINE RN. (*See* WASSNER AND FINE) (Reply), 334
FINER NN, ABROMS IF, AND TAEUSCH HW JR. Ventilation and sleep states in newborn infants, 100
—, STEWART AR, AND ULAN OA. Tracheal perforation in the neonate: Treatment with a cuffed endotracheal tube (Letter), 510
FINKLESTEIN J. (*See* AUSTIN ET AL.) (Letter), 330
FISCH RO, BILEK MK, DEINARD AS, AND CHANG P-N. Growth, behavioral, and psychologic measurements of adopted children: The influences of genetic and socioeconomic factors in a prospective study, 494
FISCHER JA. (*See* WERDER ET AL.) (BCLO), 266
FISH I. (*See* GERSHON ET AL.) (Reply), 338
FISHER DA. Thyroid nodules in childhood and their management (Editor's column), 866
—, BURROW GN, DUSSAULT JH, HOLLINGSWORTH DR, LARSEN PR, MAN EB, AND WALFISH PG. Recommendations for screening programs for congenital hypothyroidism (Editor's column), 692
—. (*See* SACK ET AL.), 298
FISHER RS. (*See* LAPIN ET AL.) (BCLO), 607
FLAHERTY RJ. (*See* HOLMES AND FLAHERTY), 669
FLETCHER MA, MEYER M, KIRKPATRICK SE, PAPELBAUM S, GLUCK L, AND BENIRSCHKE K. Myocardial infarction associated with umbilical cord hematoma, 806
FOCHTMAN D. (*See* STUETZER ET AL.), 847
FOLEY TP JR. (*See* HOPWOOD ET AL.), 710
—. (*See* KLEIN ET AL.), 545
FONTÁN G. (*See* GARCÍA RODRÍGUEZ ET AL.) (Letter) 1037
FORSTER RE. (*See* DELIVORIA-PAPADOPOULOS ET AL.), 273
FOTTRELL PF. (*See* MCNICHOLL ET AL.), 418
FOX HA. (*See* ROSENFELD ET AL.), 113
FOX WW. (*See* BERMAN ET AL.), 109
FRANKEL HM. TV for our children: Can we do better? (Letter), 1034
FRASER FC. (*See* GUNN ET AL.), 565
—. (*See* KAPLAN ET AL.), 241
FRASIER SD. Commentary (BCLO), 961
—. (*See* LIGHTNER ET AL.) (Letter), 159
FU P. (*See* LEAKE ET AL.), 968
FUKUMASU H. (*See* YASUDA ET AL.), 986
FURMAN E. Commentary, 143

G

GAFFNEY PC. (*See* HASHIDA ET AL.) (BCLO), 85
GAFFNEY WL. (*See* APT AND GAFFNEY) (Reply), 160
GALANT SP. "Early," "late," and "total" nonimmune rosettes in newborn infants (Reply), 1038
GALI ML. Apert syndrome does not equal mental retardation (Letter), 691
GALL DG, CUTZ E, GREENBERG ML, AND MCCLUNG HJ. Acute liver disease and encephalopathy (Reply), 515
GALL SA. (*See* OWNBY ET AL.), 382
GARCÍA RODRÍGUEZ MC, FONTÁN G, CELORIO A, AND OJEDA JA. "Early," "late," and "total" nonimmune rosettes in newborn infants (Letter), 1037
GARDNER HG. (*See* KOVACEVIC AND GARDNER) (Letter), 688
GARDNER LI. Use of demographic data in screening for Tay-Sachs disease (Reply), 162
—. (*See* NIEBURG AND GARDNER) (Letter), 156
GARIN EH, DONNELLY WH, FENNELL RS III, AND RICHARD GA. Nephritis in systemic lupus erythematosus in children, 366
GARTNER LM. (*See* LEE ET AL.) (Letter), 161
—. (*See* RUBINSTEIN ET AL.), 136
GATTI R. (*See* DURAND ET AL.) (Letter), 688
GAUTIER M, JEHAN P, AND ODIÈVRE M. Histologic study of biliary fibrous remnants in 48 cases of extrahepatic biliary atresia: Correlation with postoperative bile flow restoration, 704
—. (*See* HADCHOUEL AND GAUTIER), 211
GEHA RS, AND AKL KF. Skin lesions, angioedema, eosinophilia, and hypocomplementemia, 724
GEIMAN JM. (*See* HALL ET AL.), 11
GELFAND EW. (*See* IPP AND GELFAND), 728
GELLER GR. (*See* MCCORMACK ET AL.), 446
GERBER P. (*See* VISINTINE ET AL.), 571
GERSHON AA, FISH I, AND BORKOWSKY W. Sexual abuse and herpetic genital infection in children (Reply), 338
GERSHWIN ME, BLAESE RM, STEINBERG AD, WISTAR R JR, AND STROBER W. Antibodies to nucleic acids in congenital immune deficiency states, 377
GERSONY WM, MORISHIMA HO, DANIEL SS, KOHL S, COHEN H, BROWN W, AND JAMES LS. The hemodynamic effects of intrauterine hypoxia: An experimental model in newborn lambs, 631
GEWURZ A. (*See* LIM ET AL.), 42
GHAZ M. (*See* LIM ET AL.), 42
GIACOIA G, JUSKO WJ, MENKE J, AND KOUP JR. Theophylline pharmacokinetics in premature infants with apnea, 829
GIAMMONA ST. (*See* KAUFMAN ET AL.), 671
GILLETTE PC. (*See* GUTGESELL ET AL.), 120
GINSBURG CM, AND EICHENWALD HF. Erythromycin: A review of its uses in pediatric practice, 872
—, MCCRACKEN GH JR, AND CULBERTSON MC JR. Concentrations of erythromycin in serum and tonsil: Comparison of the estolate and ethyl succinate suspensions, 1011
GIRRE JY. (*See* COUVREUR ET AL.), 235
GLADER BE. Evaluation of the hemolytic role of aspirin in glucose-6-phosphate dehydrogenase deficiency, 1027
GLAZERMAN LR. (*See* NIMOITYN ET AL.) (Letter), 162
GLICK AD. (*See* GREENE ET AL.) (BCLO), 777
GLUCK L. (*See* FLETCHER ET AL.), 806
GODDARD P. (*See* MURDOCK AND GODDARD), 644
GODLESKI J. (*See* VALDÉS-DAPENA ET AL.), 128
GOETZMAN BW, SUNSHINE P, JOHNSON JD, WENNBERG RP, HACKEL A, MERTEN DF, BARIOLETTI AL, AND SILVERMAN NH. Neonatal hypoxia and pulmonary vasospasm: Response to tolazoline, 617
GOHD R. (*See* SUMAYA ET AL.) (BCLO), 81
GOLDEN GS, LEEDS N, KREMENITZER MW, AND RUSSMAN BS. The "locked-in" syndrome in children (BCLO), 596
GOLDEN W, AND PASHAYAN HM. The effect of parental education on the eventual mental development of noninstitutionalized children with Down syndrome (BCLO), 603
GOLDMAN P. (*See* MITCHEL ET AL.), 303
GOLDRING S. (*See* DODSON ET AL.), 527, 695
GOODMAN SI. (*See* SPIELBERG ET AL.) (Letter), 681
GORMAN RJ, AND SNEAD OC. Infantile onset of SSPE (Letter), 1043
GOSCIENSKI PJ. (*See* DYSART ET AL.) (Letter), 509
GOTHEFORS L. (*See* BJÖRKSTÉN ET AL.), 892
GOTTUSO MA, WILLIAMS ML, AND OSKI FA. The role of exchange transfusions in the management of low-birth-weight infants with and without severe respiratory distress syndrome. II. Further observations and studies of mechanisms of action, 279
GOYA N. (*See* MIYAZAKI ET AL.) (BCLO), 784
GRAUER M. (*See* COHEN ET AL.) (Letter), 856
GREEN L. (*See* HARRIS ET AL.) (Letter), 855
GREEN OC. (*See* WINTER AND GREEN), 401
GREENBERG ML. (*See* GALL ET AL.) (Reply), 515
GREENE HL, WILSON FA, GLICK AD, DUNN GD, AND KILROY AW. Hepatic adenosine triphosphate concentrations and glycolytic enzyme activities in Reye syndrome (BCLO), 777
GREGORY GA. (*See* LEVIN ET AL.), 626
GREITZER LJ. (*See* SMITH ET AL.), 225
GRESHAM EL. (*See* SCHREINER ET AL.) (Letter), 860
GRIFFIN R. (*See* MITCHELL ET AL.) (BCLO), 593
GRISWOLD WR. (*See* DYSART ET AL.) (Letter), 509
GROSSMAN M. (*See* BROUGHTON ET AL.), 183
GRUMBACH MM. (*See* LOVINGER ET AL.) (Reply), 516
—. (*See* RICHARDS ET AL.), 553
GRUMET CF. (*See* PASS ET AL.), 646
GRUSKIN AB, ROOT AW, DUCKETT GE, AND BALUARTE HJ. Parathyroid function in uremic children during periods of renal insufficiency, homodialysis, and transplantation, 755
—. (*See* HINER ET AL.) (BCLO), 258, 950
GUERRANT RL, DICKENS MD, WENZEL RP, AND KAPIKIAN AZ. Toxigenic bacterial diarrhea: Nursery outbreak involving multiple bacterial strains, 885
GUILLOZET N. Sickle cell SS genotype and paralyses in children (BCLO), 605
GUNN T, BORTOLUSSI R, LITTLE JM, ANDERMANN F, FRASER FC, AND BELMONTE MM. Juvenile diabetes mellitus, optic atrophy, sensory nerve deafness, and diabetes insipidus—a syndrome, 565
GUTGESELL HP, MULLINS CE, GILLETTE PC, SPEER M, RUDOLPH AJ, AND MCNAMARA DG. Transient hypertrophic subaortic stenosis in infants of diabetic mothers, 120
GUYDA H. (*See* DUSSAULT ET AL.), 550, 541

H

HACKEL A. (*See* GOETZMAN ET AL.), 617
HADCHOUEL M. AND GAUTIER M. Histopathologic study of the liver in the early cholestatic phase of alpha-1-antitrypsin deficiency, 211
HADLEY K. (*See* BROUGHTON ET AL.), 183
HAFLEIGH EB. (*See* PASS ET AL.)., 646
HAKANSON DO. (*See* COWETT ET AL.) (Reply), 861
HALL CB, DOUGLAS RG JR. AND GEIMAN JM. Respiratory syncytial virus infections in infants: Quantitation and duration of shedding, 11
HALL D. (*See* CHESNEY ET AL.) (Letter), 328
HALL MM. (*See* MURRAY ET AL.), 576
HALL R, RHODES P, TURNER E, AND BRAUN W. To use or not to use heparin in neonates with indwelling umbilical catheters (Reply), 340
HALL RT. (*See* LEONIDAS AND HALL), 456
—. (*See* LEONIDAS ET AL.) (reply), 864
HALLER JS. More on the uncertainties concerning Reye syndrome (Letter), 1041
HAMILTON L. (*See* VIDYASAGAR ET AL.) (Reply), 162
HANA C. (*See* AUSTIN ET AL.) (Letter), 519
HANSON JW, MYRIANTHOPOULOS NC, HARVEY MAS, AND SMITH DW. Risks to the offspring of women treated with hydantoin anticonvulsants, with emphasis on the fetal hydantoin syndrome, 662
—, SMITH DW, AND COHEN MM: Prominent lateral palatine ridges: Developmental and clinical relevance, 54
HANSON V. (*See* SINGSEN ET AL.), 358
HARDWICK DF, CORMODE EJ, AND RIDDELL DG. Respiratory distress and neck mass in a neonate, 501
HARPER RG, SIA C, SOKAL S, AND SOKAL M. Observations on unrestricted parental contact with infants in the neonatal intensive care unit, 441
HARRIS RC. (*See* BARLOW ET AL.), 934
HARRIS VJ, GREEN L, AND SEELER RA. Delayed skeletal maturation in young children with sickle cell anemia (Letter), 855
HARRIS VS. (*See* LILIEN ET AL.) (Reply), 337
HART RJ, PATTERSON R, AND SOMMERS H. Hyperimmunoglobulinemia E in a child with allergic bronchopulmonary aspergillosis and bronchiectasis, 38
HARTLINE JV. Hyperchloremia, metabolic acidosis, and cholestyramine (Letter), 155
HARTMAN C. (*See* TSANG ET AL.), 115
HARVEY MAS. (*See* HANSON ET AL.), 662
—. (*See* SMITH ET AL.), 225
HARWOOD-NASH DC, AND BRECKBILL DL. Computed tomography in children: A new diagnostic technique, 343
HASHEMI S-E. (*See* CASTELLS ET AL.) (BCLO), 958
HASHIDA Y, GAFFNEY PC, AND YUNIS EJ. Acute hemorrhagic cystitis of childhood and papovavirus-like particles (BCLO), 85
HASSANEIN K. (*See* MILLER ET AL.), 638
HAUST MD. (*See* VALDÉS-DAPENA ET AL.), 128
HAWORTH JC, AND DILLING LA. Relationships between maternal glucose intolerance and neonatal blood glucose, 810
HAYEK A. (*See* BAUMAN ET AL.) (BCLO), 268
HAYLES AB. (*See* MCCONAHEY AND HAYLES) (Editor's column), 169
HAYMOND MW. (*See* DEVIVO ET AL.) (Reply), 1041
HEFTER L. (*See* SPIELBERG ET AL.) (Letter), 681
HEGYI T, HIATT IM, VOGEL TP, AND INDYK L. Use of the Beckman film badge for monitoring during phototherapy, 473
—. (*See* SCHWARTZ ET AL.), 310
HEIRD WC. (*See* POLIN ET AL.), 460
HELLSING K. (*See* KARLSSON AND HELLSING) (BCLO), 89
HENKEN DP. (*See* SUNDERLAND ET AL.), 584
HENSLEIGH P. (*See* MILLER ET AL.), 638
HERBST JJ. (*See* BOOK ET AL.), 463
HERMAN SP. Hepatic dysfunction associated with neonatal hypopituitarism (Reply), 336
HERTENSTEIN JR, SARNAT HB, AND O'CONNOR DM. Acute unilateral oculomotor palsy associated with ECHO 9 viral infection (BCLO), 79
HEYMAN MA. (*See* LEVIN ET AL.), 626
HIATT IM. (*See* HEGYI ET AL.), 473
HINER LB, GRUSKIN AB, BALUARTE HJ, AND COTE ML. Plasma renin activity in normal children (BCLO), 258
—, —, —, —, SAPIRE DW, AND LEVITSKY D. Plasma renin activity and intrarenal blood flow distribution in a child with pheochromocytoma (BCLO), 950
HIRSCHHORN K. (*See* BERATIS ET AL.) (Reply), 690
HOBOLTH N. (*See* DULANEY ET AL.), 59
HOCHBERG Z. Treatment of familial dysautonomia with bethanecol (Letter), 862
HOEFNAGEL D. (*See* LOTT ET AL.) (BCLO), 438
HOLINGER PH. (*See* KIRSCHNER AND HOLINGER)(Reply), 522
HOLLINGSWORTH DR. (*See* FISHER ET AL.) (Editor's column), 692
HOLMES C, AND FLAHERTY RJ. Trimethobenzamide HCl (Tigan)-induced extrapyramidal dysfunction in a neonate, 669
HOLTZMAN NA. (*See* MILSTIEN ET AL.), 763
HOPKINSON DA. (*See* JENKINS ET AL.), 732
HOPWOOD NJ, CARROLL RG, KENNY FM, AND FOLEY TP JR. Functioning thyroid masses in childhood and adolescence, 710
—. (*See* KLEIN ET AL.), 545
HOWARD JB. (*See* NELSON ET AL.), 792
HOWARD WA, AND VAUGHAN VC III. A commentary on recertification (Reply), 1037
HOWIE V. (*See* SYRIOPOULOU ET AL.), 839
HSU CCS. When is a null cell null? (Reply), 335
HUANG NN. (*See* LARAYA-CUAS ET AL.), 23
HUANG S-W. (*See* RULEY ET AL.), 748
HUGHES PCR. (*See* TANNER ET AL.), 1000
HUNTER JDW. (*See* ELARABY ET AL.) (BCLO), 961
HUTCHEON RA, KAPLAN BS, AND DRUMMOND KN. Distal renal tubular acidosis in children with chronic hydronephrosis, 372
HUTCHINSON LA. (*See* SHEFFIELD ET AL.), 916

I

INDYK L. (*See* HEGYI ET AL.), 473
IPP MM, AND GELFAND EW. Antibody deficiency and alopecia, 728
IRWIN DS. (*See* WOLFF ET AL.) (BCLO), 956
ISOBE Y. (*See* CARROLL ET AL.), 216

J

Jackson LG. (*See* Nimoityn et al.) (Letter), 162
Jackson LH. (*See* Nelson et al.), 491
Jacobson JA. (*See* Kohl et al.) (BCLO), 77
Jaffe AC. Sexual abuse and herpetic genital infection in children (Letter), 338
Jaffe RB. (*See* Riemenschneider et al.), 622
James HE. (*See* Tibbs et al.), 928
James LS. (*See* Gersony et al.), 631
Javariz R. (*See* Stamm et al.), 96
Jehan P. (*See* Gautier et al.), 704
Jenkins T, Rabson AR, Nurse GT, Lane AB, and Hopkinson DA. Deficiency of adenosine deaminase not associated with severe combined immunodeficiency, 732
Johnson JD. (*See* Duke et al.), 990
—. (*See* Goetzman et al.), 617
—. (*See* Pass et al.), 646
Johnston RB Jr. (*See* Strauss et al.), 391
Joishy SK, and Morrow LB. McCune-Albright syndrome associated with a functioning pituitary chromophobe adenoma (BCLO), 73
Jones D. (*See* Durante et al.), 978
Jones KL. (*See* Keller et al.) (Reply), 687
Joseph M. (*See* Vidyasagar et al.) (Reply), 162
Joseph MP. (*See* McLoughlin et al.), 62
Jung AL. (*See* Book et al.), 463
Jusko WJ. (*See* Giacoia et al.), 829

K

Kahn EJ. Paregoric in management of narcotic withdrawal syndrome (Letter), 520
Kaiser GC. (*See* Chen et al.), 231
Kaitila I. (*See* Cederbaum et al.), 737
Kalavsky SM. (*See* Snead and Kalavsky) (BCLO), 83
Kandall S. (*See* Rubinstein et al.), 136
Kandall SR. (*See* Lee et al.) (Letter), 161
Kang H, and Mazzi E. Apnea resulting from obstruction of the nares by an eye shield (Letter), 652
Kanto WP Jr, Borer RC Jr, Barr M Jr, and Roloff DW. Tracheal aspirate lecithin/sphingomyelin ratios as predictors of recovery from respiratory distress syndrome, 612
Kapikian AZ. (*See* Guerrant et al.), 885
Kaplan BS. (*See* Hutcheon et al.), 372
Kaplan GW. (*See* Plumer et al.), 802
Kaplan P, Cummings C, and Fraser FC. A "community" of face-limb malformation syndromes, 241
Kaplan S. (*See* Feigin et al.) (BCLO), 773
Kaplan SL. (*See* Lovinger et al.) (Reply), 516
—. (*See* Richards et al.), 553
Karlsson FA, and Hellsing K. Urinary protein excretion in early infancy (BCLO), 89
Kaschula ROC. (*See* Wiggelinkhuizen et al.), 452
Kaufman IA, Kung FH, Koenig HM, and Giammona ST. Overdosage with vincristine, 671
Kaufman S. (*See* Milstien et al.), 763
Keane R. (*See* McNicholl et al.), 418
Keating JP. (*See* DeVivo et al.) (Reply), 1041
Kelber M, and Ament ME. *Shigella dysenteriae* I: A forgotten cause of pseudomembranous colitis (BCLO), 595
Keller MA, Jones KL, and Nyhan WL. The FG syndrome (Reply), 687
Kelts KA. (*See* Carroll et al.), 216
Kenny FM. (*See* Hopwood et al.), 710
—. (*See* Radfar et al.), 719
Kerrebijn KF. Beclomethasone dipropionate in long-term treatment of asthma in children, 821
Kershnar AK, Borut D, Kogut MD, Biglieri EG, and Schambelan M. Studies in a phenotypic female with 17-α-hydroxylase deficiency, 395
Killam AP. (*See* Turbeville et al.), 294
Kilroy AW. (*See* Greene et al.) (BCLO), 777
Kind HP. (*See* Werder et al.), 266
King KK. (*See* Singsen et al.), 358
Kipps A. (*See* Bhettay et al.) (BCLO), 271
Kirkland RT, Bongiovanni AM, Cornfeld D, McCormick JB, Parks JS, and Tenore A. Gonadotropin responses to luteinizing releasing factor in boys treated with cyclophosphamide for nephrotic syndrome, 941
Kirkpatrick SE. (*See* Fletcher et al.), 806
Kirschner BS, and Holinger PH. Xeroradiographs of the nuchal area: Potential risk vs efficiency (Reply), 522
Kitabchi AE. (*See* Burghen et al.), 48
Kitchen WH. (*See* Drew and Kitchen), 248, 657
Kitterman JA. (*See* Levin et al.), 626
Klein AH, Foley TP Jr, Larsen PR, Agustin AV, and Hopwood NJ. Neonatal thyroid function in congenital hypothyroidism, 545
Kling TF. (*See* Strauss et al.) (Letter), 160
Kochen JA. (*See* Radel et al.) (Reply), 1039
Koenig HM. (*See* Kaufman et al.), 671
Koepp P. More on the importance of early recognition and treatment of salt-losing congenital adrenal hyperplasia (Letter), 338
Koerper MA, Mentzer WC, Brecher G, and Dallman PR. Developmental change in red blood cell volume: Implication in screening infants and children for iron deficiency and thalassemia trait, 580
Kogut MD. (*See* Kershnar et al.), 395
Kohl S, Jacobson JA, and Nahmias A. *Yersinia enterocolitica* infections in children (BCLO), 77
—. (*See* Gersony et al.), 631
Kohler PF. (*See* Shturman-Ellstein) (Letter), 521
Kolff CA. (*See* Stamm et al.), 96
Koornhof HJ. (*See* Anderson et al.), 27
Kotchen JM. (*See* Stalker et al.) (BCLO), 256
Kotchen TA. (*See* Stalker et al.) (BCLO), 256
Koup JR. (*See* Giacoia et al.), 829
Kovacevic M, and Gardner HG. Thrombocytosis associated with the mucocutaneous lymph node syndrome (Letter), 688
Kramer LI. (*See* Spielberg et al.) (Letter), 681
Kramer SS. (*See* Todres et al.), 126
Kremenitzer MW. (*See* Golden et al.) (BCLO), 596
Krivit W. (*See* McCormack et al.), 446
Kron RE. Paregoric in management of narcotic withdrawal syndrome (Reply), 520
Krueger GG, and Bray PF. Familial localized panatrophy: An iatrogenic phenocopy secondary to injection of a corticosteroid (Letter), 682
Kuhns LR. (*See* Schaff-Blass et al.) (BCLO), 954
Kulin HE. (*See* Petro et al.) (Letter), 331

KUNG FH. (*See* KAUFMAN ET AL.), 671
KUSMIESZ H. (*See* NELSON ET AL.), 491

L

LABERGE C. (*See* DUSSAULT ET AL.), 541, 550
LAKE AM, LAUER BA, CLARK JC, WESENBERG RL, AND MCINTOSH K. Enterovirus infections in neonates, 787
LÄLELI Y. (*See* ÖZSOYLU ET AL.), 388
LANDRIGAN PJ, BAKER EL JR, FELDMAN RG, COX DH, EDEN KV, ORENSTEIN WA, MATHER JA, YANKEL AJ, AND VON LINDERN IH. Increased lead absorption with anemia and slowed nerve conduction in children near a lead smelter, 904
LANE AB. (*See* JENKINS ET AL.), 732
LANGEHENNIG PL. (*See* SEELER ET AL.) (BCLO), 87
LAPIN CA, MORROW G III, CHVAPIL M, BELKE DP, AND FISHER RS. Hepatic trace elements in the sudden infant death syndrome (BCLO), 607
LARAYA-CUASAY LR, CUNDY KR, AND HUANG NN. *Pseudomonas* carrier rates of patients with cystic fibrosis and of members of their families, 23
LARRAIN A. (*See* DANUS ET AL.), 220
LARSEN PR. (*See* FISHER ET AL.) (Editor's column), 692
—. (*See* KLEIN ET AL.), 545
LASKI B. (*See* SAUNDERS ET AL.) (Reply), 684
LAUER BA. (*See* LAKE ET AL.), 787
LEAKE RD, ZAKAUDDIN S, TRYGSTAD CW, FU P, AND OH W. The effects of large volume intravenous fluid infusion on neonatal renal function, 968
LEE K, EIDELMAN AI, KANDALL SR, AND GARTNER LM. Quality of care vs neonatal mortality rate (Letter), 161
LEEDS N. (*See* GOLDEN ET AL.) (BCLO), 596
LEES MH. (*See* SUNDERLAND ET AL.), 584
LEHMEYER JE. (*See* STRAUSS ET AL.), 391
LEONIDAS JC, AND HALL RT. Neonatal pneumatosis coli: A mild form of neonatal necrotizing enterocolitis, 456
LEONIDAS LC, HALL RT, AND RHODES PG. Unilateral pulmonary interstitial emphysema (Reply), 864
LETARTE J. (*See* DUSSAULT ET AL.), 541, 550
LEVENTHAL JM, AND SILKEN AB. Oxacillin-induced neutropenia in children (BCLO), 769
LEVIN DL, HEYMAN MA, KITTERMAN JA, GREGORY GA, PHIBBS RH, AND RUDOLPH AM. Persistent pulmonary hypertension of the newborn infant, 626
—, MCLAIN M, AND BLAW M. *Hang 'em high*—a direct effect of television violence (Letter), 1034
LEVINE MD. (*See* MCCORMICK AND LEVINE) (Letter), 333
LEVINSOHN MW. (*See* STRAUSS ET AL.) (Letter), 160
LEVITSKY D. (*See* HINER ET AL.) (BCLO), 950
L'HEUREUX P, AND PAYNE T. Xeroradiographs of the nuchal area: Potential risk vs efficiency (Letter), 522
LIGHT IJ. (*See* VOLLMAN ET AL.), 199
LIGHTNER ES, PENNY R, AND FRASIER SD. Pituitary adenoma in McCune-Albright syndrome: Follow-up information (Letter), 159
LILIEN LD, HARRIS VS, RAMAMURTHY RS, AND PILDES RS. Roentgenographic identification of osteomyelitis in a premature neonate (Reply), 337
LIM D, GEWURZ A, LINT TF, GHAZ M, SEPHERI B, AND GEWURZ H. Absence of the sixth component of complement in a patient with repeated episodes of meningococcal meningitis, 42
LINSHAW M. (*See* ROSENFELD ET AL.), 113
LINSHAW MA. (*See* STAPLETON ET AL.), 1029
LINSTONE F. (*See* SUNDERLAND ET AL.), 584
LINT TF. (*See* LIM ET AL.), 42
LITT IF, COHEN MI, AND MCNAMARA H. Isoniazid hepatitis in adolescents, 133
LITTLE JM. (*See* GUNN ET AL.), 565
LIVINGSTON S, AND PAULI LL. Treatment of "febrile seizures" (Letter), 164
LOREN M. Anticonvulsant and corticosteroid therapy in patients with renal allografts (Letter), 334
LORIA CJ, ECHEVERRIA P, AND SMITH AL. Effect of antibiotic formulations in serum protein: bilirubin interaction of newborn infants, 479
LOTT IT, DULANEY JT, MILUNSKY A, HOEFNAGEL D, AND MOSER HW. Apparent biochemical homozygosity in two obligatory heterozygotes for metachromatic leukodystrophy (BCLO), 438
LOVEJOY FH JR. (*See* MITCHEL ET AL.), 303
LOVINGER RD, KAPLAN SL, AND GRUMBACH MM. Absence of pituitary gland vs congenital hypopituitarism (Reply), 516
LOWENSTEIN EH. (*See* TUNNESSEN AND LOWENSTEIN) (Letter), 154
LUCKY AW. (*See* SPIELBERG ET AL.) (Letter), 681
LUDDY RE. (*See* CHAMPION ET AL.), 653
LUKERT BP. (*See* STAPLETON ET AL.), 1029
LUNDGREN DW. (*See* COHEN ET AL.) (BCLO), 430
LYON GM JR. (*See* RANEY ET AL.) (BCLO), 433

M

MCARTHUR RG. (*See* MCMILLAN ET AL.) (BCLO), 953
MCCANN JL. (*See* SMITH ET AL.), 225
MCCARTHY CF. (*See* MCNICHOLL ET AL.), 418
MCCLUNG HJ. (*See* GALL ET AL.) (Reply), 515
MCCONAHEY WM, AND HAYLES AB. Thyroid neoplasia and radiation to the head, neck, and upper thorax of the young (Editor's column), 169
MCCORMACK MK, GELLER GR, ZAK S, TUKEY DP, AND KRIVIT W. Complex α-thalassemia-like syndrome: A cause of neonatal normoblastemia, 446
MCCORMICK DP, AND LEVINE MD. Transmission of medical information to school personnel for guidance in the management of the individual child (Letter), 333
MCCORMICK JB. (*See* KIRKLAND ET AL.), 941
—. (*See* WILSON ET AL.) (BCLO), 767
MCCRACKEN GH, JR., AND FELDMAN WE. Editorial comment, 203
—, AND MIZE SG. A controlled study of intrathecal antibiotic therapy in gram-negative enteric meningitis of infancy, 66
—, AND THRELKELD N. Kanamycin dosage in newborn infants, 313
—. (*See* GINSBURG ET AL.), 1011
MCDONALD R. (*See* BHETTAY ET AL.) (BCLO), 271

MACE J., AMUNDSON S, AND SCHNEIDER S. Absence of pituitary gland versus congenital hypopituitarism (Letter), 515
MCELFRESH AE. (*See* CHU ET AL.) (BCLO), 429
MCINTOSH K. (*See* LAKE ET AL.), 787
MCINTOSH S. (*See* O'BRIEN ET AL.), 205
MCKENZIE MW, MARSHALL GL, NETZLOFF ML, AND CLUFF LE. Adverse drug reactions leading to hospitalization in children, 487
MCLAIN M. (*See* LEVIN ET AL.) (Letter), 1034
MACLEAN WC JR. (*See* FEDER ET AL.), 808
MCLOUGHLIN E, JOSEPH MP, AND CRAWFORD JD. Epidemiology of high-tension electrical injuries in children, 62
MCMILLAN DD, MCARTHUR RG, WILLIAMS JA, AND BIRDSELL DC. Upper urinary tract anomalies in children with adrenogenital syndrome (BCLO), 953
MCNAMARA DG. (*See* GUTGESELL ET AL.), 120
MCNAMARA H. (*See* DAUM ET AL.) (Letter), 853
—. (*See* LITT ET AL.), 133
MCNICHOLL B, EGAN-MITCHELL R, STEVENS F, KEANE R, BAKER S, MCCARTHY CF, AND FOTTRELL PF. Mucosal recovery in treated childhood celiac disease (gluten-sensitive enteropathy), 418
MCPHAIL LC. (*See* DECHATELET ET AL.) (BCLO), 598
MCPHERSON E. (*See* CHESNEY ET AL.) (Letter), 328
MAHONEY DH JR. To use or not to use heparin in neonates with indwelling umbilical catheters (Letter), 339
MALACHOWSKI NC. (*See* PASS ET AL.), 646
MAN EB. (*See* FISHER ET AL.) (Editor's column), 692
MANTILLA G. (*See* EAGAN ET AL.), 467
MARKS MI. (*See* CHESNEY ET AL.), 1017
MARR TJ. (*See* NEGLIA ET AL.) (BCLO), 253
MARSHALL GL. (*See* MCKENZIE ET AL.), 487
MARTELL M, BELIZÁN JM, NIETO F, AND SCHWARCZ R. Blood acid-base balance at birth in neonates from labors with early and late rupture of membranes, 963
MARTIN ALA. (*See* MARTIN AND MARTIN), 560
MARTIN GI, AND SHAPIRO SC. Another example of serious group A streptococcal disease (Letter), 862
—. (*See* SHAPIRO AND MARTIN) (Letter), 518
MARTIN MM, AND MARTIN ALA. Continuous low-dose infusion of insulin in the treatment of diabetic ketoacidosis in children, 560
MARTIN R, ROESSMANN U, AND FANAROFF A. Massive intracerebellar hemorrhage in low-birth-weight infants, 290
MASON EO JR, SOUTH MA, AND MONTGOMERY JR. Cord serum IgA in congenital cytomegalovirus infection (BCLO), 945
MATHER JA. (*See* LANDRIGAN ET AL.), 904
MATTHEWS LW. (*See* STERN ET AL.), 406
MATTHEWS LW. (*See* STERN ET AL), 412
MAY RB, AND BRYAN JH. Autoimmune hemolytic anemia and Hodgkin disease (BCLO), 428
MAYNE V. (*See* SHEFFIELD ET AL.), 916
MAZZI E. (*See* KANG AND MAZZI) (Letter), 652
MEHTA KA. (*See* BASS ET AL.) (Letter), 863
MELAMED J. (*See* RUBINSTEIN ET AL.), 136
MELOFF K. (*See* ALLEN ET AL.) (BCLO), 949
MENASHE VD. (*See* SUNDERLAND ET AL.), 584
MENDOZA SA. (*See* PLUMER ET AL.), 802
MENKE J. (*See* GIACOIA ET AL.), 829
MENTZER WC. (*See* KOERPER ET AL.), 580
MERTEN DF. (*See* GOETZMANN ET AL.), 617
MESKO ZG, BAUZA J, AND VINAS C. Bacterial endocarditis due to *Hemophilus aphrophilus* with cerbral embolism (Letter), 1031
MEUWISSEN HJ, MOORE EC, STRAUSS HS, TAFT E, AND BRITTEN A. Successful retransplantation of bone marrow following failure of initial engraftment in a patient with aplastic anemia, 588
MEYER M. (*See* FLETCHER ET AL.), 806
MIDDLETON P. (*See* ALLEN ET AL.) (BCLO), 949
MILLER DR. (*See* YOLKEN AND MILLER) (BCLO), 775
MILLER HC, HASSANEIN K, CHIN TDY, AND HENSLEIGH P. Socioeconomic factors in relation to fetal growth in white infants, 638
MILLER LD. (*See* DELIVORIA-PAPADOPOULOS ET AL.), 273
MILLER ME. Metchnikoff revisited (Editor's column), 171
MILSTIEN S, HOLTZMAN NA, O'FLYNN ME, THOMAS GH, BUTLER IJ, AND KAUFMAN S. Hyperphenylalaninemia due to dihydropteridine reductase deficiency, 763
MILUNSKY A. (*See* DULANEY ET AL.), 59
—. (*See* LOTT ET AL.) (BCLO), 438
MINIELLY JA. (*See* ELARABY ET AL.) (BCLO), 961
MITCHEL AA, LOVEJOY FH JR, AND GOLDMAN P. Drug ingestions associated with miosis in comatose children, 303
MITCHELL CH, SINATRA FR, CRAST FW, GRIFFIN R, AND SUNSHINE P. Intractable watery diarrhea, ganglioneuroblastoma, and vasoactive intestinal peptide (BCLO), 593
MITCHELL WG. (*See* BROUGHTON ET AL.), 183
MIYAZAKI S, SHIN H, GOYA N, AND NAKAGAWARA A. Identification of a carrier mother of a female patient with chronic granulomatous disease (BCLO), 784
MIZE SG. (*See* MCCRACKEN, AND MIZE), 66
MOFFAT DA. Postural apnea due to large tonsils and adenoids (Letter), 510
MONTGOMERY JR. (*See* MASON ET AL.) (BCLO), 945
MOORE EC. (*See* MEUWISSEN ET AL.), 588
MOORE RL. (*See* CARPENTIERI ET AL.) (Letter), 854
MORENO H. (*See* STRAUSS ET AL.), 391
MORISHIMA HO. (*See* GERSONY ET AL.), 651
MORRIS N. (*See* RULEY ET AL.), 748
MORRISON JC, AND WISER WL. The effect of maternal partial exchange transfusion on the infants of patients with sickle cell anemia, 286
MORROW G III. (*See* LAPIN ET AL.) (BCLO), 607
MORROW LB. (*See* JOISHY AND MORROW) (BCLO), 73
MOSER HW. (*See* DULANEY ET AL.), 59
—. (*See* LOTT ET AL.) (BCLO), 438
MOSIER HD JR. Hepatic dysfunction associated with neonatal hypopituitarism (Letter), 336
MOSS AJ. Murmurs heard at a distance from the patient: Report of an unusual case (Letter), 852
MOXON R. (*See* FEDER ET AL.), 808
MOYLAN FMB. (*See* TODRES ET AL.), 126
MUDD JFG. (*See* CHEN ET AL.), 231
MULLINS CE. (*See* GUTGESELL ET AL.), 120
MULVIHILL JJ. (*See* CHESNEY ET AL.), 1017
MUNOZ AR. (*See* FINE ET AL.), 1014
MURDOCK AI, AND GODDARD P. Metabolic frame for use in an incubator, 644

MURRAY PR, WOLD AD, HALL MM, AND WASHINGTON JA II. Bacitracin differentiation for presumptive identification of group A β-hemolytic streptococci: Comparison of primary and purified plate testing, 576
MYHRE B. (*See* AUSTIN ET AL.) (Letter), 330, 519
MYRIANTHOPOULOS NC. (*See* HANSON ET AL.), 662

N

NAHMIAS A. (*See* KOHL ET AL.) (BCLO), 77
NAHMIAS AJ. (*See* VISINTINE ET AL.), 571
NAKAGAWARA A. (*See* MIYAZAKI ET AL.) (BCLO), 784
NANKERVIS GA. (*See* CONGENI AND NANKERVIS) (Letter), 331
NEGLIA TG, MARR TJ, AND DAVIS AT. *Shigella* dysentery with secondary *Klebsiella* sepsis (BCLO), 253
NEIBURGER RG. (*See* WOLFF ET AL.) (BCLO), 956
NEIMS AH. (*See* ARANDA ET AL.), 315
NELKEN RP, AND STOCKMAN JA III. The hypereosinophilic syndrome in association with acute lymphoblastic leukemia (BCLO), 771
NELSON JD. Commentary, 471
—. *H. influenzae* buccal cellulitis and otitis media (Reply), 861
—, DILLON HC JR, AND HOWARD JB. A prolonged nursery epidemic associated with a newly recognized type of group A streptococcus, 792
—, KUSMIESZ H, AND JACKSON LH. Comparison of trimethoprim-sulfamethoxazole and ampicillin therapy for shigellosis in ambulatory patients, 481
NELSON MM. (*See* WIGGELINKHUIZEN ET AL.), 452
NELSON RM. (*See* EAGAN ET AL.), 467
NELSON WE. And the walls come tumbling down: A tribute to Lee Forrest Hill, 1
—. Comment (BCLO), 607
—. Comment, 747
—. After the child dies: Autopsies and forgotten parents (Reply), 859
—. Infantile onset of SSPE (Reply), 1044
NETER E. *Escherichia coli* as a pathogen (Editor's column), 166
NETZLOFF ML. (*See* MCKENZIE ET AL.), 487
NICHOLS GM. (*See* SUNDERLAND ET AL.), 584
NICHOLS MM. (*See* CARPENTIERI ET AL.) (Letter), 854
NIEBURG PI, AND GARDNER LI. Thyroiditis and congenital rubella syndrome (Letter), 156
NIELSEN HC. (*See* RIEMENSCHNEIDER ET AL.), 622
NIETO F. (*See* MARTELL ET AL.), 963
NIMOITYN P, FAUST HS, GLAZERMAN LR, AND JACKSON LG. Use of demographic data in screening for Tay-Sachs disease (Letter), 162
NISHIOKA T. (*See* YASUDA ET AL.), 986
NISSIM JE. (*See* VALDÉS-DAPENA ET AL.), 128
NURSE GT. (*See* JENKINS ET AL.), 732
NYHAN WL. (*See* KELLER ET AL.) (Reply), 687
—. (*See* SILVERMAN AND NYHAN) (Reply), 339

O

O'BRIEN RT, MCINTOSH S, ASPNES GT, AND PEARSON HA. Prospective study of sickle cell anemia in infancy, 205
O'CONNOR DM. (*See* HERTENSTEIN ET AL.) (BCLO), 79
ODIÈVRE M. (*See* GAUTIER ET AL.), 704
O'FLYNN ME. (*See* MILSTIEN ET AL.), 763
O'GORMAN AM. (*See* ALLEN ET AL.) (BCLO), 949
OH W. (*See* COWETT ET AL.) (Reply), 861
—. (*See* LEAKE ET AL.), 968
OJEDA JA. (*See* GARCÍA RODRIGUEZ ET AL.) (Letter), 1037
OKADA DM. (*See* AUSTIN ET AL.) (Letter), 330
OLANS RN, AND WEINER LB. Reversible oxacillin hepatotoxicity, 835
OPITZ JM. The FG syndrome (Letter), 687
ORENSTEIN WA. (*See* LANDRIGAN ET AL.), 904
ORLOWSKI JP, SIEGER L, AND ANTHONY BF. Bactericidal capacity of monocytes of newborn infants, 797
OSKI FA. (*See* DELIVORIA-PAPADOPOULOS ET AL.), 273
—. (*See* GOTTUSO ET AL.), 279
OSTREA EM JR. (*See* STRAUSS ET AL.), 842
OWNBY DR, PIZZO S, BLACKMON L, GALL SA, AND BUCKLEY RH. Severe combined immunodeficiency with leukopenia (reticular dysgenesis) in siblings: Immunologic and histopathologic findings, 382
ÖSOYLU S, ALLAHVERDI H, LÂLELI Y, AND PIRNAR A. Platelet survival in childhood idiopathic thrombocytopenic purpura in remission, 388

P

PABST HF, CHUNG GSH, SEGAL D, AND DÖLEN J. Mild combined immunodeficiency in identical twins (BCLO), 425
PAPELBAUM S. (*See* FLETCHER ET AL.), 806
PAREDES A, WONG P, AND YOW MD. Failure of penicillin to eradicate the carrier state of group B streptococcus in infants, 191
PARKS JS. (*See* KIRKLAND ET AL.), 941
PARLOW A. (*See* DUSSAULT ET AL.), 550
PASHAYAN HM. (*See* GOLDEN AND PASHAYAN) (BCLO), 603
PASS MA, JOHNSON JD, SCHULMAN IA, GRUMET CF, HAFLEIGH EB, MALACHOWSKI NC, AND SUNSHINE P. Evaluation of a walking-donor blood transfusion program in an intensive care nursery, 646
PATRIQUIN H. (*See* ALLEN ET AL.), BCLO), 949
PATTERSON R. (*See* HART ET AL.), 38
PATTERSON RB. (*See* RIEKER AND PATTERSON) (Letter), 517
PAYNE T. (*See* L'HEUREUX AND PAYNE) (Letter), 522
PEARSON GA. (*See* O'BRIEN ET AL.), 205
PEARSON HA. Iron in formulas for infant feeding (Reply), 686
—. (*See* DEFRONZO ET AL.) (Letter), 1038
PENNY R. (*See* LIGHTNER ET AL.) (Letter,) 159
PERRIELLO VA, JR. (*See* BENJAMIN AND PERRIELLO) (BCLO), 254
PETER G. (*See* COWETT ET AL.) (Reply), 861
PETRO DJ, VANNUCCI RC, AND KULIN HE. Diazoxide-diphenylhydantoin interaction (Letter), 331
PHIBBS RH. (*See* LEVIN ET AL.), 626
PILDES RS. (*See* LILIEN ET AL.) (Reply), 337
PIRNAR A. (*See* ÖZSOYLU ET AL.), 388
PIZZO S. (*See* OWNBY ET AL.), 382
PLAUT J. (*See* RULEY ET AL.), 748
PLAX SI. A child's aberrant behavior and the importance of school reports (Letter), 1035
PLOUSSARD J. (*See* SYRIOUPOULOU ET AL.), 839
PLUMER LB, KAPLAN GW, AND MENDOZA SA. Hypertension in infants—a complication of umbilical arterial catheterization, 802
PODGORE JK. Simultaneous administration of isoniazid and BCG to the infant of a tuberculous mother (Letter), 679

POLGAR, GEORGE. Pulmonary physiology of the fetus, newborn, and child (B. rev.), 849
POLIN RA, POLLACK PF, BARLOW B, WIGGER HJ, SLOVIS TL, SANTULLI TV, AND HEIRD WC. Necrotizing enterocolitis in term infants, 460
POLLACK PF. (*See* POLIN ET AL.), 460
POLMAR SH. (*See* DROTAR ET AL.), 675
POPE CE II. (*See* DANUS ET AL.), 220
PORTER FS. (*See* RANEY ET AL.), (BCLO), 433
PRADER A. (*See* AYNSLEY-GREEN ET AL.), 992
—. (*See* WERDER ET AL.) (BCLO), 266
PRENSKY AL. (*See* DODSON ET AL.), 527, 695
PRIMIANO FP JR. (*See* STERN ET AL.), 4, 112
PRUITT AW, AND BOLES A. Diuretic effect of furosemide in acute glomerulonephritis, 306

Q

QUIE GP. (*See* BJÖRKSTÉN ET AL.), 892
QUINTERO BA. (*See* WALKER ET AL.), 187

R

RABSON AR. (*See* ANDERSON ET AL.), 27
—. (*See* JENKINS ET AL.), 732
RADBILL SX. Colonial pediatrics, 3
RADEL EG, KOCHEN JA, AND FINBERG L. More on the pathogenesis and management of hyponatremia in the crisis of sickle cell disease (Reply), 1039
RADFAR N, ANSUSINGHA K, AND KENNY FM. Circulating bound and free estradiol and estrone during normal growth and development and in premature thelarche and isosexual precocity, 719
RAMAMURTHY RS. (*See* LILIEN ET AL.) (Reply), 337
RANEY RB JR, LYON GM JR, AND PORTER FS. Neuroblastoma simulating acute leukemia (BCLO), 433
RAO SP, FALTER ML, AND BROWN AK. Thrombocytosis in neuroblastoma (Letter), 682
RAPHAELY RC. (*See* BERMAN ET AL.), 109
RASMUSSEN LF, AHLFORS CE, AND WENNBERG RP. The effect of paraben preservatives on albumin binding of bilirubin, 475
RAY CG. (*See* TRUOG ET AL.), 185
REDDY CM. (*See* CASTELLS ET AL.) (BCLO), 958
RETIK AB. (*See* WILLSCHER ET AL.), 743
REYNOLDS DW. (*See* WHITLEY ET AL.), 16
RHODES P. (*See* HALL ET AL.) (Reply), 340
RHODES PG. (*See* LEONIDAS ET AL.) (Reply), 864
RICHARD GA. (*See* GARIN ET AL.), 366
RICHARDS GE, WARA WM, GRUMBACH MM, KAPLAN SL, SHELINE GE, AND CONTE FA. Delayed onset of hypopituitarism: Sequelae of therapeutic irradiation of central nervous system, eye, and middle ear tumors, 553
RICHARDSON ST. (*See* WOLFF ET AL.) (BCLO), 956
RIDDELL DG. (*See* HARDWICK ET AL.), 501
RIEKER RP, AND PATTERSON RB. Adriamycin and cardiac toxicity (Letter), 517
RIEMENSCHNEIDER TA, NIELSEN HC, RUTTENBERG HD, AND JAFFE RB. Disturbances of the transitional circulation: Spectrum of pulmonary hypertension and myocardial dysfunction, 622
RIFF L. (*See* SCHAUF ET AL.), 194
RIMOIN DL. (*See* CEDERBAUM ET AL.), 737
—. (*See* ZONANA ET AL.) (BCLO), 600
RIVERA DE QUINONES H. (*See* STAMM ET AL.), 96
ROBINSON RG. (*See* ADLER ET AL.) (Letter), 679
ROBSON AM. (*See* CONLEY ET AL.), 898
ROCKOFF AS. Hemorrhage after suprapubic bladder aspiration (Letter), 327
RODRIGUEZ RS. After the child dies: Autopsies and forgotten parents (Letter), 859
ROE MH, TODD JK, AND FAVARA BE. Nonhemolytic group B streptococcal infections (BCLO), 75
ROESSMANN U. (*See* MARTIN ET AL.), 290
ROGERS JE. (*See* SMITH ET AL.), 225
ROGERS JG. (*See* TEMTAMY AND ROGERS), 924
ROLOFF DW. (*See* KANTO ET AL.), 612
ROOT AW. (*See* GRUSKIN ET AL.), 755
RORKE LB. (*See* TIBBS ET AL.), 928
ROSENFELD WN, LINSHAW M, AND FOX HA. Water intoxication: A complication of nebulization with nasal CPAP, 113
ROTHSTEIN RL. Roentgenographic identification of osteomyelitis in a premature neonate (Letter), 336
RUBINSTEIN A, EIDELMAN AI, MELAMED J, GARTNER LM, KANDALL S, AND SCHULMAN H. Possible effect of maternal promethazine therapy on neonatal immunologic functions, 136
RUDOLPH AJ. (*See* GUTGESELL ET AL.), 120
—. (*See* SPEER ET AL.), 91
RUDOLPH AM. (*See* LEVIN ET AL.), 626
RULEY EJ, HUANG S-W, PLAUT J, AND MORRIS N. Defective phagocyte adherence in acute poststreptococcal glomerulonephritis: Clinical and laboratory observations, 748
RUSSMAN BS. (*See* GOLDEN ET AL.) (BCLO), 596
RUTTENBERG HD. (*See* RIEMENSCHNEIDER ET AL.), 622
RYU JE. (*See* ZIEGLER AND RYU), 609

S

SACK J, FISHER DA, AND WANG CC. Serum thyrotropin, prolactin, and growth hormone levels during the early neonatal period in the human infant, 298
SAHN DJ, AND VAUCHER YE. Electrical current leakage transmitted to an infant via an iv controler: An unusual ECG artifact, 301
SAKAI RI. Treatment of "febrile seizures" (Reply), 165
SALIT IE. (*See* CHESNEY ET AL.), 1017
SAMAYOA C. (*See* ZEIS ET AL.) (BCLO), 263
SANTOS AQ. (*See* WALKER ET AL.), 187
SANTOS JI. (*See* DUKE ET AL.), 990
SANTULLI TV. (*See* BARLOW ET AL.), 934
—. (*See* POLIN ET AL.), 460
SAPIRE DW. (*See* HINER ET AL.) (BCLO), 950
SARNAT HB. (*See* HERTENSTEIN ET AL.) (BCLO), 79
SAUNDERS BS, EASA D, AND SLAUGHTER RJ. Acquired palatal groove in neonates, 988
SAUNDERS N, BALFE JW, AND LASKI B. More on salt poisoning (Reply), 684
SCHAAF HD. (*See* VALDÉS-DAPENA ET AL.), 128
SCHAFF-BLASS E, KUHNS LR, AND WYMAN ML. Gastric air insufflation as an aid to placement of oroduodenal tubes (BCLO), 954

SCHAMBELAN, M. (*See* KERSHNAR ET AL.), 395
SCHANBERGER JE. (*See* DYSART ET AL.) (Letter), 509
SCHAUF V, DEVEIKIS A, RIFF L, AND SEROTA A. Antibiotic-killing kinetics of group B streptococci, 194
SCHEIFELE D. (*See* SYRIOPOULOU ET AL.), 839
SCHIFF D. (*See* WOODS ET AL.), 483
SCHINDLER S. (*See* CHAMPION ET AL.), 653
SCHNEIDER S. (*See* MACE ET AL.) (Letter), 515
SCHOWALTER JE. How do children and funerals mix? 139
SCHREINER RL, SMITH WL, AND GRESHAM EL. Tracheal foreign body acquired during suctioning (Letter), 860
SCHUBERT WK. More on the uncertainties concerning Reye syndrome (Reply), 1042
SCHULMAN H. (*See* RUBINSTEIN ET AL.), 136
SCHULMAN IA. (*See* PASS ET AL.), 646
SCHULMAN JD. (*See* SPIELBERG ET AL.) (Letter), 681
SCHULMAN JL. (*See* STUETZER ET AL.), 847
SCHUSSHEIM A, CHOI SJ, AND SILVERBERG M. Exocrine pancreatic insufficiency with congenital anomalies (BCLO), 782
SCHUT L. (*See* TIBBS ET AL.), 928
SCHWARCZ R. (*See* MARTELL ET AL.), 963
SCHWARTZ AD. (*See* CHAMPION ET AL.), 653
SCHWARTZ GJ, HEGYI T, AND SPITZER A. Subtherapeutic dicloxacillin levels in a neonate: Possible mechanisms, 310
SCHWARTZ L. (*See* SCHAFAI AND SCHWARTZ) (Letter) 512
SCHWARTZ R. Resistance of *H. influenzae* to ampicillin (Letter), 1041
SEELER RA, TELISCHI M, LANGEHENNIG PL, AND ASHENHURST JB. Comparison of anti-A and anti-B titers in factor VIII and IX concentrates (BCLO), 87
—. (*See* HARRIS ET AL.) (Letter), 855
SEGAL D. (*See* PABST ET AL.) (BCLO), 425
SEGAR WE. (*See* CHESNEY ET AL.) (Letter), 328
SEPHERI B. (*See* LIM ET AL.), 42
SEROTA A. (*See* SCHAUFF ET AL.), 194
SHACKELFORD PG. (*See* FEIGIN ET AL.) (BCLO), 773
SHAFAI T. AND SCHWARTZ L. Camptomelic syndrome in siblings (Letter), 512
SHANNON DC. (*See* TODRES ET AL.), 126
SHAPIRO SC, AND MARTIN GI. Electroencephalogram in hypothyroidism in the neonate (Letter), 518
—. (*See* MARTIN AND SHAPIRO) (Letter), 862
SHAW A. Noise levels in Isolettes (Letter), 162
SHER R. (*See* ANDERSON ET AL.), 27
SHEFFIELD LJ, DANKS DM, MAYNE V, AND HUTCHINSON LA. Chondrodysplasia punctata—23 cases of a mild and relatively common variety, 916
SHELINE GE. (*See* RICHARDS ET AL.), 553
SHEN SC, AND YUNIS EJ. Leiomyosarcoma developing in a child during remission of leukemia (BCLO), 780
SHIN H. (*See* MIYAZAKI ET AL.) (BCLO), 784
SHIRLEY PS. (*See* DECHATELET ET AL.) (BCLO), 598
SHURIN PA. Resistance of *H. influenzae* to ampicillin (Reply), 1041
SHREM M, AND BERANT M. Iron in formulas for infant feeding (Letter), 685
SHTURMAN-ELLSTEIN R, AND KOHLER PF. More on serum sickness-like illness and prodromal manifestations of viral hepatitis (Letter), 521
SIA C. (*See* HARPER ET AL.), 441
SIDBURY JB. (*See* DULANEY ET AL.), 59
SIEGEL NJ. (*See* DEFRONZO ET AL.) (Letter), 1038
SIEGER L. (*See* ORLOWSKI ET AL.), 797
SILENZI M. (*See* COCCHI AND SILENZI) (Letter), 329
SILKEN AB. (*See* LEVENTHAL AND SILKEN) (BCLO), 769
SILVERBERG M. (*See* SCHUSSHEIM ET AL.) (BCLO), 782
SILVERMAN A. (*See* CARROLL ET AL.), 216
SILVERMAN NH. (*See* GOETZMAN ET AL.), 617
SILVERMAN SH, AND NYHAN WL. More on the importance of early recognition and treatment of salt-losing congenital adrenal hyperplasia (Reply), 339
SINATRA FR. (*See* MITCHELL ET AL.) (BCLO), 593
SINGSEN BH, BERNSTEIN BH, KING KK, AND HANSON V. Systemic lupus erythematosus in childhood: Correlations between changes in disease activity and serum complement levels, 358
SKINNER AL. (*See* SMITH ET AL.), 225
SLAUGHTER RJ. (*See* SAUNDERS ET AL.), 988
SLOVIS TL. (*See* POLIN ET AL.), 460
SLOYER J. (*See* SYRIOPOULOU ET AL.), 839
SMITH AL. (*See* LORIA ET AL.), 479
—. (*See* SYRIOPOULOU ET AL.), 839
SMITH D. (*See* ECHEVERRIA ET AL.), 8
SMITH DW, TRUOG W, ROGERS JE, GREITZER LJ, SKINNER AL, MCCANN JJ, AND HARVEY MAS. Shifting linear growth during infancy: Illustration of genetic factors in growth from fetal life through infancy, 225
—. (*See* HANSON ET AL.), 54, 662
SMITH WL. (*See* SCHREINER ET AL.) (Letter), 860
—. (*See* VOLLMAN ET AL.), 199
SMITHELLS RW. Ocular teratogens (Letter), 160
SNEAD OC III, AND KALAVSKY SM. Cerebrospinal fluid eosinophilia (BCLO), 83
SNEAD OC. (*See* GORMAN AND SNEAD) (Letter), 1043
SOKAL M. (*See* HARPER ET AL.), 441
SOKAL S. (*See* HARPER ET AL.), 441
SOMMERS H. (*See* HART ET AL.), 38
SOUTH MA. (*See* MASON ET AL.) (BCLO), 945
SOVIK O, AKSNES L, AND APOLD J. Urinary cyclic AMP: High concentrations in vitamin D–deficient and –dependent rickets (BCLO), 946
SOYKA LF. (*See* CAMPBELL AND SOYKA), 1020
SPEER M. (*See* GUTGESELL ET AL.), 120
SPEER ME, TABER LH, YOW MD, RUDOLPH AJ, URTEAGA J, AND WALLER S. Fulminant neonatal sepsis and necrotizing enterocolitis associated with a "nonenteropathogenic" strain of *Escherichia coli*, 91
SPIELBERG SP, LUCKY AW, SCHULMAN JD, KRAMER LI, HEFTER L, AND GOODMAN SI. Failure of Leucovorin therapy in nonketotic hyperglycinemia (Letter), 681
SPIGOS D. (*See* ZEIS ET AL.) (BCLO), 263
SPITZER A. (*See* SCHWARTZ ET AL.), 310
SPITZER R. (*See* DURANTE ET AL.), 978
STAGNO S. (*See* WHITLEY ET AL.), 16
STALKER HP, KOTCHEN JM, AND KOTCHEN TA. Plasma renin activity in healthy children (BCLO), 256
STAMM WE, KOLFF CA, DONES EM, JAVARIZ R, ANDERSON RL, FARMER JJ III, AND RIVERA DE QUINONES H. A nursery outbreak caused by *Serratia marcescens*—scalp-vein needles as a portal of entry, 96
STAPLETON FB, LUKERT BP, AND LINSHAW MA. Treatment of hypercalcemia associated with osseous metastases, 1029

STARK AR, AND THACH BT. Mechanisms of airway obstruction leading to apnea in newborn infants, 982
STARR RH JR. (*See* STRAUSS ET AL.), 842
STECHENBERG BW. (*See* FEIGIN ET AL.) (BCLO), 773
STEELE RW. Host inhibitory or blocking factor in subacute sclerosing panencephalitis (Reply), 519
STEICHEN J. (*See* TSANG ET AL.), 115
STEINBERG AD. (*See* GERSHWIN ET AL.), 377
STERN RC. Another potential function of the monocyte-macrophage system (Letter), 1044
—, BOAT TF, DOERSHUCK CF, TUCKER AS, PRIMIANO FP JR, AND MATTHEWS LW. Course of cystic fibrosis in 95 patients, 406
—, DOERSHUK CF, BOAT TF, TUCKER AS, PRIMIANO FP JR, AND MATTHEWS LW. Course of cystic fibrosis in black patients, 412
—. (*See* DROTAR ET AL.), 675
STEVENS F. (*See* MCNICHOLL ET AL.), 418
STEWART AR. (*See* FINER ET AL.) (Letter), 510
STIEHM ER. (*See* CEDERBAUM ET AL.), 737
STOCKMAN JA III. (*See* NELKEN AND STOCKMAN) (BCLO), 771
STOLLERMAN, GENE H. Rheumatic Fever and Streptococcal Infection (B. rev.), 146
STRAUSS HS. (*See* MEUWISSEN ET AL.), 588
STRAUSS ME, STARR RH JR, OSTREA EM JR, CHAVEZ CJ, AND STRYKER JC. Behavioral concomitants of prenatal addiction to narcotics, 842
STRAUSS RA, KLING TF, LEVINSOHN MW, AND DANIELSON RA. Use of Scribner shunt in exchange transfusions (Letter), 160
STRAUSS RG. *H. influenzae* buccal cellulitis and otitis media (Letter), 860
—, JOHNSTON RB JR, ASBROCK T, MORENO H, AND LEHMEYER JE. Neutrophil oxidative metabolism in sickle cell disease, 391
STROBER W. (*See* GERSHWIN ET AL.), 377
STRUB R. (*See* TSANG ET AL.), 115
STRYKER JC. (*See* STRAUSS ET AL.), 842
STUETZER C, FOCHTMAN D, AND SCHULMAN JL. Mothers as volunteers in an onocology clinic, 847
STURGEON P. (*See* AUSTIN ET AL.) (Letter), 330
SUMAYA CV, CHERRY JD, AND GOHD R. Exaggerated antibody response following rubella vaccination in a child with sinus histiocytosis with massive lymphadenopathy (BCLO), 81
SUNDERLAND CO, NICHOLS GM, HENKEN DP, LINSTONE F, MENASHE VD, AND LEES MH. Percutaneous cardiac catheterization and atrial balloon septostomy in pediatrics, 584
SUNSHINE P. (*See* GOETZMAN ET AL.), 617
—. (*See* MITCHELL ET AL.) (BCLO), 593
—. (*See* PASS ET AL.), 646
SWEET AY. (*See* BROWN AND SWEET) (Reply), 858
SWICK HM. Host inhibitory or blocking factor in subacute sclerosing panencephalitis (Letter), 518
SWISHER CN. Acute liver disease and encephalopathy (Letter), 515
—. Classic Reye syndrome or "acute toxic encephalopathy" (Letter), 339
SYRIOPOULOU V, SCHEIFELE D, HOWIE V, PLOUSSARD J, SLOYER J, AND SMITH AL. Incidence of ampicillin-resistant *Hemophilus influenzae* in otitis media, 839

T

TABER LH. (*See* SPEER ET AL.), 91
TABOR E. (*See* BARLOW ET AL.), 934
TAEUSCH HW JR. (*See* FINER ET AL.), 100
TAFT E. (*See* MEUWISSEN ET AL.), 588
TALAMO RC. (*See* VALENTINE AND TALAMO), 827
TANNER JM, WHITEHOUSE RH, HUGHES PCR, AND CARTER BS. Relative importance of growth hormone and sex steroids for the growth at puberty of trunk length, limb length, and muscle width in growth hormone–deficient children, 1000
TAYLOR IT. (*See* CONLEY ET AL.), 898
TEETS KC. (*See* CHESNEY ET AL.), 1017
TELISCHI M. (*See* SEELER ET AL.) (BCLO), 87
TEMTAMY SA, AND ROGERS JG. Macrodactyly, hemihypertrophy, and connective tissue nevi: Report of a new syndrome and review of the literature, 924
TENORE A. (*See* KIRKLAND ET AL.), 941
THACH BT. (*See* STARK AND THACH), 982
THOMAS GH. (*See* MILSTIEN ET AL.), 763
THRELKELD N. (*See* MCCRACKEN AND THRELKELD), 313
TIBBS PA, JAMES HE, RORKE LB, SCHUT L, AND BRUCE DA. Midline harmartomas masquerading as meningomyeloceles or teratomas in the newborn infant, 928
TILLER RE. (*See* WHITLEY ET AL.), 16
TODD JK. (*See* ROE ET AL.) (BCLO), 75
TODRES ID, DEBROS F, KRAMER SS, MOYLAN FMB, AND SHANNON DC. Endotracheal tube displacement in the newborn infant, 126
TROUY RL. (*See* BURGHEN ET AL.), 48
TRUITT L. (*See* BASS ET AL.) (Letter), 863
TRUOG W. (*See* SMITH ET AL.), 225
TRUOG, WE, DAVIS RF, AND RAY CG. Recurrence of group B streptococcal infection, 185
TRYGSTAD CW. (*See* LEAKE ET AL.), 968
TSANG RC, STRUB R, BROWN DR, STEICHEN J, HARTMAN C, AND CHEN I-W. Hypomagnesemia in infants of diabetic mothers: Perinatal studies, 115
—. (*See* BROWN ET AL.), 973
TUCKER AS. (*See* STERN ET AL.), 406, 412
TUKEY DP. (*See* MCCORMACK ET AL.), 446
TUNNESSEN WW JR, AND LOWENSTEIN EH. Glaucoma associated with the fetal hydantoin syndrome (Letter), 154
TURBEVILLE DF, BOWEN FW JR, AND KILLAM AP. Intracranial hemorrhages in kittens: Hypernatremia versus hypoxia, 294
TURNER BM. (*See* BERATIS ET AL.) (Reply), 690
TURNER E. (*See* HALL ET AL.) (Reply), 340
TY A. (*See* FINE ET AL.), 1014

U

ULAN OA. (*See* FINER ET AL.) (Letter), 510
URTEAGA J. (*See* SPEER ET AL.), 91
UY CS. (*See* FINE ET AL.), 1014

V

VALDÉS-DAPENA MA, NISSIM JE, AREY JB, GODLESKI J, SCHAFF HD, AND HAUST MD. Yellow pulmonary hyaline membranes, 128

VALENTINE MD, AND TALAMO RC. Commentary: The role of beclomethasone (Vanceril) in the therapy of asthma, 827
VAN EPPS DE. (*See* WITEMEYER, AND VAN EPPS), 33
VANDERHOOF JA, AND AMENT ME. Proctosigmoidoscopy and rectal biopsy in infants and children, 911
VANUCCI RC. (*See* PETRO ET AL.) (Letter), 331
VAUCHER YE. (*See* SAHN AND VAUCHER), 301
VAUGHAN VC III. (*See* HOWARD AND VAUGHAN) (Reply), 1037
VIDYASAGAR D, JOSEPH M, AND HAMILTON L. Noise levels in Isolettes (Reply), 162
VINAS C. (*See* MESKO ET AL.) (Letter), 1031
VISINTINE AM, GERBER P, AND NAHMIAS AJ. Leukocyte transforming agent (Epstein-Barr virus) in newborn infants and older individuals, 571
VOGEL TP. (*See* HEGYI ET AL.), 473
VOLLMAN JH, SMITH WL, BALLARD ET, AND LIGHT IJ. Early onset group B streptococcal disease: Clinical, roentgenographic, and pathologic features, 199
VON LINDERN IH. (*See* LANDRIGAN ET AL.), 904

W

WAELTERMANN RM. (*See* CHU ET AL.) (BCLO), 429
WALDMAN AM. A commentary on recertification (Letter), 1035
WALFISH PG. (*See* FISHER ET AL.) (Editor's column), 692
WALKER SH, SANTOS AQ, AND QUINTERO BA. Recurrence of group B III streptococcal meningitis, 187
WALLER S. (*See* SPEER ET AL.), 91
WANG CC. (*See* SACK ET AL.), 298
WARA WM. (*See* RICHARDS ET AL.), 553
WASHINGTON JA II. (*See* MURRAY ET AL.), 576
WASSNER SJ, AND FINE RN. Anticonvulsant and corticosteroid therapy in patients with renal allografts (Reply), 334
WATTERS G. (*See* ALLEN ET AL.) (BCLO), 949
WEINER LB. (*See* OLANS AND WEINER), 835
WENNBERG RP. (*See* GOETZMAN ET AL.), 617
—. (*See* RASMUSSEN ET AL.), 475
WENZEL RP. (*See* GUERRANT ET AL.), 885
WERDER EA, KIND HP, EGERT F, FISCHER JA, AND PRADER A. Effective long-term treatment of pseudohypoparathyroidism with oral 1α-hydroxy- and 1,25-dihydroxycholecalciferol (BCLO), 266
WESENBERG RL. (*See* LAKE ET AL.), 787
WEST CD. Asymptomatic hematuria and proteinuria in children: Causes and appropriate diagnosis studies, 173
WHITEHOUSE RH. (*See* TANNER ET AL.), 1000
WHITLEY RJ, BRASFIELD D, REYNOLDS DW, STAGNO S, TILLER RE, AND ALFORD CA. Protracted pneumonitis in young infants associated with perinatally acquired cytomegaloviral infection, 16
WHITMAN V, AND ZAKEOSIAN GM. The diving reflex in termination of supraventricular tachycardia in childhood (Letter), 1032
WIGGELINKHUIZEN J, NELSON MM, BERGER GMB, AND KASCHULA ROC. Alpha fetoprotein in the antenatal diagnosis of the congenital nephrotic syndrome, 452
WIGGER HJ. (*See* POLIN ET AL.), 460
WILLIAMS JA. (*See* MCMILLAN ET AL.) (BCLO), 953
WILLIAMS ML. (*See* GOTTUSO ET AL.), 279
WILLMAN VL. (*See* CHEN ET AL.), 231
WILLSCHER MK, BAUER SB, ZAMMUTO PJ, AND RETIK AB. Infection of the urinary tract after anti-reflux surgery, 743
WILSON FA. (*See* GREENE ET AL.) (BCLO), 777
WILSON HD, MCCORMICK JB, AND FEELEY JC. *Yersinia enterocolitica* infection in a 4-month-old infant associated with infection in household dogs (BCLO), 767
WINTER RJ, AND GREEN OC. Carbohydrate homeostasis in chronic lymphocytic thyroiditis: Increased incidence of diabetes mellitus, 401
WISER WL. (*See* MORRISON AND WISER), 286
WISTAR R JR. (*See* GERSHWIN ET AL.), 377
WITEMEYER S, AND VAN EPPS DE. A familial defect in cellular chemotaxis associated with redheadedness and recurrent infection, 33
WOLD AD. (*See* MURRAY ET AL.), 576
WOLFF LJ, RICHARDSON ST, NEIBURGER JB, NEIBURGER RG, IRWIN DS, AND BAEHNER RL. Poor prognosis of children with acute lymphocytic leukemia and increased B cell markers. (BCLO), 956
WONG M. (*See* FEIGIN ET AL.) (BCLO), 773
WONG P. (*See* PAREDES ET AL.), 191
WOODS JT, BRYAN LE, CHAN G, AND SCHIFF D. Gentamicin and albumin-bilirubin binding, 483
WYMAN ML. (*See* SCHAFF-BLASS ET AL.) (BCLO), 954

Y

YANKEL AJ. (*See* LANDRIGAN ET AL.), 904
YASUDA R, NISHIOKA T, FUKUMASU H, AND YOKOTA Y. Bilateral phrenic nerve palsy in the newborn infant, 986
YOKOTA Y. (*See* YASUDA ET AL.), 986
YOLKEN RH, AND MILLER DR. Hyperuricemia and renal failure—presenting manifestations of occult hematologic malignancies (BCLO), 775
YOW MD. (*See* PAREDES ET AL.), 191
—. (*See* SPEER ET AL.), 91
YUNIS EJ. (*See* HASHIDA ET AL.) (BCLO), 85
—. (*See* SHEN AND YUNIS) (BCLO), 780

Z

ZACHMANN M. (*See* AYNSLEY-GREEN ET AL.), 992
ZAK S. (*See* MCCORMACK ET AL.), 446
ZAKAUDDIN S. (*See* LEAKE ET AL.), 968
ZAKEOSIAN GM. (*See* WHITMAN AND ZAKEOSIAN) (Letter), 1032
ZAMMUTO PJ. (*See* WILLSCHER ET AL.), 743
ZEIS PM, SPIGOS D, SAMAYOA C, CAPEK V, AND ASCHINBERG LC. Ultrasound localization for percutaneous renal biopsy in children (BCLO), 263
ZELTZER PM. When is a null cell null? (Letter), 335
ZIEGLER EE, AND RYU JE. Renal solute load and diet in growing premature infants, 609
ZONANA J, RIMOIN DL, AND DAVIS DC. Macrocephaly with multiple lipomas and hemangiomas (BCLO), 600

*Subject index**

A

Abscess, scalp, secondary to fetal scalp electrode (Feder et al), 808
Absorption, increased lead, with anemia and slowed nerve conduction in children near a lead smelter (Landrigan et al), 904
Abstracts of the Latin American Society for Pediatric Research, XIII Annual Meeting, Aguas de Sao Pedro, Sao Paulo, Brazil, 320
Acidosis, distal renal tubular, with chronic hydronephrosis (Hutcheon et al), 372
metabolic, hyperchloremia, and cholestyramine (Hartline) (Letter), 155
Acid(s), nucleic, in congenital immune deficiency states, antibodies to (Gershwin et al), 377
-base balance, blood, at birth from labors with early and late rupture of membranes (Martell et al), 963
Addiction to narcotics, prenatal—behavioral concomitants of (Strauss et al), 842
Adenoids and large tonsils causing postural apnea (Moffat) (Letter), 510
Adenoma, functioning pituitary chromophobe, associated with McCune-Albright syndrome (Joishy and Morrow) (BCLO), 73
pituitary, in McCune-Albright syndrome: Follow-up information (Lightner et al) (Letter), 159
Adenosine deaminase, deficiency of, not associated with severe combined immunodeficiency (Jenkins et al), 732
with severe combined immunodeficiency, chondro-osseous dysplasia of (Cederbaum et al), 737
Adolescence, functioning thyroid masses in childhood and (Hopwood et al), 710
Adolescents, isoniazid hepatitis in (Litt et al), 133
Adopted children—growth, behavioral, and psychologic measurements of: Influences of genetic and socioeconomic factors in a prospective study (Fisch et al), 494
Adrenal hyperplasia, salt-losing congenital—importance of early recognition and treatment of (Koepp) (Letter), 338; (Silverman and Nyhan) (Reply), 339
Adrenogenital syndrome, upper urinary tract anomalies with (McMillan et al) (BCLO), 953
Adriamycin and cardiac toxicity (Rieker and Patterson) (Letter), 517
Agonists, selective, beta$_2$-receptor, for treatment of asthma—therapeutic breakthrough or advertising ploy? (Campbell and Soyka), 1020
Airway obstruction leading to apnea in newborns, mechanisms of (Stark and Thach), 982
Albright-McCune syndrome associated with functioning pituitary chromophobe adenoma (Joishy and Morrow) (BCLO), 73
pituitary adenoma in: Follow-up information (Lightner et al) (Letter), 159
Albumin-bilirubin binding and gentamicin (Woods et al), 483
binding of bilirubin, effect of paraben preservatives on (Rasmussen et al), 475
Alkalosis, metabolic and respiratory, in Reye syndrome (Chesney et al) (Letter), 328
Allergic bronchopulmonary aspergillosis and bronchiectasis with hyperimmunoglobulinemia E (Hart et al), 38
Allografts, renal, with anticonvulsant and corticosteroid therapy (Loren) (Letter), 334; (Wassner and Fine) (Reply), 334
Alopecia and antibody deficiency (Ipp and Gelfand), 728
Alpha fetoprotein in antenatal diagnosis of congenital nephrotic syndrome (Wiggelinkhuizen et al), 452
thalassemia-like syndrome, complex: Cause of neonatal normoblastemia (McCormack et al), 446
Ambulatory patients with shigellosis—comparison of trimethoprim-sulfamethoxazole and ampicillin therapy (Nelson et al), 491
AMP, urinary cyclic: High concentrations in vitamin D–deficient and –dependent rickets (Sovik et al) (BCLO), 946
Amphotericin B and 5-fluorocytosine in combination, successful treatment of *Candida* meningitis with (Chesney et al), 1017
Ampicillin and trimethoprim-sulfamethoxazole therapy, comparison of, for shigellosis in ambulatory patients (Nelson et al), 491
-associated colitis? (Childs) (Letter), 163
resistance of *H. influenzae* to (Schwartz) (Letter), 1041; (Shurin) (Reply), 1041
-resistant *Hemophilus influenzae* in otitis media, incidence of (Syriopoulou et al), 839
Anaphylactoid purpura, duodenal intramural hematoma in (Cohen et al) (Letter), 856
Anemia and slowed nerve conduction, increased lead absorption with (Landrigan et al), 904
aplastic—successful retransplantation of bone marrow following failure of initial engraftment in (Meuwissen et al), 588
with *Clostridia septicum* bacteremia (Congeni and Nankervis) (Letter), 331
autoimmune hemolytic, and Hodgkin disease (May and Bryan) (BCLO), 428
as presenting manifestation of Hodgkin disease (Chu et al) (BCLO), 429
sickle cell—effect of maternal partial exchange transfusion on infants of patients with (Morrison and Wiser), 286

*July, pp 1-172; August, pp 173-342; September, pp 343-526; October, pp 527-694; November, pp 695-868; December, pp 869-1044.

Anemia, sickle cell—Cont'd
prospective study of (O'Brien et al), 205
with delayed skeletal maturation (Harris et al) (Letter), 855
Aneurysm, aortic: Report of six instances (Chen et al), 231
Angioedema, skin lesions, eosinophilia, and hypocomplementemia (Geha and Akl), 724
Anomalies, congenital, with exocrine pancreatic insufficiency (Schussheim et al) (BCLO), 782
upper urinary tract, with adrenogenital syndrome (McMillan et al) (BCLO), 953
Antibiotic formulations, effect of, in serum protein:bilirubin interaction of newborn infants (Loria et al), 479
killing kinetics of group B streptococci (Schauf et al), 194
therapy, intrathecal, in controlled study of gram-negative enteric meningitis (McCracken and Mize), 66
Antibodies to nucleic acids in congenital immune deficiency states (Gershwin et al), 377
Antibody deficiency and alopecia (Ipp and Gelfand), 728
response, exaggerated, following rubella vaccination with sinus histiocytosis with massive lymphadenopathy (Sumaya et al) (BCLO), 81
Anticonvulsant(s) and corticosteroid therapy with renal allografts (Loren) (Letter), 334; (Wassner and Fine) (Reply), 334
hydantoin—risk to offspring of women treated with, with emphasis on fetal hydantoin syndrome (Hanson et al), 662
therapy during pregnancy, cardiac defects in children of mothers receiving (Anderson), 318
Antigen, K1, lack of relationship to: Interaction of *E. coli* strains with human serum (Björkstén et al), 892
Antitrypsin, alpha-1-, deficiency, histopathologic study of liver in early cholestatic phase of (Hadchouel and Gautier), 211
Anti-U, hemolytic disease of newborn due to (Austin et al) (Letter), 330
Aortic aneurysm: Report of six instances (Chen et al), 231
Apert syndrome does not equal mental retardation (Galli) (Letter), 691
Aplastic anemia, successful retransplantation of bone marrow following failure of initial engraftment in (Meuwissen et al), 588
with *Clostridia septicum* bacteremia (Congeni and Nankervis) (Letter), 331
Apnea in newborns, mechanisms of airway obstruction leading to (Stark and Thach), 982
postural, due to large tonsils and adenoids (Moffat) (Letter), 510
resulting from obstruction of nares by eye shield (Kang and Mazzi) (Letter), 652
theophylline pharmacokinetics with (Giacoia et al), 829
Arterial embolism syndrome, neonatal renal (Durante et al), 978
umbilical catheterization, complication of—hypertension (Plumer et al), 802
Aspergillosis, allergic bronchopulmonary, and bronchiectasis with hyperimmunoglobulinemia E in a child (Hart et al), 38
Asphyxiated and premature neonates, oral calcium supplementation in (Brown et al), 973
Aspiration, suprapubic bladder—hemorrhage after (Rockoff) (Letter), 327
Aspirin in glucose-6-phosphate dehydrogenase deficiency, evaluation of hemolytic role of (Glader), 1027
Asthma, beclomethasone dipropionate in long-term treatment of (Kerrebijn), 821
role of beclomethasone (Vanceril) in therapy of: Commentary (Valentine and Talamo), 827
selective beta$_2$-receptor agonists for treatment of—therapeutic breakthrough or advertising ploy? (Campbell and Soyka), 1020
severe—intravenous isoproterenol for (DiLiberti) (Letter), 865
ATP concentrations, hepatic, and glycolytic enzyme activities in Reye syndrome (Greene et al) (BCLO), 777
Atresia, extraphepatic biliary—histologic study of biliary fibrous remnants: Correlation with postoperative bile flow restoration (Gautier et al), 704
Atrial balloon septostomy and percutaneous catheterization (Sunderland et al), 584
Atrophy (optic), juvenile diabetes mellitus, sensory nerve deafness, and diabetes insipidus—a syndrome (Gunn et al), 565
Autoimmune hemolytic anemia and Hodgkin disease (May and Bryan) (BCLO), 428
as a presenting manifestation of Hodgkin disease (Chu et al) (BCLO), 429
Autopsies and forgotten parents: After the child dies (Rodriguez) (Letter), 859; (Nelson) Reply), 860

B

B cell markers, increased, and acute lymphocytic leukemia, poor prognosis of (Wolff et al) (BCLO), 956
Bacitracin differentiation for presumptive identification of group A β-hemolytic streptococci: Comparison of primary and purified plate testing (Murray et al), 576
Bacteremia, *Clostridia septicum*, with aplastic anemia (Congeni and Nankervis) (Letter), 331
Bacterial cultures, use of umbilical blood for (Baum) (Letter), 861; (Cowett et al) (Reply), 861
diarrhea, toxigenic: Nursery outbreak involving multiple bacterial strains (Guerrant et al), 885
endocarditis due to *Hemophilus aphrophilus* with cerebral embolism (Mesko et al) (Letter), 1031
meningitis—countercurrent immunoelectrophoresis of urine, CSF, and blood for diagnosis of (Feigin et al) (BCLO), 773
Bactericidal capacity of monocytes of newborn infants (Orlowski et al), 797
Bacteroides fragilis, meningitis due to (Dysart et al) (Letter), 509
Barr-Epstein virus infection, primary, and thrombocytopenia during late infancy (Andiman) (BCLO), 435
BCG and isoniazid, simultaneous administration of, to infant of tuberculous mother (Podgore) (Letter), 679
Beckman film badge, use of, for monitoring during phototherapy (Hegyi et al), 473; Commentary (Anderson), 474
Beclomethasone dipropionate in long-term treatment of asthma (Kerrebijn), 821
(Vanceril), role of, in therapy of asthma: Commentary (Valentine and Talamo), 827
Behavior, aberrant, and importance of school reports (Plax) (Letter), 1035

Behavioral concomitants of prenatal addiction to narcotics (Strauss et al), 842
growth, and psychologic measurements of adopted children: Influences of genetic and socioeconomic factors in a prospective study (Fisch et al), 494
Beta$_2$-receptor agonists, selective, for treatment of asthma—therapeutic breakthrough or advertising ploy? (Campbell and Soyka), 1020
Bethanecol, treatment of familial dysautonomia with (Hochberg) (Letter), 862; (Axelrod and Dancis) (Reply), 863
Bile flow restoration, postoperative, correlation with: Histologic study of biliary fibrous remnants in extrahepatic biliary atresia (Gautier et al), 704
Biliary atresia, extrahepatic—histologic study of biliary fibrous remnants: Correlation with postoperative bile flow restoration (Gautier et al), 704
Bilirubin-albumin binding and gentamicin (Woods et al), 483
effect of maternally administered drugs on (Drew and Kitchen), 657
paraben preservatives on albumin binding of (Rasmussen et al), 475
:protein interaction, serum—effect of antibiotic formulations in (Loria et al), 479
Biochemical homozygosity, apparent, in two obligatory heterozygotes for metachromatic leukodystrophy (Lott et al) (BCLO), 438
Biopsy, percutaneous renal—ultrasound localization for (Zeis et al) (BCLO), 263
rectal, and proctosigmoidoscopy (Vanderhoof and Ament), 911
Black patients, course of cystic fibrosis in (Stern et al), 412
Bladder aspiration, suprapubic—hemorrhage after (Rockoff) (Letter), 327
Blocking or host inhibitory factor in subacute sclerosing panencephalitis (Swick) (Letter), 518; (Steele) (Reply), 519
Blood acid-base balance at birth from labors with early and late rupture of membranes (Martell et al), 963
cell volume, red—developmental change in: Implication in screening for iron deficiency and thalassemia trait (Koerper et al), 580
flow distribution, intrarenal, and plasma renin activity with pheochromocytoma (Hiner et al) (BCLO), 950
glucose, neonatal, and maternal glucose intolerance, relationships between (Haworth and Dilling), 810
spots on filter paper, TSH measurements from: A confirmatory screening test for neonatal hypothyroidism (Dussault et al), 550
transfusion program, walking donor—evaluation of in intensive care nursery (Pass et al), 646
umbilical, for bacterial cultures, use of (Baum) (Letter), 861; (Cowett et al) (Reply), 861
urine, and CSF—countercurrent immunoelectrophoresis for diagnosis of bacterial meningitis (Feigin et al) (BCLO), 773
volume with hyaline membrane disease (RDS) (Cassady) (Letter), 857; (Brown and Sweet) (Reply), 858
Bone marrow, successful retransplantation of, following failure of initial engraftment with aplastic anemia (Meuwissen et al), 588
Book reviews
The inner voices of children (Wiegand), 146
Pulmonary physiology of the fetus, newborn, and child (Polgar), 849
Book reviews—Cont'd
Rheumatic fever and streptococcal infection (Wannamaker), 146
Bronchiectasis and allergic bronchopulmonary aspergillosis with hyperimmunoglobulinemia E (Hart et al), 38
Bronchitis, obstructive—esophageal reflux as unrecognized cause of (Danus et al), 220
Bronchopulmonary aspergillosis, allergic, and bronchiectasis with hyperimmunoglobulinemia E (Hart et al), 38
Buccal cellulitis, *H. influenzae*, and otitis media (Strauss) (Letter), 860; (Nelson) (Reply), 861

C

Calcium supplementation, oral, in premature and asphyxiated neonates (Brown et al), 973
Camptomelic syndrome in siblings (Shafai and Schwartz) (Letter), 512
Candida meningitis, successful treatment with amphotericin B and 5-fluorocytosine in combination (Chesney et al), 1017
Carbohydrate homeostasis in chronic lymphocytic thyroiditis: Increased incidence of diabetes mellitus (Winter and Green), 401
Cardiac catheterization, percutaneous, and atrial balloon septostomy (Sunderland et al), 584
defects in children of mothers receiving anticonvulsant therapy during pregnancy (Anderson), 318
toxicity and adriamycin (Rieker and Patterson) (Letter), 517
Care, quality of, vs neonatal mortality rate (Lee et al) (Letter), 161
Carrier mother, identification of, with chronic granulomatous disease (Miyazaki et al) (BCLO), 784
rates, *Pseudomonas*, of patients with cystic fibrosis and of members of their families (Laraya-Cuasay et al), 23
state of group B streptococcus, failure of penicillin to eradicate (Paredes et al), 191
Catheterization, percutaneous cardiac, and atrial balloon septostomy (Sunderland et al), 584
umbilical arterial, complication of—hypertension (Plumer et al), 802
Catheters, indwelling umbilical—to use or not to use heparin with (Mahoney) (Letter), 330; (Hall et al) (Reply), 340
Celiac disease (gluten-sensitive enteropathy), treated—mucosal recovery in (McNicholl et al), 418
Cell anemia, sickle—effect of maternal partial exchange transfusion on infants of patients with (Morrison and Wiser), 286
—neutrophil oxidative metabolism in (Strauss et al), 391
—pathogenesis and management of hyponatremia in crisis of (DeFronzo et al) (Letter), 1038; (Radel et al) (Reply), 1039
prospective study of (O'Brien et al), 205
with delayed skeletal maturation (Harris et al) (Letter), 855
markers, increased B, and acute lymphocytic leukemia, poor prognosis of (Wolff et al) (BCLO), 956
sickle, SS genotype and paralyses (Guillozet) (BCLO), 605; Comment (Nelson) (BCLO), 607
volume, red blood—developmental change in: Implication in screening for iron deficiency and thalassemia trait (Koerper et al), 580

Cell—Cont'd
—when null? (Zeltzer) (Letter), 335; (Hsu) (Reply), 335
Cellular chemotaxis, familial defect in, associated with redheadedness and recurrent infection (Witemeyer and Van Epps), 33
Cellulitis, *H. influenzae* buccal, and otitis media (Strauss) (Letter), 860; (Nelson) (Reply), 861
Cerebellar, intra-, massive hemorrhage in LBW infants (Martin et al), 290
Cerebral dwarfism, metabolic responses to human growth hormone with (Castells et al) (BCLO), 958; Commentary (Frasier) (BCLO), 961
embolism, bacterial endocarditis due to *Hemophilus aphrophilus* with (Mesko et al) (Letter), 1031
Cerebrospinal fluid eosinophilia (Snead and Kalavsky) (BCLO), 83
Chemotaxis, cellular, familial defect in, associated with redheadedness and recurrent infection (Witemeyer and Van Epps), 33
Cholecalciferol, 1α-hydroxy- and 1,25-dihyrodoxy-, oral, effective long-term treatment of pseudohypoparathyroidism (Werder et al) (BCLO), 266
Choledochal cyst: Review of 19 cases (Barlow et al), 934
Cholestyramine, hyperchloremia, and metabolic acidosis (Hartline) (Letter), 155
Chondrodysplasia punctata—23 cases of mild and relatively common variety (Sheffield et al), 916
Chondro-osseous dysplasia of adenosine deaminase deficiency with severe combined immunodeficiency (Cederbaum et al), 737
Choreoathetosis, phenytoin-induced (Chalhub and DeVivo) (Letter), 153
Choriocarcinoma of uterus, massive fetomaternal hemorrhage due to (Blackburn) (Letter), 680
Circulation, fetal, persistence of (Behrman), 636
transitional, disturbances of: Spectrum of pulmonary hypertension and myocardial dysfunction (Riemenschneider et al), 622
Cleft palate associated with prolonged orotracheal intubation in infancy (Duke et al), 990
Clostridia septicum bacteremia with aplastic anemia (Congeni and Nankervis) (Letter), 331
Colitis, ampicillin-associated? (Childs) (Letter), 163
pseudomembranous, forgotten cause of: *Shigella dysenteriae* I (Kelber and Ament) (BCLO), 595
Comatose children, drug ingestions associated with miosis in (Mitchell et al), 303
Complement, absence of sixth component of, with repeated episodes of meningococcal meningitis (Lim et al), 42
levels, serum, and disease activity—correlations between changes in: Systemic lupus erythematosus (Singsen et al), 358
Computed tomography: New diagnostic technique (Harwood-Nash and Breckbill), 343
Congenital adrenal hyperplasia, salt-losing—importance of early recognition and treatment of (Koepp) (Letter), 338; (Silverman and Nyhan) (Reply), 339
anomalies with exocrine pancreatic insufficiency (Schussheim et al) (BCLO), 782
cytomegalovirus infection, cord serum IgA in (Mason et al) (BCLO), 945
Congenital—Cont'd
hypopituitarism vs absence of pituitary gland (Mace et al) (Letter), 515; (Lovinger et al) (Reply), 516)
hypothyroidism, neonatal thyroid function in (Klein et al), 545
recommendations for screening programs for (Fisher et al) (Editor's column), 692
technetium 99m pertechnetate scans in (Bauman et al) (BCLO), 268
immune deficiency states—antibodies to nucleic acids in (Gershwin et al), 377
nephrotic syndrome—alpha fetoprotein in antenatal diagnosis of (Wiggelinkhuizen et al), 452
rubella syndrome and thyroiditis (Nieburg and Gardner) (Letter), 156
toxoplasmosis in twins (Couvreur et al), 235
Connective tissue nevi, macrodactyly, and hemihypertrophy: Report of new syndrome and review of literature (Temtamy and Rogers), 924
Cord serum IgA in congenital cytomegalovirus infection (Mason et al) (BCLO), 945
Corticosteroid and anticonvulsant therapy with renal allografts (Loren) (Letter), 334; (Wassner and Fine) (Reply), 334
injection of—iatrogenic phenocopy secondary to: Familial localized pantrophy (Krueger and Bray) (Letter), 682
therapy, nitrogen mustard therapy with nephrotic syndrome unresponsive to (Fine et al), 1014
Cortisol/insulin, effect in lecithin synthesis (Anagnostakis and Dacou-Voutetakis) (Letter), 687
CPAP, nasal—complication of nebulization with: Water intoxication (Rosenfeld et al), 113
optimum levels of, for tracheal extubation (Berman et al), 109
Cranial, intra- hemorrhages in kittens: Hypernatremia versus hypoxia (Turbeville et al), 294
CSF, urine, and blood—countercurrent immunoelectrophoresis for diagnosis of bacterial meningitis (Feigin et al) (BCLO), 773
Cultures, bacterial—use of umbilical blood for (Baum) (Letter), 861; (Cowett et al) (Reply), 861
Cyclic AMP, urinary: High concentrations in vitamin D-deficient and -dependent rickets (Sovik et al) (BCLO), 946
Cyclophosphamide for nephrotic syndrome, gonadotropin responses to luteinizing releasing factor treated with (Kirkland et al), 941
Cyst, choledochal (Barlow et al), 934
Cystic fibrosis in black patients, course of (Stern et al), 412
95 patients, course of (Stern et al), 406
patients—electrolyte values of sweat obtained by local and whole body collection methods in (Cohen et al) (BCLO), 430
—*Pseudomonas* carrier rates of CF patients and members of their families (Laraya-Cuasay et al), 23
Cystitis, acute hemorrhagic, and papovavirus-like particles (Hashida et al) (BCLO), 85
Cytomegaloviral infection, perinatally acquired, associated with protracted pneumonitis (Whitley et al), 16
Cytomegalovirus infection, congenital—cord serum IgA in (Mason et al) (BCLO), 945

D

Deafness (sensory nerve), juvenile diabetes mellitus, optic atrophy, and diabetes insipidus—a syndrome (Gunn et al), 565
Death, after a child's: Autopsies and forgotten parents (Rodriguez) (Letter), 859; (Nelson) (Reply), 860
sudden infant, syndrome, hepatic trace elements in (Lapin et al) (BCLO), 607
Defect(s), cardiac, in children of mothers receiving anticonvulsant therapy during pregnancy (Anderson), 318
familial, in cellular chemotaxis associated with redheadedness and recurrent infection (Witemeyer and Van Epps), 33
Deficiency, adenosine deaminase, with severe combined immunodeficiency—chondro-osseous dysplasia of (Cederbaum et al), 737
alpha-1-antitrypsin—histopathologic study of liver in early cholestatic phase of (Hadchouel and Gautier), 211
antibody, and alopecia (Ipp and Gelfand), 728
dihydropteridine reductase—hyperphenylalaninemia due to (Milstien et al), 763
glucose-6-phosphate dehydrogenase, evaluation of hemolytic role of aspirin in (Glader), 1027
—kernicterus with (Carpentieri et al) (Letter), 854
IgA, inflammatory myopathy, and intestinal malabsorption (Carroll et al), 216
of adenosine deaminase not associated with severe combined immunodeficiency (Jenkins et al), 732
17-α-hydroxylase—studies in a phenotypic female (Kershnar et al), 395
states, congenital immune—antibodies to nucleic acids in (Gershwin et al), 377
Dehydrogenase deficiency, glucose-6-phosphate, evaluation of hemolytic role of aspirin in (Glader), 1027
Demographic data in screening for Tay-Sachs disease (Nimoityn et al) (Letter), 162; (Gardner) (Reply), 162
Development and growth, normal—circulating bound and free estradiol and estrone during, and in premature thelarche and isosexual precocity (Radfar et al), 719
intellectual and social, following prolonged isolation (Drotar et al), 675
mental—effect of parental education on noninstitutionalized children with Down syndrome (Golden and Pashayan) (BCLO), 603
Developmental and clinical relevance: Prominent lateral palatine ridges (Hanson et al), 54
change in red blood cell volume: Implication in screening infants and children for iron deficiency and thalassemia trait (Koerper et al), 580
Diabetes mellitus, increased incidence of: Carbohydrate homeostasis in chronic lymphocytic thyroiditis (Winter and Green), 401
juvenile, optic atrophy, sensory nerve deafness, and diabetes insipidus—a syndrome (Gunn et al), 565
Diabetic children, normal and chemical—insulin and proinsulin in (Burghen et al), 48
ketoacidosis, continuous low-dose infusion of insulin in treatment of (Martin and Martin), 560
mothers, hypomagnesemia in infants of: Perinatal studies (Tsang et al), 115
Diabetic mothers—Cont'd
transient hypertrophic subaortic stenosis in infants of (Gutgesell et al), 120
Diarrhea, intractable watery, ganglioneuroblastoma, and vasoactive intestinal peptide (Mitchell et al) (BCLO), 593
toxigenic bacterial: Nursery outbreak involving multiple bacterial strains (Guerrant et al), 885
Diazoxide-diphenylhydantoin interaction (Petro et al) (Letter), 331
Dicloxacillin levels, subtherapeutic, in neonate: Possible mechanisms (Schwartz et al), 310
Diet and renal solute load in growing premature infants (Ziegler and Ryu), 609
Dihydropteridine reductase deficiency, hyperphenylalaninemia due to (Milstien et al), 763
2,4-Dinitrophenylhydrazine test—interference of radiopaque dyes with (Broadwell and Beaudet) (Letter), 156
Diphenylhydantoin-diazoxide interaction (Petro et al) (Letter), 331
Disease activity and serum complement levels, correlations between changes in: Systemic lupus erythematosus (Singsen et al), 358
acute liver, and encephalopathy (Swisher) (Letter), 515; (Gall et al) (Reply), 515
chronic granulomatous—identification of carrier mother (Miyazaki et al) (BCLO), 784
with normal leukocyte glutathione peroxidase activity (DeChatelet et al) (BCLO), 598
early onset group B streptococcal: Clinical, roentgenographic, and pathologic features (Vollman et al), 199
Farber (lipogranulomatosis), diagnosis of, by use of cultured fibroblasts (Dulaney et al), 59
hemolytic, due to anti-U (Austin et al) (Letter), 330
Hodgkin, and autoimmune hemolytic anemia (May and Bryan) (BCLO), 428
—autoimmune hemolytic anemia as presenting manifestation of (Chu et al) (BCLO), 429
hyaline membrane (RDS)—blood volume with (Cassady) (Letter), 857; (Brown and Sweet) (Reply), 858
immune-complex with systemic lupus erythematosus, clinical assessment of (Cassidy) (Editor's column), 523
Letterer-Siwe—late manifestations in long-term survivor of: Histiocytosis X (Elaraby et al) (BCLO), 961
serious group A streptococcal—another example of (Martin and Shapiro) (Letter), 862
sickle cell—neutrophil oxidative metabolism in (Strauss et al), 391
—pathogensis and management of hyponatremia in crisis of (DeFronzo et al) (Letter), 1038; (Radel et al) (Reply), 1039
Tay-Sachs, use of demographic data in screening for (Nimoityn et al) (Letter), 162; (Gardner) (Reply), 162
treated celiac (gluten-sensitive enteropathy)—mucosal recovery in (McNicholl et al), 418
Distress, respiratory, and neck mass in neonate (Hardwick et al), 501
Diuretic effect of furosemide in acute glomerulonephritis (Pruitt and Boles), 306
Diving reflex in termination of supraventricular tachycardia (Whitman and Zakeosian) (Letter), 1032

Down syndrome—effect of parental education on mental development of noninstitutionalized children with (Golden and Pashayan) (BCLO), 603
Drug(s), four commonly used—effects on platelet function (Champion et al), 653
ingestions associated with miosis in comatose children (Mitchell et al), 303
maternally administered—effect on bilirubin (Drew and Kitchen), 657
reactions, adverse, leading to hospitalization (McKenzie et al), 487
utilization in a newborn intensive care unit (Aranda et al), 315
Duodenal contents—sampling by a nylon line (Colon) (Letter), 513
intramural hematoma in anaphylactoid purpura (Cohen et al) (Letter), 856
oro-, tubes—gastric air insufflation as aid to placement of (Schaff-Blass et al) (BCLO), 954
Dwarfism, cerebral—metabolic responses to human growth hormone with (Castells et al) (BCLO), 958; Commentary (Frasier) (BCLO), 961
Dysautonomia, familial, treated with bethanecol (Hochberg) (Letter), 862; (Axelrod and Dancis) (Reply), 863
Dysentery, Shigella, with secondary *Klebsiella* sepsis (Neglia et al) (BCLO), 253
Dysgenesis, reticular (leukopenia) in siblings with severe combined immunodeficiency: Immunologic and histopathologic findings (Ownby et al), 382
Dysplasia, chondro-osseous, of adenosine deaminase deficiency with severe combined immunodeficiency (Cederbaum et al), 737
osteo-onycho-, syndrome, duplications of renal collecting system in (Cohen and Berant) (BCLO), 261

E

E. coli as a pathogen (Neter) (Editor's column), 166
"enteropathogenic" serotypes of—enterotoxigenicty and invasive capacity of (Echeverria et al), 8
"nonenteropathogenic" strain of—fulminant neonatal sepsis and necrotizing enterolitis associated with (Speer et al), 91
strains, interaction with human serum: Lack of relationship to K1 antigen (Björkstén et al), 892
Ear, middle, tumors—sequelae of therapeutic irradiation of: Delayed onset of hypopituitarism: (Richards et al), 553
ECG artifact, unusual: Electrical current leakage transmitted to infant via iv controller (Sahn and Vaucher), 301
ECHO 9 viral infection associated with acute unilateral oculomotor palsy (Hertenstein et al) (BCLO), 79
Education, parental—effect on mental development of noninstitutionalized children with Down syndrome (Golden and Pashayan) (BCLO), 603
Electrical current leakage transmitted to infant via iv controller: Unusual ECG artifact (Sahn and Vaucher), 301
injuries, high-tension, epidemiology of (McLoughlin et al), 62
Electrode, fetal scalp—scalp abscess secondary to (Feder et al), 808
Electroencephalogram in hypothyroidism (Shaprio and Martin) (Letter), 518
Electrolyte values of sweat obtained by local and whole body collection methods in cystic fibrosis patients (Cohen et al) (BCLO), 430
Embolism, cerebral, bacterial endocarditis due to *Hemophilus aphrophilus* with (Mesko et al) (Letter), 1031
syndrome, neonatal renal arterial (Durante et al), 978
Emphysema, unilateral pulmonary interstitial (Dickman) (Letter), 864; (Leonidas et al) (Reply), 864
Encephalographic examination following initial "febrile seizure," identification of epilepsy by (Boyce) (Letter), 337
Encephalopathy, acute toxic, or classic Reye syndrome (Swisher) (Letter), 339
Enterovirus infections (Lake et al), 787
Encephalitis, herpes virus type 2, in two neonates from same household (Allen et al) (BCLO), 949
Encephalopathy and acute liver disease (Swisher) (Letter), 515; (Gall et al) (Reply), 515
Endocarditis, bacterial, due to *Hemophilus aphrophilus* with cerebral embolism (Mesko et al) (Letter), 1031
Endotracheal tube, cuffed—treatment with: Tracheal perforation (Finer et al) (Letter), 510
displacement (Todres et al), 126
Enterocolitis, necrotizing, and fulminant neonatal sepsis associated with a "nonenteropathogenic" strain of *E. coli* (Speer et al), 91
—commentary (Nelson), 471
—comparison of fast- and slow-feeding rate schedules to development of (Book et al), 463
in term infants (Polin et al), 460
neonatal necrotizing, mild form of: Neonatal pneumatosis coli (Leonidas and Hall), 456
—a prospective controlled trial of oral kanamycin in prevention of (Eagan et al), 467
"Enteropathogenic" serotypes of *E. coli*, enterotoxigenicity and invasive capacity of (Echeverria et al), 8
Enteropathy, gluten-sensitive (treated celiac disease)—mucosal recovery in (McNicholl et al), 418
Enterotoxigenicity and invasive capacity of "enteropathogenic" serotypes of *E. coli* (Echeverria et al), 8
Environmental, unknown factor: Jaundice in infants of Greek parentage (Drew and Kitchen), 248
Enzyme activities, glycolytic, and hepatic ATP concentrations in Reye syndrome (Greene et al) (BCLO), 777
Eosinophilia, cerebrospinal fluid (Snead and Kalavsky) (BCLO), 83
skin lesions, angioedema, and hypocomplementemia (Geha and Akl), 724
Epidemic, prolonged nursery, associated with a newly recognized type of group A streptococcus (Nelson et al), 792
Epidemiology of high-tension electrical injuries (McLoughlin et al), 62
Epilepsy, identification of, by encephalographic examination following initial "febrile seizure" (Boyce) (Letter), 337
Epstein-Barr virus infection, primary, and thrombocytopenia during late infancy (Andiman) (BCLO), 435
(leukocyte transforming agent) (Visintine et al), 571
Erythromycin, concentrations of, in serum and tonsil: Comparison of estolate and ethyl succinate suspensions (Ginsburg et al), 1011

Erythromycin–Cont'd
review of its uses in pediatric practice (Ginsburg and Eichenwald), 872
Erythematosus, systemic lupus–clinical assessment of immune-complex disease with (Cassidy) (Editor's column), 523
Correlations between changes in disease activity and serum complement levels (Singsen et al), 358
–nephritis in (Garin et al), 366
Erythroblastosis fetalis, prenatal screening for (Austin et al) (Letter), 519
Esophageal reflux–unrecognized cause of recurrent obstructive bronchitis (Danus et al), 220
Estolate and ethyl succinate suspensions, comparison of: Concentrations of erythromycin in serum and tonsil (Ginsburg et al), 1011
Estradiol, circulation bound and free, and estrone during normal growth and development and in premature thelarche and isosexual precocity (Radfar et al), 719
Estrone and circulating bound and free estradiol during normal growth and development and in premature thelarche and isosexual precocity (Radfar et al), 719
Ethyl succinate and estolate suspensions, comparison of: Concentrations of erythromycin in serum and tonsil (Ginsburg et al), 1011
Exchange transfusion, maternal partial–effect on infants of patients with sickle cell anemia (Morrison and Wiser), 286
role of, in management of LBW infants with and without severe respiratory distress syndrome. I. Initial observations (Delivoria-Papadopoulos et al), 273; II. Further observations and studies of mechanisms of action (Gottuso et al), 279
use of Scribner shunt in (Strauss et al) (Letter), 160
Excretion of water, abnormal, and absence of thirst, proposed mechanism with: Recurrent hypernatremia (Conley et al), 898
Exocrine pancreatic insufficiency with congenital anomalies (Schussheim et al) (BCLO), 782
Extubation, tracheal, optimum levels of CPAP for (Berman et al), 109
Eye shield–apnea resulting from obstruction of nares by (Kang and Mazzi) (Letter), 652
tumors, sequelae of therapeutic irradiation of: Delayed onset of hypopituitarism (Richards et al), 553

F

Face-limb malformation syndromes, "community" of (Kaplan et al), 241
Factor, blocking, or host inhibitory factor in subacute sclerosing panencephalitis (Swick) (Letter), 518; (Steele) (Reply), 519
nerve-growth, and neuroblastoma (DiNicola) (Letter), 517
VII and IX concentrates–comparison of anti-A and anti-B titers in (Seeler et al) (BCLO), 87
Familial defect in cellular chemotaxis associated with redheadedness and recurrent infection (Witemeyer and Van Epps), 33
dysautonomia treated with bethanecol (Hochberg) (Letter), 862; (Axelrod and Dancis) (Reply), 863
Familial–Cont'd
localized pantrophy: Iatrogenic phenocopy secondary to injection of corticosteroid (Krueger and Bray) (Letter), 682
Farber disease (lipogranulomatosis), diagnosis of, by use of cultured fibroblasts (Dulaney et al), 59
Febrile seizure, initial–identification of epilepsy by encephalographic examination following initial (Boyce) (Letter), 337
treatment of (Livingston and Pauli) (Letter), 164; (Sakai) (Reply), 165
Feeding, infant–iron in formulas for (Shrem and Berant) (Letter), 685; (Pearson) (Reply), 686
rate schedules, comparison of fast- and slow-, to development of necrotizing enterocolitis (Book et al), 463
Fetal circulation, persistence of (Behrman), 636
growth in white infants related to socioeconomic factors (Miller et al), 638
hydantoin syndrome associated with glaucoma (Tunnessen and Lowenstein) (Letter), 154
emphasis on–risks to offspring of women treated with hydantoin anticonvulsants (Hanson et al), 662
life through infancy, illustration of genetic factors in growth from: Shifting linear growth during infancy (Smith et al), 225
scalp electrode–scalp abscess secondary to (Feder et al), 808
Fetomaternal hemorrhage, massive, due to choriocarcinoma of uterus (Blackburn) (Letter), 680
Fetoprotein, alpha, in antenatal diagnosis of congenital nephrotic syndrome (Wiggelinkhuizen et al), 452
FG syndrome (Opitz) (Letter), 687; (Cohen) (Letter), 687; (Keller et al) (Reply), 687
Fibroblasts, cultured–diagnosis of lipogranulomatosis (Farber disease) by use of (Dulaney et al), 59
Fibrosis, cystic, course in black patients (Stern et al), 412
95 patients (Stern et al), 406
patients–electrolyte values of sweat obtained by local and whole body collection methods in (Cohen et al) (BCLO), 430
–*Pseudomonas* carrier rates of CF patients and members of their families (Laraya-Cuasay et al), 23
Fibrous remnants, biliary, histologic study of–in extrahepatic biliary atresia: Correlation with postoperative bile flow restoration (Gautier et al), 704
Film badge, Beckman, use of, for monitoring during phototherapy (Hegyi et al), 473; Commentary (Anderson), 474
5-Fluorocytosine and amphotericin B in combination, successful treatment of *Candida* meningitis with (Chesney et al), 1017
Fluid, cerebrospinal, eosinophilia (Snead and Kalavsky) (BCLO), 83
infusion, large volume intravenous–effects on neonatal renal function (Leake et al), 968
Formulas for infant feeding, iron in (Shrem and Berant) (Letter), 685; (Pearson) (Reply), 686
Fucosidosis, genetic variants in (Durand et al) (Letter), 688; (Beratis et al) (Reply), 690
Funerals and children–how do they mix? (Schowalter), 139; Commentary (Furman), 143
Furosemide in acute glomerulonephritis, diuretic effect of (Pruitt and Boles), 306

G

G-6-PD deficiency, kernicterus with (Carpentieri et al) (Letter), 854
Ganglioneuroblastoma, intractable watery diarrhea, and vasoactive intestinal peptide (Mitchell et al) (BCLO), 593
Gangrene following intraumbilical injection of hypertonic glucose (Arad and Benady) (Letter), 327
Gastric air insufflation as aid to placement of oroduodenal tubes (Schaff-Blass et al) (BCLO), 954
Genetic and socioeconomic factors in a prospective study: Growth, behavioral, and psychologic measurements of adopted children (Fisch et al), 494
  factors in growth: Shifting linear growth during infancy (Smith et al), 225
  variants in fucosidosis (Durand et al) (Letter), 688; (Beratis et al) (Reply), 690
Genital infection, herpetic, and sexual abuse (Jaffe) (Letter), 338; (Gershon et al) (Reply), 338
Genotype, sickle cell SS, and paralyses (Guillozet) (BCLO), 605; Comment (Nelson) (BCLO), 607
Gentamicin and albumin-bilirubin binding (Woods et al), 483
Gestational age, varying—growth graphs for clinical assessment of infants of (Babson and Benda), 814
Gland, pituitary, absence of, vs congenital hypopituitarism (Mace et al) (Letter), 515; (Lovinger et al) (Reply), 516
Glaucoma associated with fetal hydantoin syndrome (Tunnessen and Lowenstein) (Letter), 154
Glomerulonephritis, acute—diuretic effect of furosemide in (Pruitt and Boles), 306
    poststreptococcal—defective phagocyte adherence in (Ruley et al), 748
Glucose, hypertonic—gangrene following intraumbilical injection of (Arad and Benady) (Letter), 327
  intolerance, maternal, and neonatal blood glucose, relationships between (Haworth and Dilling), 810
  -6-phosphate dehydrogenase deficiency, evaluation of hemolytic role of aspirin in (Glader), 1027
Glutathione peroxidase activity, normal leukocyte, with chronic granulomatous disease (DeChatelet et al) (BCLO), 598
Gluten-sensitive enteropathy (treated celiac disease)—mucosal recovery in (McNicholl et al), 418
Glycolytic enzyme activities and hepatic ATP concentrations in Reye syndrome (Greene et al) (BCLO), 777
Gonadotropin responses to luteinizing releasing factor treated with cyclophosphamide for nephrotic syndrome (Kirkland et al), 941
Granulomatous disease, chronic—identification of carrier mother (Miyazaki et al) (BCLO), 784
    with normal leukocyte glutathione peroxidase activity (DeChatelet et al) (BCLO), 598
Growing premature infants, renal solute load and diet in (Ziegler and Ryu), 609
Growth and development, normal—circulating bound and free estradiol and estrone during, and in premature thelarche and isosexual precocity (Radfar et al), 719
  behavioral, and psychologic measurements of adopted children: Influences of genetic and socioeconomic factors in a prospective study (Fisch et al), 494
  fetal, in white infants related to socioeconomic factors (Miller et al), 638
Growth—Cont'd
  graphs for clinical assessment of infants of varying gestational age (Babson and Benda), 814
  hormone and sex steroids, relative importance for growth at puberty of trunk length, and muscle width in growth hormone–deficient children (Tanner et al), 1000
    testosterone, interrelation of therapeutic effects on growth in hypopituitarism (Aynsley-Green et al), 992
    Commentary (Bongiovanni), 1009
  human, with cerebral dwarfism, metabolic responses to (Castells et al) (BCLO), 985; Commentary (Frasier) (BCLO), 961
  thyrotropin, and prolactin levels, serum, in neonate (Sack et al), 298
  , nerve-, factor and neuroblastoma (DiNicola) (Letter), 517
  shifting linear, during infancy: Illustration of genetic factors in growth (Smith et al), 225
Guidance in management of individual child, transmission of medical information to school personnel for (McCormick and Levine) (Letter), 333

H

H. influenzae buccal cellulitis and otitis media (Strauss) (Letter), 860; (Nelson) (Reply), 861
    resistance to ampicillin (Schwartz) (Letter), 1041; (Shurin) (Reply), 1041
Hamartomas, midline, masquerading as meningomyeloceles or teratomas (Tibbs et al), 928
HB$_s$AG-positive hepatitis, pleural effusion in (Cocchi and Silenzi) (Letter), 329
Head, neck, and upper thorax, radiation to, and thyroid neoplasia (McConahey and Hayles) (Editor's column), 169
Hemangiomas and multiple lipomas with macrocephaly (Zonana et al) (BCLO), 600
Hematologic malignancies, occult—hyperuricemia and renal failure as presenting manifestations of (Yolken and Miller) (BCLO), 775
Hematoma, duodenal intramural, in anaphylactoid purpura (Cohen et al) (Letter), 856
  umbilical cord, associated with myocardial infarction (Fletcher et al), 806
Hematuria, asymptomatic, and proteinuria: Causes and appropriate diagnostic studies (West), 173
Hemihypertrophy, macrodactyly, and connective tissue nevi: Report of new syndrome and review of literature (Temtamy and Rogers), 924
Hemodialysis, renal insufficiency, and transplantation—parathyroid function in uremic children during periods of (Gruskin et al), 755
Hemodynamic effects of intrauterine hypoxia: Experimental model in newborn lambs (Gersony et al), 631
Hemolysis, intravascular: Unusual complication of hydrocarbon ingestion (Adler et al) (Letter), 679
Hemolytic anemia, autoimmune, and Hodgkin disease (May and Bryan) (BCLO), 428
    as presenting manifestation of Hodgkin disease (Chu et al) (BCLO), 429
  disease of newborn infant due to anti-U (Austin et al) (Letter), 330

Hemolytic—Cont'd
non-, group B streptococcal infections (Roe et al) (BCLO), 75
role of aspirin in glucose-6-phosphate dehydrogenase deficiency, evaluation of (Glader), 1027
streptococci, group C—pharyngitis due to (Benjamin and Perriello) (BCLO), 254
Hemophilus aphrophilus with cerebral embolism, bacterial endocarditis due to (Mesko et al) (Letter), 1031
Hemophilus influenzae, ampicillin-resistant, in otitis media—incidence of (Syriopoulou et al), 839
Hemorrhage after suprapubic bladder aspiration (Rockoff) (Letter), 327
intracranial, in kittens: Hypernatremia versus hypoxia (Turbeville et al), 294
massive fetomaternal, due to choriocarcinoma of uterus (Blackburn) (Letter), 680
intracerebellar, in LBW infants (Martin et al), 290
Hemorrhagic cystitis, acute, and papovavirus-like particles (Hashida et al) (BCLO), 85
Heparin with indwelling umbilical catheters—to use or not to use (Mahoney) (Letter), 339; (Hall et al) (Reply), 340
Hepatic ATP concentrations and glycolytic enzyme activities in Reye syndrome (Greene et al) (BCLO), 777
dysfunction associated with neonatal hypopituitarism (Mosier) (Letter), 336; (Herman) (Reply), 336
extra-, biliary atresia—histologic study of biliary fibrous remnants: Correlation with postoperative bile flow restoration (Gautier et al), 704
manifestations—commentary (Bernstein) (Editor's column), 342
trace elements in sudden infant death syndrome (Lapin et al) (BCLO), 607
Hepatitis, HB_sAG-positive, pleural effusion in (Cocchi and Silenzi) (Letter), 329
isoniazid, in adolescents (Litt et al), 133
viral—serum sickness-like illness and prodromal manifestations of (Shturman-Ellstein and Kohler) (Letter), 521
Hepatotoxicity, reversible oxacillin (Olans and Weiner), 835
Hereditary osteo-onycho-dysplasia syndrome, duplications of renal collecting system in (Cohen and Berant) (BCLO), 261
Herpes virus type 2 encephalitis in two neonates from same household (Allen et al) (BCLO), 949
Herpetic genital infection and sexual abuse (Jaffe) (Letter), 338; (Gershon et al) (Reply), 338
Heterozygotes, two obligatory, for metachromatic leukodystrophy—apparent biochemical homozygosity in (Lott et al) (BCLO), 438
Hill, Lee Forest—a tribute to: And the walls come tumbling down (Nelson), 1
Histiocytosis, sinus, with massive lymphadenopathy—exaggerated antibody response following rubella vaccination (Sumaya et al) (BCLO), 81
X: Late manifestations in long-term survivor of Letterer-Siwe disease (Elaraby et al) (BCLO), 961
Histologic study of biliary fibrous remnants in extrahepatic biliary atresia: Correlation with postoperative bile flow restoration (Gautier et al), 704
Histopathologic and immunologic findings: Severe combined immunodeficiency with leukopenia (reticular dysgenesis) in siblings (Ownby et al), 382
Histopathologic—Cont'd
study of liver in early cholestatic phase of alpha-1-antitrypsin deficiency (Hadchouel and Gautier), 211
Hodgkin disease and autoimmune hemolytic anemia (May and Bryan) (BCLO), 428
—autoimmune hemolytic anemia as presenting manifestation of (Chu et al) (BCLO), 429
Homeostasis, carbohydrate, in chronic lymphocytic thyroiditis: Increased incidence of diabetes mellitus (Winter and Green), 401
Homozygosity, apparent biochemical, in two obligatory heterozygotes for metachromatic leukodystrophy (Lott et al) (BCLO), 438
Hormone, growth, and sex steroids, relative importance for growth at puberty of trunk length, limb length, and muscle width in growth hormone–deficient children (Tanner et al), 1000
testosterone, interrelation of therapeutic effects on growth in hypopituitarism (Aynsley-Green et al), 992
Commentary (Bongiovanni), 1009
thyrotropin, and prolactin levels, serum, in neonate (Sack et al), 298
human growth, with cerebral dwarfism, metabolic responses to (Castells et al) (BCLO), 958; Commentary (Frasier) (BCLO), 961
Host inhibitory factor or blocking factor in subacute sclerosing panencephalitis (Swick) (Letter), 518; (Steele) (Reply), 519
Hyaline membrane disease (RDS), blood volume with (Cassady) (Letter), 857; (Brown and Sweet) (Reply), 858
yellow pulmonary (Valdés-Dapena et al), 218; Commentary (Blanc), 131
Hydantoin anticonvulsants, risk to offspring of women treated with—with emphasis on fetal hydantoin syndrome (Hanson et al), 662
syndrome, fetal, associated with glaucoma (Tunnessen and Lowenstein) (Letter), 154
Hydrocarbon ingestion, unusal complication of: Intravascular hemolysis (Adler et al) (Letter), 679
Hydronephrosis, chronic, with distal renal tubular acidosis (Hutcheon et al), 372
Hydroxylase 17-α-, deficiency—studies in a phenotypic female (Kershnar et al), 395
Hyperbilirubinemia, neonatal—experimental toxicologic studies on a phenol detergent associated with (Daum et al) (Letter), 853
Hypercalcemia associated with osseous metastases, treatment of (Stapleton et al), 1029
Hyperchloremia, metabolic acidosis, and cholestyramine (Hartline) (Letter), 155
Hypereosinophilic syndrome in association with acute lymphoblastic leukemia (Nelken and Stockman) (BCLO), 771
Hyperglycinemia, nonketotic, failure of Leucovorin therapy in (Spielberg et al) (Letter), 681
Hyperimmunoglobulinemia E with allergic bronchopulmonary aspergillosis and bronchiectasis (Hart et al), 38
Hypernatremia, recurrent: Proposed mechanism with absence of thirst and abnormal excretion of water (Conley et al), 898
versus hypoxia: Intracranial hemorrhages in kittens (Turbeville et al), 294

Hyperphenylalaninemia due to dihydropteridine reductase deficiency (Milstien et al), 763
Hyperplasia, salt-losing congenital adrenal—importance of early recognition and treatment of (Koepp) (Letter), 338; (Silverman and Nyhan) (Reply), 339
Hypertension—complication of umbilical arterial catheterization (Plumer et al), 802
persistent pulmonary (Levin et al), 626
pulmonary, and myocardial dysfunction: Disturbances of transitional circulation (Riemenschneider et al), 622
Hypertrophic subaortic stenosis, transient, in infants of diabetic mothers (Gutgesell et al), 120
Hyperuricemia and renal failure—presenting manifestations of occult hematologic malignancies (Yolken and Miller) (BCLO), 775
Hypocomplementemia, skin lesions, angioedema, and eosinophilia (Geha and Akl), 724
Hypomagnesemia in infants of diabetic mothers: Perinatal studies (Tsang et al), 115
Hyponatremia in crisis of sickle cell disease, pathogenesis and management of (DeFronzo et al) (Letter), 1038; (Radel et al) (Reply), 1039
Hypopituitarism, congenital, vs absence of pituitary gland (Mace et al) (Letter), 515; (Lovinger et al) (Reply), 516
delayed onset of: Sequelae of therapeutic irradiation of central nervous system, eye, and middle ear tumors (Richards et al), 553
interrelation of therapeutic effects of growth hormone and testosterone on growth in (Aynsley-Green et al), 992
neonatal, associated with hepatic dysfunction (Mosier) (Letter), 336; (Herman) (Reply), 336
Hypothyroidism, congenital—neonatal thyroid function in (Klein et al), 545
recommendations for screening programs for (Fisher et al) (Editor's column), 692
—technetium 99m pertechnetate scans in (Bauman et al) (BCLO), 268
electroencephalogram in (Shapiro and Martin) (Letter), 518
neonatal—confirmatory screening test for: TSH measurements from blood spots on filter paper (Dussault et al), 550
—thyroid function in (Dussault et al), 541
Hypoxia, intrauterine—hemodynamic effects of: Experimental model in newborn lambs (Gersony et al), 631
neonatal, and pulmonary vasospasm: Response to tolazoline (Goetzman et al), 617
versus hypernatremia: Intracranial hemorrhages in kittens (Turbeville et al), 294

I

Idiopathic thrombocytopenic purpura in remission—platelet survival in (Özsoylu et al), 388
IgA, cord serum, in congenital cytomegalovirus infection (Mason et al) (BCLO), 945
deficiency, inflammatory myopathy, and intestinal malabsorption (Carroll et al), 216
Immune-complex disease, clinical assessment of, with systemic lupus erythematosus (Cassidy) (Editor's column), 523
deficiency states, congenital—antibodies to nucleic acids in (Gershwin et al), 377
Immune—Cont'd
non-, rosettes—"early," "late," and "total" (García Rodríguez et al) (Letter), 1037; (Galant) (Reply), 1038
Immunodeficiency, mild combined, in identical twins (Pabst et al) (BCLO), 425
severe combined—chondro-osseous dysplasia of adenosine deaminase deficiency with (Cederbaum et al), 737
—deficiency of adenosine deaminase not associated with (Jenkins et al), 732
with leukopenia (reticular dysgenesis) in siblings: Immunologic and histopathologic findings (Ownby et al), 382
Immunoelectrophoresis, countercurrent, of urine, CSF, and blood for diagnosis of bacterial meningitis (Feigin et al) (BCLO), 773
Immunologic and histopathologic findings: Severe combined immunodeficiency with leukopenia (reticular dysgenesis) in siblings (Ownby et al), 382
functions, neonatal—possible effect of maternal promethazine therapy on (Rubinstein et al), 136
Incubator, metabolic frame for use in (Murdock and Goddard), 644
Infarction, myocardial, associated with umbilical cord hematoma (Fletcher et al), 806
Infection(s), congenital cytomegalovirus—cord serum IgA in (Mason et al) (BCLO), 945
ECHO 9 viral, associated with acute unilateral oculomotor palsy (Hertenstein et al) (BCLO), 79
enterovirus (Lake et al), 787
group B streptococcal: Editorial comment (McCracken and Feldman), 203
recurrence of (Broughton et al), 183; (Truog et al), 185
herpetic genital, and sexual abuse (Jaffe) (Letter), 338; (Gershon et al) (Reply), 338
nonhemolytic group B streptococcal (Roe et al) (BCLO), 75
of urinary tract after anti-reflux surgery (Willscher et al), 743; Comment (Nelson), 747
perinatally acquired cytomegaloviral associated with protracted pneumonitis (Whitley et al), 16
primary Epstein-Barr virus, and thrombocytopenia during late infancy (Andiman) (BCLO), 435
recurrent, and redheadedness associated with familial defect in cellular chemotaxis (Witemeyer and Van Epps), 33
respiratory syncytial virus: Quantitation and duration of shedding (Hall et al), 11
Yersinia enterocolitica (Kohl et al) (BCLO), 77
associated with infection in household dogs (Wilson et al) (BCLO), 767
Inflammatory myopathy, IgA deficiency, and intestinal malabsorption (Carroll et al), 216
Infusion, continuous low-dose, of insulin in treatment of diabetic ketoacidosis (Martin and Martin), 560
large volume intravenous fluid—effects on neonatal renal function (Leake et al), 968
Inhibitory, host, or blocking factor in subacute sclerosing panencephalitis (Swick) (Letter), 518; (Steele) (Reply), 519
Injuries, high-tension electrical—epidemiology of (McLoughlin et al), 62
Insufficiency, exocrine pancreatic, and congenital anomalies (Schussheim et al) (BCLO), 782

Insufflation, gastric air, as aid to placement of oroduodenal tubes (Schaff-Blass et al) (BCLO), 954
Insulin and proinsulin in normal and chemical diabetic children (Burghen et al), 48
continuous low-dose infusion, in treatment of diabetic ketoacidosis (Martin and Martin), 560
/cortisol, effect in lecithin synthesis (Anagnostakis and Dacou-Voutetakis) (Letter), 687
Interstitial emphysema, unilateral pulmonary (Dickman) (Letter), 864; (Leonidas et al) (Reply), 864
Intestinal malabsorption, IGA deficiency, and inflammatory myopathy (Carroll et al), 216
peptide, vasoactive, intractable watery diarrhea, and ganglioneuroblastoma (Mitchell et al) (BCLO), 593
Intoxication, water: Complication of nebulization with nasal CPAP (Rosenfeld et al), 113
Intrathecal antibiotic therapy, controlled study of, in gram-negative enteric meningitis (McCracken and Mize), 66
Intravenous fluid infusion, large volume—effects on neonatal renal function (Leake et al), 968
isoproterenol for severe asthma (DiLiberti) (Letter), 865
Intubation, prolonged orotracheal, in infancy—cleft palate associated with (Duke et al), 990
Iron deficiency and thalassemia trait, implication in screening for: Developmental change in red blood cell volume (Koerper et al), 580
in formulas for infant feeding (Shrem and Berant) (Letter), 685; (Pearson) (Reply), 686
Irradiation, therapeutic, of central nervous system, eye, and middle ear tumors: Delayed onset of hypopituitarism (Richards et al), 553
Isolation, prolonged—intellectual and social development following (Drotar et al), 675
Isolettes, noise levels in (Shaw) (Letter), 162; (Vidyasagar et al) (Reply), 162
Isoniazid and BCG, simultaneous administration of, to infant of tuberculous mother (Podgore) (Letter), 679
hepatitis in adolescents (Litt et al), 133
Isoproterenol, intravenous, for severe asthma (DiLiberti) (Letter), 865
Isosexual precocity and premature thelarche—circulating bound and free estradiol and estrone during normal growth and development and in (Radfar et al), 719

J

Jaundice in infants of Greek parentage: Unknown factor may be environmental (Drew and Kitchen), 248

K

Kanamycin dosage in newborn infants (McCracken and Threlkeld), 313
oral, in prevention of neonatal necrotizing enterocolitis—prospective controlled trial of (Eagan et al), 467
Kernicterus with G-6-PD deficiency (Carpentieri et al) (Letter), 854
Ketoacidosis, diabetic—continuous low-dose infusion of insulin in treatment of (Martin and Martin), 560
Kinetics, antibiotic-killing, of group B streptococci (Schauf et al), 194
K1 antigen, lack of relationship to: Interaction of *E. coli* strains with human serum (Björkstén et al), 892
Klebsiella sepsis, secondary, with Shigella dysentery (Neglia et al) (BCLO), 253

L

Labors with early and late rupture of membranes, blood acid-base balance of birth in neonates (Martell et al), 963
LBW infants with and without severe respiratory distress syndrome, role of exchange transfusion in management of. I. Initial observations (Delivoria-Papadopoulos et al), 273; II. Further observations and studies of mechanisms of action (Gottuso et al), 279
massive intracerebellar hemorrhage in (Martin et al), 290
Lead absorption, increased, with anemia and slowed nerve conduction near a lead smelter (Landrigan et al), 904
in teeth as a determinant of long-term exposure to lead (Charney) (Letter), 1040; (de la Burdé) (Reply), 1040
Lecithin/sphingomyelin, tracheal aspirate, ratios as predictors of recovery from RDS (Kanto et al), 612
synthesis, effect of cortisol/insulin in (Anagnostakis and Dacou-Voutetakis) (Letter), 687
Leiomyosarcoma developing during remission of leukemia (Shen and Yunis) (BCLO), 780
Length, trunk and limb, and muscle width in growth hormone–deficient children, relative importance of growth hormone and sex steroids for growth at puberty (Tanner et al), 1000
Lesions, skin, angioedema, eosinophilia, and hypocomplementemia (Geha and Akl), 724
Letterer-Siwe disease, late manifestations in long-term survivor of: Histiocytosis X (Elaraby et al) (BCLO), 961
Leucovorin therapy, failure of, in nonketotic hyperglycinemia (Spielberg et al) (Letter), 681
Leukemia, acute lymphoblastic, in association with hypereosinophilic syndrome (Nelken and Stockman) (BCLO), 771
lymphocytic, and increased B cell markers, poor prognosis of (Wolff et al) (BCLO), 956
—neuroblastoma simulating (Raney et al) (BCLO), 433
remission of—leiomyosarcoma developing during (Shen and Yunis) (BCLO), 780
Leukocyte glutathione peroxidase activity, normal, with chronic granulomatous disease (DeChatelet et al) (BCLO), 598
transforming agent (Epstein-Barr virus) in newborn infants and older individuals (Visintine et al), 571
Leukodystrophy, metachromatic—apparent biochemical homozygosity in two obligatory heterozygotes for (Lott et al) (BCLO), 438
Leukopenia (reticular dysgenesis) in siblings with severe combined immunodeficiency: Immunologic and histopathologic findings (Ownby et al), 382
Limb-face malformation syndromes, "community" of (Kaplan et al), 241

Limb—Cont'd
length, trunk length, and muscle width in growth hormone–deficient children—relative importance of growth hormone and sex steroids for growth at puberty (Tanner et al); 1000
Lipogranulomatosis (Farber disease), diagnosis of, by use of cultured fibroblasts (Dulaney et al), 59
Lipomas, multiple, and hemangiomas with macrocephaly (Zonana et al) (BCLO), 600
Liver disease, acute, and encephalopathy (Swisher) (Letter), 515; (Gall et al) (Reply), 515
function: Commentary (Bernstein) (Editor's column), 341
histopathologic study of, in early cholestatic phase of alpha-1-antitrypsin deficiency (Hadchouel and Gautier), 211
"Locked-in" syndrome (Golden et al) (BCLO), 596
Lung, yellow, in premature infants: Commentary (Blanc), 131
Lupus erythematosus, systemic—clinical assessment of immune-complex disease with (Cassidy) (Editor's column), 523
correlations between changes in disease activity and serum complement levels (Singsen et al), 358
nephritis in (Garin et al), 366
Luteinizing releasing factor treated with cyclophosphamide for nephrotic syndrome, gonadotropin responses to (Kirkland et al), 941
Lymph node syndrome, mucocutaneous, associated with thrombocytosis (Kovacevic and Gardner) (Letter), 688
Lymphadenopathy, massive, with sinus histiocytosis—exaggerated antibody response following rubella vaccination (Sumaya et al) (BCLO), 81
Lymphoblastic leukemia, acute, in association with hypereosinophilic syndrome (Nelken and Stockman) (BCLO), 771
Lymphocytic leukemia, acute, and increased B cell markers, poor prognosis of (Wolff et al) (BCLO), 956
thyroiditis, chronic—carbohydrate homeostasis in: Increased incidence of diabetes mellitus (Winter and Green), 401

M

Macrocephaly with multiple lipomas and hemangiomas (Zonana et al) (BCLO), 600
Macrodactyly, hemihypertrophy, and connective tissue nevi: Report of new syndrome and review of literature (Temtamy and Rogers), 924
Macrophage-monocyte system, another potential function of (Stern) (Letter), 1044
Malabsorption, intestinal, IgA deficiency, and inflammatory myopathy (Carroll et al), 216
Malformation syndromes, face-limb—"community" of (Kaplan et al), 241
Malignancies, occult hematologic—hyperuricemia and renal failure as presenting manifestations of (Yolken and Miller) (BCLO), 775
Marrow (bone), successful retransplantation of, following failure of initial engraftment with aplastic anemia (Meuwissen et al), 588
Maturation, delayed skeletal, with sickle cell anemia (Harris et al) (Letter), 855
McCune-Albright syndrome associated with functioning pituitary chromophobe adenoma (Joishy and Morrow) (BCLO), 73
pituitary adenoma in: Follow-up information (Lightner et al) (Letter), 159
Measles with defective neutrophil motility (Anderson et al), 27
Measurements (growth, behavioral, and psychologic) of adopted children: Influences of genetic and socioeconomic factors in a prospective study (Fisch et al), 494
TSH, from blood spots on filter paper: A confirmatory screening test for neonatal hypothyroidism (Dussault et al), 550
Membrane(s) disease, hyaline (RDS)—blood volume with (Cassady) (Letter), 857; (Brown and Sweet) (Reply), 858
early and late rupture of—blood acid-base balance at birth from labors with (Martell et al), 963
yellow pulmonary hyaline (Valdés-Dapena et al), 128; Commentary (Blanc), 131
Meningitis, bacterial—countercurrent immunoelectrophoresis of urine, CSF, and blood for diagnosis of (Feigin et al) (BCLO), 773
Candida, successful treatment with amphotericin B and 5-fluorocytosine in combination (Chesney et al), 1017
due to *Bacteroides fragilis* (Dysart et al) (Letter), 509
gram-negative enteric—controlled study of intrathecal antibiotic therapy in (McCracken and Mize), 66
group B streptococcal—relapse during penicillin treatment of (Dorand and Adams), 188
III streptococcal—recurrence of (Walker et al), 187
meningococcal, repeated episodes of, with absence of sixth component of complement (Lim et al), 42
Meningococcal meningitis, repeated episodes of, with absence of sixth component of complemen: (Lim et al), 42
Meningomyeloceles or teratomas—midline hamartomas masquerading as (Tibbs et al), 928
Mental development, effect of parental education on noninstitutionalized children with Down syndrome (Golden and Pashayan) (BCLO), 603
retardation not Apert syndrome (Galli) (Letter), 691
Metachromatic leukodystrophy—apparent biochemical homozygosity in two obligatory heterozygotes for (Lott et al), (BCLO), 438
Metabolic acidosis, hyperchloremia, and cholestyramine (Hartline) (Letter), 155
and respiratory alkalosis in Reye syndrome (Chesney et al) (Letter), 328
effect of theophylline in premature infants (Aranda and Dupont) (Letter), 833
frame for use in incubator (Murdock and Goddard), 644
responses to human growth hormone with cerebral dwarfism (Castells et al) (BCLO), 958; Commentary (Frasier) (BCLO), 961
Metabolism, neutrophil oxidative, in sickle cell disease (Strauss et al), 391
Metastases, osseous—treatment of hypercalcemia associated with (Stapleton et al), 1029
Metchnikoff revisited (Miller) (Editor's column), 169
Miosis in comatose children, drug ingestions associated with (Mitchell et al), 303
Monocyte-macrophage system, another potential function of (Stern) (Letter), 1044

Monocyte(s)–Cont'd
of newborn infants, bactericidal capacity of (Orlowski et al), 797
Mortality rate, neonatal, vs quality of care (Lee et al), (Letter), 161
Motility, defective neutrophil, with measles (Anderson et al), 27
Mucocutaneous lymph node syndrome associated with thrombocytosis (Kovacevic and Gardner) (Letter), 688
Mucosal recovery in treated celiac disease (gluten-sensitive enteropathy) (McNicholl et al), 418
Murmurs heard at a distance from the patient: Report of an unusual case (Moss) (Letter), 852
Muscle width, limb length, and trunk length in growth hormone–deficient children–relative importance of growth hormone and sex steroids for growth at puberty (Tanner et al), 1000
Myocardial dysfunction and pulmonary hypertension: Disturbances of transitional circulation (Riemenschneider et al), 622
infarction associated with umbilical cord hematoma (Fletcher et al), 806
inflammatory, IgA deficiency, and intestinal malabsorption (Carroll et al), 216

N

Narcotic withdrawal syndrome–paregoric in management of (Kahn) (Letter), 520; (Kron) (Reply), 520
prenatal addiction to–behavioral concomitants of (Strauss et al), 842
Nares, obstruction of, by eye shield–apnea resulting from (Kang and Mazzi) (Letter), 652
Nasal CPAP, complication of nebulization with: Water intoxication (Rosenfeld et al), 113
Nebulization with nasal CPAP, complication of: Water intoxication (Rosenfeld et al), 113
Neck, head, and upper thorax, radiation to, and thyroid neoplasia (McConahey and Hayles) (Editor's column), 169
mass and respiratory distress (Hardwick et al), 501
Necrotizing enterocolitis and fulminant neonatal sepsis associated with a "nonenteropathogenic" strain of *E. coli* (Speer et al), 91
–commentary (Nelson), 471
–comparison of fast- and slow-feeding rate schedules to development of (Book et al), 463
in term infants (Polin et al), 460
neonatal–a prospective controlled trial of oral kanamycin in prevention of (Eagan et al), 467
mild form of: Neonatal pneumatosis coli (Leonidas and Hall), 456
Neoplasia, thyroid, and radiation to head, neck, and upper thorax (McConahey and Hayles) (Editor's column), 169
Nephritis in systemic lupus erythematosus (Garin et al), 366
Nephrosis, hydro-, distal renal tubular acidosis with chronic (Hutcheon et al), 372
Nephrotic syndrome, congenital–alpha fetoprotein in antenatal diagnosis of (Wiggelinkhuizen et al), 452
Nephrotic syndrome–Cont'd
gonadotropin responses to leuteinizing releasing factor treated with cyclophosphamide for (Kirkland et al), 941
unresponsive to corticosteroid therapy, nitrogen mustard therapy in (Fine et al), 1014
Nerve conduction, slowed, and anemia–increased lead absorption with (Landrigan et al), 904
deafness (sensory), juvenile diabetes mellitus, optic atrophy, and diabetes insipidus–a syndrome (Gunn et al), 565
-growth factor and neuroblastoma (DiNicola) (Letter), 517
palsy, bilateral phrenic, in newborns (Yasuda et al), 986
Nervous system (central), tumors–sequelae of therapeutic irradiation of: Delayed onset of hypopituitarism (Richards et al), 553
Neuroblastoma and nerve-growth factor (DiNicola) (Letter), 517
simulating acute leukemia (Raney et al) (BCLO), 433
thrombocytosis in (Rao et al) (Letter), 682
Neutropenia, oxacillin-induced (Leventhal and Silken) (BCLO), 769
Neutrophil motility, defective, with measles (Anderson et al), 27
oxidative metabolism in sickle cell disease (Strauss et al), 391
Nevi, connective tissue, macrodactyly, and hemihypertrophy: Report of new syndrome and review of literature (Temtamy and Rogers), 924
New books received, 147, 506, 849
NICU, drug utilization in (Aranda et al), 315
observation on unrestricted parental contact with infants in (Harper et al), 441
Nitrogen mustard therapy with nephrotic syndrome unresponsive to corticosteroid therapy (Fine et al), 1014
Nodules, thyroid, and their management (Fisher) (Editor's column), 866
Noise levels in Isolettes (Shaw) (Letter), 162; (Vidyasagar et al) (Reply), 162
Normoblastemia, neonatal, cause of: Complex α-thalassemia-like syndrome (McCormack et al), 446
Nuchal area, xeroradiographs of: Potential risk vs efficiency (L'Heureux and Payne) (Letter), 522; (Kirschner and Holinger) (Reply), 522
Nucleic acids in congenital immune deficiency states, antibodies to (Gershwin et al), 377
Null cell–when null? (Zeltzer) (Letter), 335; (Hsu) (Reply), 335
epidemic, prolonged, associated with a newly recognized type of group A streptococcus (Nelson et al), 792
Nursery outbreak involving multiple bacterial strains: Toxigenic bacterial diarrhea (Guerrant et al), 885

O

Ocular teratogens (Smithells) (Letter), 160; (Apt and Gaffney) (Reply), 160
Oculomotor palsy, acute unilateral, associated with ECHO 9 viral infection (Hertenstein et al), (BCLO), 79

Oncology clinic, mothers as volunteers in (Stuetzer et al), 847
Optic atrophy, juvenile diabetes mellitus, sensory nerve deafness, and diabetes insipidus—a syndrome (Gunn et al), 565
Oral calcium supplementation in premature and asphyxiated neonates (Brown et al), 973
Oroduodenal tubes, gastric air insufflation as aid to placement of (Schaff-Blass et al) (BCLO), 954
Orotracheal intubation, prolonged, in infancy—cleft palate associated with (Duke et al), 990
Osseous metastases, treatment of hypercalcemia associated with (Stapleton et al), 1029
Osteomyelitis in premature infant, roentgenographic identification of (Rothstein) (Letter), 336; (Lilien et al) (Reply), 337
Osteo-onycho-dysplasia syndrome, hereditary—duplications of renal collecting system in (Cohen and Berant) (BCLO), 261
Otitis media and *H. influenzae* buccal cellulitis (Strauss) (Letter), 860; (Nelson) (Reply), 861
incidence of ampicillin-resistant *Hemophilus influenzae* in (Syriopoulou et al), 839
Overdosage with vincristine (Kaufman et al), 671
Oxacillin hepatotoxicity, reversible (Olans and Weiner), 835
-induced neutropenia (Leventhal and Silken) (BCLO), 769
Oxidative metabolism, neutrophil, in sickle cell disease (Strauss et al), 391

P

Palatal groove, acquired, in neonates (Saunders et al), 988
Palate, cleft, associated with prolonged orotracheal intubation in infancy (Duke et al), 990
Palatine ridges, prominent lateral: Developmental and clinical relevance (Hanson et al), 54
Palsy, acute unilateral oculomotor, associated with ECHO 9 viral infection (Hertenstein et al) (BCLO), 79
bilateral phrenic nerve, in newborns (Yasuda et al), 986
Pancreatic insufficiency, exocrine, with congenital anomalies (Schussheim et al) (BCLO), 782
Panencephalitis, subacute sclerosing—early onset of (Bhettay et al) (BCLO), 271
—host inhibitory or blocking factor in (Swick) (Letter), 518; (Steele) (Reply), 519
—infantile onset of (Gorman and Snead) (Letter), 1043; (Nelson) (Reply), 1044
Pantrophy, familial localized: Iatrogenic phenocopy secondary to injection of corticosteroid (Krueger and Bray) (Letter), 682
Papovavirus-like particles and acute hemorrhagic cystitis (Hashida et al) (BCLO), 85
Paraben preservatives, effect of, on albumin binding of bilirubin (Rasmussen et al), 475
Parathyroid function in uremic children during periods of renal insufficiency, hemodialysis, and transplantation (Gruskin et al), 755
Paregoric in management of narcotic withdrawal syndrome (Kahn) (Letter), 520; (Kron) (Reply), 520
Parental contact, unrestricted, observations on, with infants in the neonatal intensive care unit (Harper et al), 441
Pathogen, *E. coli* as (Neter) (Editor's column), 166
Pathogenesis and management of hyponatremia in crisis of sickle cell disease (DeFronzo et al) (Letter), 1038; (Radel et al) (Reply), 1039
Pathologic, roentgenographic, and clinical features: Early onset group B streptococcal disease (Vollman et al), 199
Pediatrics, colonial (Radbill), 3
Penicillin, failure of, to eradicate the carrier state of group B streptococcus (Paredes et al), 191
treatment of group B streptococcal meningitis, relapse during (Dorand and Adams), 188
Peptide, vasoactive intestinal, intractable watery diarrhea, and ganglioneuroblastoma (Mitchell et al) (BCLO), 593
Perforation, tracheal: Treatment with cuffed endotracheal tube (Finer et al) (Letter), 510
Peroxidase activity, normal leukocyte glutathione, in chronic granulomatous disease (DeChatelet et al) (BCLO), 598
Phagocyte adherence, defective, in acute poststreptococcal glomerulonephritis (Ruley et al), 748
Pharmacokinetics, theophylline, in premature infants with apnea (Giaccia et al), 829
Pharyngitis due to group C hemolytic streptococci (Benjamin and Perriello (BCLO), 254
Phenocopy, iatrogenic, secondary to injection of corticosteroid: Familial localized pantrophy (Krueger and Bray) (Letter), 682
Phenol detergent, experimental toxicologic studies on, associated with neonatal hyperbilirubinemia (Daum et al) (Letter), 853
Phenothiazines, serious reactions to (Feldman) (Letter), 163
Phenytoin-induced choreoathetosis (Chalhub and DeVivo) (Letter), 153
Phenotypic female with 17-α-hydroxylase deficiency, studies in (Kershnar et al), 395
Pheochromocytoma—plasma renin activity and intrarenal blood flow distribution with (Hiner et al) (BCLO), 950
Phototherapy, use of Beckman film badge for monitoring during (Hegyi et al), 473; Commentary (Anderson), 474
Phrenic nerve palsy, bilateral, in newborns (Yasuda et al), 986
Pituitary adenoma in McCune-Albright syndrome: Follow-up information (Lightner et al) (Letter), 159
chromophobe adenoma, functioning, associated with McCune-Albright syndrome (Joishy and Morrow) (BCLO), 73
gland, absence of, vs congenital hypopituitarism (Mace et al) (Letter), 515; (Lovinger et al) (Reply), 516
Plasma renin activity and intrarenal blood flow distribution with pheochromocytoma (Hiner et al) (BCLO), 950
in healthy children (Stalker et al) (BCLO), 256
normal children (Hiner et al) (BCLO), 258
Platelet function, effects of four commonly used drugs on (Champion et al), 653
survival in idiopathic thrombocytopenic purpura in remission (Özsoylu et al), 388
Pleural effusion in HB_sAG-positive hepatitis (Cocchi and Silenzi) (Letter), 329
Pneumatosis coli, neonatal: Mild form of neonatal necrotizing enterocolitis (Leonidas and Hall), 456
Pneumonitis, protracted, associated with perinatally acquired cytomegaloviral infection (Whitley et al), 16
Poisoning, salt, more on (Børresen) (Letter), 684; (Saunders et al) (Reply), 684; (Finberg) (Reply), 685
Postural apnea due to large tonsils and adenoids (Moffat) (Letter), 510

Pregnancy, cardiac defects in children of mothers receiving anticonvulsant therapy during (Anderson), 318
Premature and asphyxiated neonates, oral calcium supplementation in (Brown et al), 973
infants with apnea, theophylline pharmacokinetics in (Giacoia et al), 829
yellow lung in: Commentary (Blanc), 131
neonate, metabolic effect of theophylline in (Aranda and Dupont) (Letter), 833
roentgenographic identification of osteomyelitis in (Rothstein) (Letter), 336; (Lilien et al) (Reply), 337
Proctosigmoidoscopy and rectal biopsy (Vanderhoof and Ament), 911
Proinsulin and insulin in normal and chemical diabetic children (Burghen et al), 48
Prolactin, thyrotropin, and growth hormone levels, serum, in neonate (Sack et al), 298
Promethazine therapy, maternal—possible effect on neonatal immunologic functions (Rubinstein et al), 136
Protein: bilirubin interaction, serum—effect of antibiotic formulations in (Loria et al), 479
excretion, urinary (Karlsson and Hellsing) (BCLO), 89
Proteinuria and asymptomatic hematuria: Causes and appropriate diagnostic studies (West), 173
Pseudoesotropia, predominant left (Beauregard) (Letter), 157
Pseudohypoparathyroidism, effective long-term treatment of, with oral 1α-hydroxy- and 1,25-dihydroxy-cholecalciferol (Werder et al) (BCLO), 266
Pseudomembranous colitis, forgotten cause of: *Shigella dysenteriae* I (Kelber and Ament) (BCLO), 595
Pseudomonas carrier rates of patients with cystic fibrosis and of members of their families (Laraya-Cuasay et al), 23
Psychologic, growth, and behavioral measurements of adopted children: Influences of genetic and socioeconomic factors in a prospective study (Fisch et al), 494
Puberty of trunk length, limb length, and muscle width in growth hormone–deficient children—relative importance of growth hormone and sex steroids for growth at (Tanner et al), 1000
Pubic, supra-, bladder aspiration—hemorrhage after (Rockoff) (Letter), 327
Pulmonary hyaline membranes, yellow (Valdés-Dapena et al), 128; commentary (Blanc), 131
hypertension and myocardial dysfunction: Disturbances of transitional circulation (Riemenschneider et al), 622
persistent (Levin et al), 626
interstitial emphysema, unilateral (Dickman) (Letter), 864; (Leonidas et al) (Reply), 864
vasospasm and neonatal hypoxia: Response to tolazoline (Goetzman et al), 617
Punctata, chondrodysplasia—23 cases of mild and relatively common variety (Sheffield et al), 916
Purpura, anaphylactoid—duodenal intramural hematoma in (Cohen et al) (Letter), 856
idiopathic thrombocytopenic, in remission—platelet survival in (Özsoylu et al), 388

R

Radiation to head, neck, and upper thorax and thyroid neoplasia (McConahey and Hayles) (Editor's column), 169
Radiopaque dyes, interference of, with 2,4-dinitrophenylhydrazine test (Broadwell and Beaudet) (Letter), 156
RDS (hyaline membrane disease), blood volume with (Cassady) (Letter), 857; (Brown and Sweet) (Reply), 858
Reactions, adverse drug, leading to hospitalization (McKenzie et al), 487
Recertification, commentary on (Waldman) (Letter), 1035; (Howard and Vaughan) (Reply), 1037
Rectal biopsy and proctosigmoidoscopy (Vanderhoof and Ament), 911
Reflex, diving, in termination of supraventricular tachycardia (Whitman and Zakeosian) (Letter), 1032
Reflux, anti-, surgery—infection of urinary tract after (Willscher et al), 743
esophageal—unrecognized cause of recurrent obstructive bronchitis (Danus et al), 220
Remission—platelet survival in idiopathic thrombocytopenic purpura in (Özsoylu et al), 388
Renal allografts with anticonvulsant and corticosteroid therapy (Loren) (Letter), 334; (Wassner and Fine) (Reply), 334
arterial embolism syndrome, neonatal (Durante et al), 978
biopsy, percutaneous—ultrasound localization for (Zeis et al) (BCLO), 263
collecting system, duplications of, in hereditary osteo-onychodysplasia syndrome (Cohen and Berant) (BCLO), 261
failure and hyperuricemia—presenting manifestations of occult hematologic malignancies (Yolken and Miller) (BCLO), 775
function, neonatal—effects of large volume intravenous fluid infusion on (Leake et al), 968
insufficiency, hemodialysis, and transplantation—parathyroid function in uremic children during periods of (Gruskin et al), 755
intra-, blood flow distribution and plasma renin activity with pheochromocytoma (Hiner et al) (BCLO), 950
solute load and diet in growing premature infants (Ziegler and Ryu), 609
tubular acidosis, distal, with chronic hydronephrosis (Hutcheon et al), 372
Renin activity, plasma, and intrarenal blood flow distribution in child with pheochromocytoma (Hiner et al) (BCLO), 950
in healthy children (Stalker et al) (BCLO), 256
normal children (Hiner et al) (BCLO), 258
Respiratory and metabolic alkalosis in Reye syndrome (Chesney et al) (Letter), 328
distress and neck mass (Hardwick et al), 501
syndrome—tracheal aspirate lecithin/sphingomyelin ratios as predictors of recovery from (Kanto et al), 612
role of exchange transfusion in management of LBW infants with and without. I. Initial observations (Delivoria-Papadopoulos et al), 273; II. Further observations and studies of mechanisms of action (Guttuso et al), 279
syncytial virus infections: Quantitation and duration of shedding (Hall et al), 11
Retardation, mental, does not equal Apert syndrome (Galli) (Letter), 691
Reye syndrome, classic, or "acute toxic encephalopathy" (Swisher) (Letter), 339

Reye syndrome—Cont'd
—hepatic ATP concentrations and glycolytic enzyme activities in (Greene et al) (BCLO), 777
more on the uncertainties concerning (Haller) (Letter), 1041; (Schubert) (Reply), 1042; (DeVivo et al) (Reply), 1043
severe mixed metabolic and respiratory alkalosis in (Chesney et al) (Letter), 328
Rickets, vitamin D–deficient and –dependent—high concentrations in: Urinary cyclic AMP (Sovik et al) (BCLO), 946
Roentgenographic, clinical, and pathologic features: Early onset group B streptococcal disease (Vollman et al), 199
identification of osteomyelitis in premature infant (Rothstein) (Letter), 336; (Lilien et al) (Reply), 337
Rosettes, nonimmune—"early," "late," and "total" (García Rodriguez et al) (Letter), 1037; (Galant) (Reply), 1038
Rubella syndrome, congenital, and thyroiditis (Nieburg and Gardner) (Letter), 156
vaccination with sinus histiocytosis with massive lymphadenopathy, exaggerated antibody response following (Sumaya et al) (BCLO), 81

S

Safety screening in pediatric population (Bass et al) (Letter), 863
Salt-losing congenital adrenal hyperplasia, importance of early recognition and treatment of (Koepp) (Letter), 338; (Silverman and Nyhan) (Reply), 339
poisoning, more on (Børresen) (Letter), 684; (Saunders et al) (Reply), 684; (Finberg) (Reply), 685
Scalp abscess secondary to fetal scalp electrode (Feder et al), 808
-vein needles as portal of entry—nursery outbreak caused by *Serratia marcescens* (Stamm et al), 96
Screening for iron deficiency and thalassemia trait, implication in: Developmental change in red blood cell volume (Koerper et al), 580
Tay-Sachs disease, use of demographic data in (Nimoityn et al) (Letter), 162; (Gardner) (Reply), 162
prenatal, for erythroblastosis fetalis (Austin et al) (Letter), 519
programs for congenital hypothyroidism, recommendations for (Fisher et al) (Editor's column), 692
safety, in pediatric population (Bass et al) (Letter), 863
test, confirmatory, for neonatal hypothyroidism: TSH measurements from blood spots on filter paper (Dussault et al), 550
Sclerosing panencephalitis, subacute, early onset of (Bhettay et al) (BCLO), 271
—host inhibitory or blocking factor in (Swick) (Letter), 518; (Steele) (Reply), 519
—infantile onset of (Gorman and Snead) (Letter), 1043; (Nelson) (Reply), 1044
Scribner shunt in exchange transfusions, use of (Strauss et al) (Letter), 160
Seizure disorders, management of: Selected aspects. Part I (Dodson et al), 527; Part II, 695
Seizure—Cont'd
febrile, treatment of (Livingston and Pauli) (Letter), 164; (Sakai) (Reply), 165
initial febrile—identification of epilepsy by encephalographic examination following (Boyce) (Letter), 337
Sepsis, fulminant neonatal, and necrotizing enterocolitis associated with a "nonenteropathogenic" strain of *E. coli* (Speer et al), 91
secondary *Klebsiella*, with Shigella dysentery (Neglia et al) (BCLO), 253
Septostomy, atrial balloon, and percutaneous catheterization (Sunderland et al), 584
Serotypes, "enteropathogenic," of *E. coli*, enterotoxigenicity and invasive capacity of (Echeverria et al), 8
Serratia marcescens, nursery outbreak caused by—scalp-vein needles as a portal of entry (Stamm et al), 96
Serum and tonsil, concentrations of erythromycin in: Comparison of estolate and ethyl succinate suspensions (Ginsburg et al), 1011
complement levels and disease activity, correlations between changes in: Systemic lupus erythematosus (Singsen et al), 358
human—interaction with *E. coli* strains: Lack of relationship to K1 antigen (Björkstén et al), 892
IgA, cord, in congenital cytomegalovirus infection (Mason et al) (BCLO), 945
protein:bilirubin interaction, effect of antibiotic formulations in (Loria et al), 479
sickness-like illness and prodromal manifestations of viral hepatitis (Shturman-Ellstein and Kohler) (Letter), 521
thyrotropin, prolactin, and growth hormone levels in neonate (Sack et al), 298
Sex steroids and growth hormone, relative importance for growth at puberty of trunk length, limb length, and muscle width in growth hormone–deficient children (Tanner et al), 1000
Sexual abuse and herpetic genital infection (Jaffe) (Letter), 338; (Gershon et al) (Reply), 338
Shedding, quantitation and duration of: Respiratory syncytical virus infections (Hall et al), 11
Shigella dysenteriae I: Forgotten cause of pseudomembranous colitis (Kelber and Ament) (BCLO), 595
dysentery with secondary *Klebsiella* sepsis (Neglia et al) (BCLO), 253
Shigellosis in ambulatory patients—comparison of trimethoprim-sulfamethoxazole and ampicillin therapy (Nelson et al), 491
Shunt, Scribner, in exchange transfusions, use of (Strauss et al) (Letter), 160
Siblings, camptomelic syndrome in (Shafai and Schwartz) (Letter), 512
severe combined immunodeficiency with leukopenia (reticular dysgenesis) in: Immunologic and histopathologic findings (Ownby et al), 382
Sickle cell anemia—effect of maternal partial exchange transfusion on infants of patients with (Morrison and Wiser), 286
in infancy, prospective study of (O'Brien et al), 205
with delayed skeletal maturation (Harris et al) (Letter), 855

Sickle cell–Cont'd
disease–neutrophil oxidative metabolism in (Strauss et al), 391
pathogenesis and management of hyponatremia in crisis of (DeFronzo et al) (Letter), 1038; (Radel et al) (Reply), 1039
SS genotype and paralyses (Guillozet) (BCLO), 605; Comment (Nelson) (BCLO), 607
SIDS, hepatic trace elements in (Lapin et al) (BCLO), 607
Sinus histiocytosis with massive lymphadenopathy–exaggerated antibody response following rubella vaccination (Sumaya et al) (BCLO), 81
Siwe-Letterer disease, late manifestations in long-term survivor of: Histiocytosis X (Elaraby et al) (BCLO), 961
Skeletal maturation, delayed, with sickle cell anemia (Harris et al) (Letter), 855
Skin lesions, angioedema, eosinophilia, and hypocomplementemia (Geha and Akl), 724
Sleep states and ventilation in newborn infants (Finer et al), 100
Socioeconomic and genetic factors in a prospective study: Growth, behavioral, and psychologic measurements of adopted children (Fisch et al), 494
factors in relation to fetal growth in white infants (Miller et al), 638
Sphingomyelin/lecithin, tracheal aspirate, ratios as predictors of recovery from RDS (Kanto et al), 612
SSPE, infantile onset of (Gorman and Snead) (Letter), 1043; (Nelson) (Reply), 1044
Stenosis, transient hypertrophic subaortic, in infants of diabetic mothers (Gutgesell et al), 120
Steroids, sex, and growth hormone, relative importance for growth at puberty of trunk length, limb length, and muscle width in growth hormone-deficient children (Tanner et al), 1000
Streptococcal disease group A,–another example of (Martin and Shapiro) (Letter), 862
B, early onset: Clinical, roentgenographic, and pathologic features (Vollman et al), 199
infection, group B, recurrence of (Broughton et al), 183; (Truog et al), 185
group B; Editorial comment (McCracken and Feldman), 203
nonhemolytic group B (Roe et al) (BCLO), 75
meningitis group B, relapse during penicillin treatment of (Dorand and Adams), 188
group B III, recurrence of (Walker et al), 187
post-, glomerulonephritis–defective phagocyte adherence in (Ruley et al), 748
Streptococci, group A β-hemolytic–bacitracin differentiation for presumptive identification of: Comparison of primary and purified plate testing (Murray et al), 576
B–antibiotic-killing kinetics of (Schauf et al), 194
C hemolytic–pharyngitis due to (Benjamin and Perriello) (BCLO), 254
Streptococcus, group A, newly recognized type of–prolonged nursery epidemic associated with (Nelson et al), 792
B–failure of penicillin to eradicate carrier state of (Paredes et al), 191
Studies, appropriate diagnostic, and causes: Asymptomatic hematuria and proteinuria (West), 173
Suctioning, tracheal foreign body acquired during (Schreiner et al) (Letter), 860
Sulfamethoxazole-trimethoprim and ampicillin therapy, comparison of, for shigellosis in ambulatory patients (Nelson et al), 491
Supplementation, oral calcium–in premature and asphyxiated neonates (Brown et al), 973
Surgery, anti-reflux–infection of urinary tract after (Willscher et al), 743; Comment (Nelson), 747
Survival, platelet, in idiopathic thrombocytopenic purpura in remission (Özsoylu et al), 388
Suspensions, estolate and ethyl succinate, comparison of: Concentrations of erythromycin in serum and tonsil (Ginsburg et al), 1011
Sweat, electrolyte values of, obtained by local and whole body collection methods in cystic fibrosis patients (Cohen et al) (BCLO), 430
Syndrome, adrenogenital–upper urinary tract anomalies with (McMillan et al) (BCLO), 953
α-thalassemia-like, complex: Cause of neonatal normoblastemia (McCormack et al), 446
Apert, does not equal mental retardation (Galli) (Letter), 691
camptomelic, in siblings (Shafai and Schwartz) (Letter), 512
classic Reye, or "acute toxic encephalopathy" (Swisher) (Letter), 339
congenital nephrotic–alpha fetoprotein in antenatal diagnosis of (Wiggelinkhuizen et al), 452
rubella, and thyroiditis (Nieburg and Gardner) (Letter), 156
Down–effect of parental education on mental development of noninstitutionalized children with (Golden and Pashayan) (BCLO), 603
face-limb malformation–"community" of (Kaplan et al), 241
fetal hydantoin, associated with glaucoma (Tunnessen and Lowenstein) (Letter), 154
emphasis on–risks to offspring of women treated with hydantoin anticonvulsants (Hanson et al), 662
FG (Opitz) (Letter), 687; (Cohen) (Letter), 687; (Keller et al) (Reply), 687
hereditary osteo-onycho-dysplasia–duplications of renal collecting system in (Cohen and Berant) (BCLO), 261
hypereosinophilic, in association with acute lymphoblastic leukemia (Nelken and Stockman) (BCLO), 771
–juvenile diabetes mellitus, optic atrophy, sensory nerve deafness, and diabetes insipidus (Gunn et al), 565
"locked-in" (Golden et al) (BCLO), 596
McCune-Albright, associated with functioning pituitary chromophobe adenoma (Joishy and Morrow) (BCLO), 73
pituitary adenoma in: Follow-up information (Lightner et al) (Letter), 159
mucocutaneous lymph node, associated with thrombocytosis (Kovacevic and Gardner) (Letter), 688
narcotic withdrawal–paregoric in management of (Kahn) (Letter), 520; (Kron) (Reply), 520
neonatal renal arterial embolism (Durante et al), 978
nephrotic–gonadotropin responses to leuteinizing releasing factor treated with cyclophosphamide for (Kirkland et al), 941
unresponsive to corticosteroid therapy, nitrogen mustard therapy in (Fine et al), 1014

Syndrome–Cont'd
new, report of, and review of literature: Macrodactyly, hemihypertrophy, and connective tissue nevi (Temtamy and Rogers), 924
respiratory distress–role of exchange transfusion in management of LBW infants with and without. I. Initial observations (Delivoria-Papadopoulos et al), 273; II. Further observations and studies of mechanisms of action (Gottuso et al), 279
–tracheal aspirate lecithin/sphingomyelin ratios as predictors of recovery from (Kanto et al), 612
Reye–hepatic ATP concentrations and glycolytic enzyme activities in (Greene et al) (BCLO), 777
–more on the uncertainties concerning (Haller) (Letter), 1041; (Schubert) (Reply), 1042; (DeVivo et al) (Reply), 1043
–severe mixed metabolic and respiratory alkalosis in (Chesney et al) (Letter), 328
sudden infant death, hepatic trace elements in (Lapin et al) (BCLO), 607
Syncytial virus infections, respiratory: Quantitation and duration of shedding (Hall et al), 11
System, monocyte-macrophage–another potential function of (Stern) (Letter), 1044
renal collecting, duplications of, in hereditary osteo-onychodysplasia syndrome (Cohen and Berant) (BCLO), 261
Systemic lupus erythematosus–clinical assessment of immune-complex disease with (Cassidy) (Editor's column), 523
Correlations between changes in disease activity and serum complement levels (Singsen et al), 358
nephritis in (Garin et al), 366
Syndrome, respiratory distress–role of exchange transfusion in management of LBW infants with and without. II. Further observations and studies of mechanisms of action (Gottuso et al), 279
Streptococcal infection, group B, recurrence of (Truog et al), 185
Seizure disorders, management of: Selected aspects. Part II. (Dodson et al), 695

T

Tachycardia, supraventricular–diving reflex in termination of (Whitman and Zakeosian) (Letter), 1032
Tay-Sachs disease, use of demographic data in screening for (Nimoityn et al) (Letter), 162; (Gardner) (Reply), 162
Technetium 99m pertechnetate scans in congenital hypothyroidism (Bauman et al) (BCLO), 268
Teeth, lead in, as a determinant of long-term exposure to lead (Charney) (Letter), 1040; (de la Burde) (Reply), 1040
Television for our children: Can we do better? (Frankel) (Letter), 1034
violence–a direct effect of *Hang 'em high* (Levin et al) (Letter), 1034
Teratogens, ocular (Smithells) (Letter), 160; (Apt and Gaffney) (Reply), 160
Teratomas or meningomyeloceles–midline hamartomas masquerading as (Tibbs et al), 928
Test, confirmatory screening, for neonatal hypothyroidism: TSH measurements from blood spots on filter paper (Dussault et al), 550
2,4-dinitrophenylhydrazine–interference of radiopaque dyes with (Broadwell and Beaudet) (Letter), 156
Testing, primary and purified plate–comparison of: Bacitracin differentiation for presumptive identification of group Aβ-hemolytic streptococci: Comparison of primary and purified plate testing (Murray et al), 576
Testosterone and growth hormone, interrelation of therapeutic effects on growth in hypopituitarism (Aynsley-Green et al), 992
Thalassemia trait and iron deficiency, implication in screening for: Developmental change in red blood cell volume (Koerper et al), 580
Thelarche, premature, and isosexual precocity–circulating bound and free estradiol and estrone during normal growth and development and in (Radfar et al), 719
Theophylline, metabolic effect of, in premature infants (Aranda and Dupont) (Letter), 833
pharmacokinetics in premature infants with apnea (Giacoia et al), 829
Thirst, absence of, and abnormal excretion of water, proposed mechanism with: Recurrent hypernatremia (Conley et al), 898
Thorax, upper, head, and neck, radiation to, and thyroid neoplasia (McConahey and Hayles) (Editor's column), 169
Thrombocytopenia and primary Epstein-Barr virus infection during late infancy (Andiman) (BCLO), 435
Thrombocytopenic purpura, idiopathic, in remission–platelet survival in (Özsoylu et al), 388
Thrombocytosis associated with mucocutaneous lymph node syndrome (Kovacevic and Gardner) (Letter), 688
in neuroblastoma (Rao et al) (Letter), 682
Thyroid function in neonatal hypothyroidism (Dussault et al), 541
neonatal, in congenital hypothyroidism (Klein et al), 545
masses, functioning, in childhood and adolescence (Hopwood et al), 710
neoplasia and radiation to head, neck, and upper thorax of young (McConahey and Hayles) (Editor's column), 169
nodules and their management (Fisher) (Editor's column), 866
Thyroiditis and congenital rubella syndrome (Nieburg and Gardner) (Letter), 156
chronic lymphocytic–carbohydrate homeostasis in: Increased incidence of diabetes mellitus (Winter and Green), 401
Thyrotropin, prolactin, and growth hormone levels, serum, in neonate (Sack et al), 298
Tigan (Trimethobenzamide HCl)-induced extrapyramidal dysfunction (Holmes and Flaherty), 669
Tissue nevi, connective, macrodactyly, and hemihypertrophy: Report of new syndrome and review of literature (Temtamy and Rogers), 924
Titers, comparison of anti-A and anti-B, in factor VII and IX concentrates (Seeler et al) (BCLO), 87

Tolazoline, response to: Neonatal hypoxia and pulmonary vasospasm (Goetzman et al), 617
Tomography, computed: New diagnostic technique (Harwood-Nash and Breckbill), 343
Tonsil and serum, concentrations of erythromycin in: Comparison of estolate and ethyl succinate suspensions (Ginsburg et al), 1011
large, and adenoids causing postural apnea (Moffat) (Letter), 510
Toxic encephalopathy, acute, or classic Reye syndrome (Swisher) (Letter), 339
Toxicity, cardiac, and adriamycin (Rieker and Patterson) (Letter), 517
hepato-, reversible oxacillin (Lans and Weiner), 835
Toxicologic studies, experimental, on phenol detergent associated with neonatal hyperbilirubinemia (Daum et al) (Letter), 853
Toxigenic bacterial diarrhea: Nursery outbreak involving multiple bacterial strains (Guerrant et al), 885
Toxoplasmosis, congenital, in twins (Couvreur et al), 235
Tracheal aspirate lecithin/sphingomyelin ratios as predictors of recovery from RDS (Kanto et al), 612
extubation, optimum levels of CPAP for (Berman et al), 109
foreign body acquired during suctioning (Schreiner et al) (Letter), 860
oro- intubation, prolonged, in infancy—cleft palate associated with (Duke et al), 990
perforation: Treatment with cuffed endotracheal tube (Finer et al) (Letter), 510
Transfusion, exchange, role of, in management of LBW infants with and without severe respiratory distress syndrome. I. Initial observations (Delivoria-Papadopoulos et al), 273; II. Further observations and studies of mechanisms of action (Gottuso et al), 279
—use of Scribner shunt in (Strauss et al) (Letter), 160
maternal partial exchange—effect on infants of patients with sickle cell anemia (Morrison and Wiser), 286
program, walking-donor blood—evaluation of in intensive care nursery (Pass et al), 646
Transplantation, hemodialysis, and renal insufficiency—parathyroid function in uremic children during periods of (Gruskin et al), 755
re-, of bone marrow following failure of initial engraftment with aplastic anemia (Meuwissen et al), 588
Trimethobenzamide HCl (Tigan)-induced extrapyramidal dysfunction (Holmes and Flaherty), 669
Trimethoprim-sulfamethoxazole and ampicillin therapy, comparison of, for shigellosis in ambulatory patients (Nelson et al), 491
Trunk length, limb length, and muscle width in growth hormone-deficient children—relative importance of growth hormone and sex steroids for growth at puberty (Tanner et al), 1000
TSH measurements from blood spots on filter paper: A confirmatory screening test for neonatal hypothyroidism (Dussault et al), 550
Tube, endotracheal, displacement (Todres et al), 126
Tuberculous mother, simultaneous administration of isoniazid and BCG to infant of (Podgore) (Letter), 679
Tubular acidosis, distal renal, with chronic hydronephrosis (Hutcheon et al), 372
Tumors, central nervous system, eye, and middle ear—sequelae of therapeutic irradiation of: Delayed onset of hypopituitarism (Richards et al), 553
Twins, congenital toxoplasmosis in (Couvreur et al), 235
identical—mild combined immunodeficiency in (Pabst et al) (BCLO), 425

U

Ultrasound localization for percutaneous renal biopsy (Zeis et al) (BCLO), 263
Umbilical arterial catheterization, complication of—hypertension (Plumer et al), 802
blood for bacterial cultures, use of (Baum) (Letter), 861; (Cowett et al) (Reply), 861
catheters, indwelling—to use or not to use heparin with (Mahoney) (Letter), 330; (Hall et al) (Reply), 340
cord hematoma associated with myocardial infarction (Fletcher et al), 806
intra-, injection of hypertonic glucose—gangrene following (Arad and Benady) (Letter), 327
Uremic children, parathyroid function in, during periods of renal insufficiency, hemodialysis, and transplantation (Gruskin et al), 755
Urinary cyclic AMP: High concentrations in vitamin D-deficient and -dependent rickets (Sovik et al) (BCLO), 946
protein excretion in early infancy (Karlsson and Hellsing) (BCLO), 89
tract, infection of, after anti-reflux surgery (Willscher et al), 743; Comment (Nelson), 747
upper—anomalies with adrenogenital syndrome (McMillan et al) (BCLO), 953
Urine, CSF, and blood—countercurrent immunoelectrophoresis for diagnosis of bacterial meningitis (Feigin et al) (BCLO), 773
Uterine, intra-, hypoxia—hemodynamic effects of: Experimental model in newborn lambs (Gersony et al), 631
Uterus—massive fetomaternal hemorrhage due to choriocarcinoma of (Blackburn) (Letter), 680

V

Vaccination, rubella, with sinus histiocytosis with massive lymphadenopathy—exaggerated antibody response following (Sumaya et al) (BCLO), 81
Vanceril (beclomethasone), role of, in therapy of asthma: Commentary (Valentine and Talamo), 827
Vascular, intra-, hemolysis: Unusual complication of hydrocarbon ingestion (Adler et al) (Letter), 679
Vasoactive intestinal peptide, intractable watery diarrhea, and ganglioneuroblastoma (Mitchell et al) (BCLO), 593
Vasospasm, pulmonary, and neonatal hypoxia: Response to tolazoline (Goetzman et al), 617
Vein-scalp needles as portal of entry—nursery outbreak caused by *Serratia marcescens* (Stamm et al), 96
Ventilation and sleep states in newborn infants (Finer et al), 100
Ventricular, supra-, tachycardia—the diving reflex in termination of (Whitman and Zakeosian) (Letter), 1032

Vincristine, overdosage with (Kaufman et al), 671
Viral hepatitis—serum sickness-like illness and prodromal manifestations of (Shturman-Ellstein and Kohler) (Letter), 521
infection, ECHO 9, associated with acute unilateral oculomotor palsy (Hertenstein et al) (BCLO), 79
Virus, Epstein-Barr (leukocyte transforming agent) (Visintine et al), 571
herpes, type 2 encephalitis, in two neonates from same household (Allen et al) (BCLO), 949
Virus—Cont'd
infection, primary Epstein-Barr, and thrombocytopenia during late infancy (Andiman) (BCLO), 435
respiratory syncytical: Quantitation and duration of shedding (Hall et al), 11
Vitamin D–deficient and –dependent rickets, high concentrations in: Urinary cyclic AMP (Sovik et al) (BCLO), 946
Volunteers (mothers) in oncology clinic (Stuetzer et al), 847